

MyKartell



Kartell
2024

My Kartell reloaded



The story of Kartell has been one of continuous innovation and evolution. Every step has been a new beginning, but firmly based on an established company culture of industrial production that looks to the future and welcomes social change. Every new beginning has adopted the input of the past – the experience of a Kartell that represents a personal, changing and sustainable way of being. Now we are recharging our creative workshop with new ideas, a new transversal mindset that spans different cultures and ways of living but never loses that clear identity that emerges from every detail and aspect of the objects that form part of the Kartell lifestyle.

My Kartell Reloaded follows the journey of a well-established, international family business that respects the environment and is committed to beauty, quality and the value of the individual. People are Kartell's most essential heritage and are central to our values. Kartell offers everyone the chance to live their lives in their own way, however they choose.

Our catalogue with product data sheets is organised into 10 chapters:

*Chairs
Sofas and armchairs
Tables
Lights
Furnishing complements
Table goods
Bookcases
Fabrics
Marble effect ceramic
Wood*

Each chapter includes a product data sheet that provides an image, characteristics, colour variants, materials, dimensions and prices.

This rational arrangement makes the data sheets easy to consult and facilitates information searches. The information provided is detailed and complete. At the end, readers can find product certifications, technical notes and a summary of materials.

HOW TO READ THE DATA SHEETS

NAME 0000
Designer

GENERAL INFORMATION

The pages are organised vertically for each family of products, simply scroll down to read the technical information for each one. Specifically, you will find the following information for each product:

A PRICES

The prices shown in the following price list apply from 1st February 2024, subject to Kartell's right to revise the same following prior notification. All prices are shown in the reference country currency. For each individual item, the price including VAT will be shown, with the price excluding VAT indicated below. VAT is calculated in compliance with the law in force when the price list is printed. Prices are always per unit. Exceptions to this rule are countries in which dual pricing has not been specifically set out, and therefore only the net price is indicated.

B CODE

This is the number which accompanies each product or individual component, and must be indicated on every order. It is located next to the technical drawing or finish.

C DIMENSIONS

The maximum dimensions are indicated in order to provide all of the necessary elements to assess the space occupied by the product. Depending on the country of reference, the units of measurement are cm or inches.

D WEIGHT

The net weight of the product is stated, as this is a useful piece of information for products such as tables and chairs, to evaluate the suitability of the product for a specific use (e.g. for use in public spaces). Depending on the country of reference, the units of measurement are kg or pounds.

E DESCRIPTION AND MATERIALS

This section contains details of the materials and any essential technical and functional aspects.

F COLOUR SAMPLES

Details of the colours or colour combinations available. The full-colour guide symbol identifies the colours available to be freely combined, the two-way guide symbol identifies the fixed seat/colour pairing that cannot be changed. The colours shown are as close as possible to the actual product shade. However they are to be considered as general indications for consultation.

G SYMBOLS

INDICATES THAT THE CHAIR IN QUESTION IS STACKABLE AND SPECIFIES THE MAXIMUM NUMBER OF UNITS ALLOWED

INDICATES THAT THE PRODUCT IS SUITABLE FOR OUTDOOR USE

INDICATES THAT THE PRODUCT IS CUSTOMISABLE

PRODUCT IS DISHWASHER SAFE

PRODUCT IS SUITABLE FOR FOOD CONTACT

PRODUCT IS NOT SUITABLE FOR MICROWAVE USE

PRODUCT IS SUITABLE FOR INDOOR USE

PRODUCT IS NOT SUITABLE FOR CHILDREN AGED UNDER 18 MONTHS

PRODUCT IS NOT SUITABLE FOR CHILDREN AGED UNDER 3 YEARS

PRODUCT WITH REMOVABLE COVER

MADE FROM RECYCLED MATERIAL

BIOPOLYMER MADE FROM RENEWABLE RAW MATERIALS, DERIVED FROM NON-GMO AGRICULTURAL WASTE

MADE FROM FSC™ CERTIFIED WOOD

MADE FROM 2.0 POLYCARBONATE FROM RENEWABLE RAW MATERIAL

MADE WITH THE RECOVERY OF WASTE PLASTIC MATERIALS FROM ILICCAFFE IPERESPRESSO CAPSULES

MADE FROM RECYCLED PMAA

100% RECYCLABLE PRODUCT

SYMBOLS AND SPECIFICATIONS ASSOCIATED WITH INDIVIDUAL LIGHTS

INSULATION CLASSES

CL 1 INDICATES THE LEVEL OF PROTECTION AGAINST ELECTRIC SHOCK. IN THE CASE OF CLASS 1, INSULATION IS "SIMPLE" AND THE APPLIANCE'S EARTHING DEVICES ARE REQUIRED.

INDICATES THE LEVEL OF PROTECTION AGAINST ELECTRIC SHOCK. IN THE CASE OF CLASS II, INSULATION IS "REINFORCED" AND THE APPLIANCE'S EARTHING DEVICES ARE NOT REQUIRED.

INDICATES A DEVICE IN WHICH THE PROTECTION AGAINST ELECTRIC SHOCK IS BASED ON THE EXTRA LOW VOLTAGE SAFETY POWER SUPPLY AND IN WHICH NO HIGHER VOLTAGES ARE PRODUCED.

INDICATES THE TYPE OF SURFACE ON WHICH THE APPLIANCE CAN BE MOUNTED. THE SYMBOL "F" INDICATES THAT THE APPLIANCE CAN BE MOUNTED DIRECTLY ON NORMALLY INFLAMMABLE SURFACES.

PROTECTION RATING

IP20 INDICATES THE DEGREE OF PROTECTION AGAINST THE PENETRATION OF DUST, SOLID BODIES AND MOISTURE. IP20 RATING REFERS TO ORDINARY APPLIANCES THAT HAVE NO SPECIFIC REQUIREMENTS.

VOLTAGE

INDICATES THE APPLIANCE POWER SUPPLY VOLTAGE.

ATTACHMENT

INDICATES THE LAMP HOLDER ATTACHMENT TYPE ON THE APPLIANCE.

MAX POWER

INDICATES THE MAXIMUM POWER OF THE BULB THAT CAN BE CONNECTED TO THE APPLIANCE WITHOUT COMPROMISING ITS SAFETY.

ENERGY CLASS

COLOUR TEMPERATURE +CRI

THE COLOUR RENDERING INDEX IS THE NUMERICAL VALUE THAT INDICATES THE ABILITY OF A LIGHT SOURCE TO REPLICATE THE COLOUR TONES AND THE COLOURS OF THE OBJECTS ILLUMINATED.

AVERAGE LIFE OF LIGHT SOURCE

LUMEN

LUMINOUS FLUX OF THE LIGHT SOURCE

DIMMABLE VERSION

BATTERY LIFE

TYPE OF BULB

H CERTIFICATIONS

Reliability test information. More information is available in the "CERTIFICATIONS: Reference legislation" section

I INFORMATION REGARDING PACKAGING UNITS

At the bottom of the page, you will see the following information indicated for each package in the order: the number of pieces, weight, volume and dimensions in cm or inches, depending on the reference country. The pieces within a package cannot be purchased separately.

N.B. The company reserves the right to make changes to the technical characteristics of the products in the catalogue, without notice. Any new product or variation to the technical characteristics of the products will be made known to the public via the most effective methods. How to read and use the Price List

B 0000

UNIT PRICE **000 £** **A**

000

C

62
50

77
65
43

54

2.64 kg **D**

E STRUCTURE

Material description

COLOUR

00 Colour 00 Colour 00 Colour 00 Colour 00 Colour 00 Colour **F**

SEAT

Material description

COLOUR

00 Colour 00 Colour 00 Colour 00 Colour 00 Colour 00 Colour **F**

G


I

0000 **0** **0.0** **0.0** **000X000X000**

H		level reached
EN 1022:2005		Compliant
EN 16139:2013+AC 2013		Compliant
EN 1728:2012+AC 2013		Compliant
0.0		L2
0.0		L2
0.0		L2
0.0		L2
0.0		L1
0.0		L2
0.0		L2
0.0		L2
0.0		L2
0.0		L2
0.0		L2
0.0		L2
0.0		L2



SEATING



5886

MATERIAL

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



Product made of recycled material

5887

MATERIAL

Recycled thermoplastic technopolymer with mineral and metallic filler.




Product made of recycled material




discover A.I. Chair

5889




5888



MATERIAL


recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



Product made of recycled material




	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant.
4.2	Compliant.
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



5889

5888



	level reached
EN 16139:2013+AC 2013	Compliant
EN 1022:2018 7.2	Compliant
EN 1728:2012	
4.1	Compliant.
4.2	Compliant.
6.2.1	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.8	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.21	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

A.I. STOOL LIGHT 2022

Design Philippe Starck




RE-CHAIR 2022

Design Antonio Citterio powered by



5901

H. 45 cm.




5902

H. 65 cm.




5903

H. 75 cm.




MATERIAL

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



discover A.I. Family

5803



MATERIAL

post-industrial recycled thermoplastic technopolymer obtained from Illy coffee pods



A new major partnership with the Illy Group supplements the unwavering research conducted by Kartell to develop innovative materials and promote sustainable production. For the first time ever, post industrial waste coffee pods are being used to regenerate material, which is ground into a granule-like consistency to give rise to the second raw material, giving the material a new lease on life so it can be injected into a Kartell mould to produce a designer product.

The partnership with Illy does not stop with the mere supply of recycled material, but it embraces a new way of managing the circular economy process between two excellences. The quality of a consumer industrial product leads to an industrial project which generates beauty and is in itself based on quality.

It took almost two years of work to achieve the quality standard and the necessary mechanics to produce a chair from waste coffee pods. The symbol of this project is a chair, whose name brings to mind the subject of experimentation on recycled material. Re-Chair is the latest creation by Antonio Citterio for Kartell made from recycled material and now the special ambassador of project powered Illy caffè.

MATERIAL

recycled thermoplastic technopolymer with mineral filler



discover Re-Chair powered by illy



	Level reached	
	H. 45	H. 65/75
EN 16139:2013+AC2013	Compliant	Compliant
EN 1022:2018 7.2	Compliant	Compliant
EN 1728:2012		
4.1	L2	L2
4.2	L2	L2
6.5	L2	L2
6.8	-	L2
6.15	L2	L2
6.16	L2	L2
6.18	L2	L2
6.21	-	L2
6.24	L2	L2

maximum level=L2


	5901	5902	5903
	2	2	2
	6.8	9.0	9.5
	0.067	0.144	0.168
	52X36X36	71X58X35	80X60X35

	5803
	2
	10.0
	0.29
	65X54X82


	level achieved
	Compliant
	Compliant
EN 1022:2005	
EN 16139:2013+AC 2013	
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2



G5818




MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment




G5818 2 12.5 0.322 91X56X64

5806



MATERIAL
Mass-dyed or painted polycarbonate with soft touch treatment




5806 2 12.6 0.276 57X57X85



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	12
6.5	12
6.6	12
6.15	12
6.16	12
6.17	12
6.18	12
6.24	12
6.25	12

	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	12
6.5	12
6.6	12
6.10	12
6.15	12
6.16	12
6.17	12
6.18	12
6.20	12
6.24	12
6.25	12
6.26	12



MATERIAL

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment

5865



5866


4 items packaging



Product made of recycled material



5864



MATERIAL

Recycled thermoplastic technopolymer with mineral and metallic filler




Product made of recycled material




	level reached
EN 16139.2013+AC2013	Compliant
EN 1022.2005	Compliant
EN 1728.2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

5865



2 10.4 0.302 60X90X56

5864



2 10.4 0.302 60X90X56

	level reached
EN 16139.2013+AC2013	Compliant
EN 1022.2005	Compliant
EN 1728.2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

MASTERS STOOL 2013

Design Philippe Starck with Eugeni Quisquet




reddot award 2017
best of the best

PIUMA 2016

Design Piero Lissoni




5868



5869

5849

Metallic



MATERIAL

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment

5868/5869



MATERIAL


Recycled thermoplastic technopolymer with mineral and metallic filler.

5849



Product made of recycled material

5802



MATERIAL


Complex thermoplastic polymer with carbon fibre and soft touch treatment




Production video



	level reached
EN 16139:2013+AC2013	Compliant
EN 1022 2005	Compliant
EN 1728:2012	
6.2.1	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.8	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




5868	1	6.4	0.29	50X52X112
5869/5849	1	6.0	0.27	50X52X102.5




5802	1	5.30	0.335	61X67X82
------	---	------	-------	----------

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




SEAT
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material
FRAME
Painted or chrome-plated steel and stainless steel in the outdoor version

5834





5836
OUTDOOR



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



5834/5836 2 6.0 0.12 51X48X49 56X49X44



SEAT
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material
FRAME
Chrome-plated steel
ROCKING CHAIR
Oak-coloured wood finish

5835



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




discover Smatrik



	level reached
EN 16139:2013+AC 2013	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

5835 2 6.0 0.12 51X48X49 70X48X49



SMATRIK STOOL 2019


Design Tokujin Yoshioka



	level reached
EN 16139:2013+AC 2013	Compliant
EN 1728:2012	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2


GENERIC A/GENERIC C 2017

Design Philippe Starck








SEAT
Transparent or batch-dyed polycarbonate

FRAME
Painted or chrome-plated steel and stainless steel in the outdoor version




discover Smatrik



	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant.
4.2	Compliant.
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

LOUIS GHOST 2002
Design Philippe Starck

VICTORIA GHOST 2005
Design Philippe Starck



MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

4852

TRANSPARENT

B4 Crystal	J1 Smoke grey	J2 Straw yellow	J3 Sunset orange	J4 Crystal green	J5 Ice blue

GLOSSY

E5 White	E6 Black	

New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

4853 B4
4 items packaging

4854
2 items packaging

CLIENT CUSTOM FINISH

Louis Ghost can be customised to suit customer requirements, for a minimum order of 10 pieces.

EE
Customised


5853
4 items packaging

MATERIAL
Transparent polycarbonate


TRANSPARENT

B4
Crystal

Fire tested version
IT UNI 9177 fire reaction test class 1
ministerial certification n. MI1848D30D100011



4852/4854	2	13.1	0.389	58X100X67
4853/5853	4	24.4	0.472	56X108X78



MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

4857

TRANSPARENT

B4 Crystal	P9 Smoke grey	Z4 Powder blue	Z2 Amber

GLOSSY

E5 White	E6 Black	

New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

4856
4 items packaging

TRANSPARENT

B4
Crystal

5856
4 items packaging


MATERIAL
Transparent polycarbonate

TRANSPARENT

B4
Crystal

Fire tested version
IT UNI 9177 fire reaction test class 1
ministerial certification n. MI1848D30D100011

With Victoria Ghost the offering of transparent plastic seating is enriched and also includes the fireproof version.



4857	2	9.2	0.214	40X97X55
4856/5856	4	17.2	0.284	40X106X67



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
4.1-4.2	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.11	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2


	level reached
EN 16139:2013+AC 2013	Compliant
EN 1022 2005	Compliant
4.1-4.2	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2

LOU LOU GHOST CUSTOM/SPECIAL EDITION 2016

Design Philippe Starck

LOU LOU GHOST 2008

Design Philippe Starck



MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

N2855

Choose the color of your Lou Lou Ghost



Choose the font for your name





Choose the color for your name




For delivery times, please see the procedure

2855



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



MATERIAL

Batch-dyed polycarbonate

2852




MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

2853

1 item packaging



2854

EE



EE Customised




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

It can be customised at the specific request of the customer for a minimum order of 12 pieces.




N2855 2855



1	2.7	0.102	39X67X39
1	2.7	0.102	39X67X39


2852 2853/2854




4	7.74	0.155	38X73X56
1	2.7	0.102	39X67X39



5890



5891



MATERIAL

Transparent or batch-dyed polycarbonate


TRANSPARENT




GLOSSY



5895



5896



MATERIAL

Transparent or batch-dyed polycarbonate


TRANSPARENT




GLOSSY



EN 15373:2007	Level achieved
5.1	Compliant
5.2	Compliant
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.4	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



5890	2	13.4	0.395	132X65X46
5891	2	14.2	0.454	152X65X46



5895	2	13.4	0.395	132X65X46
5896	2	14.2	0.454	152X65X46


EN 15373:2007	Level achieved
5.1	Compliant
5.2	Compliant
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.4	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

CHARLES GHOST 2005
Design Philippe Starck


LA MARIE 1999
Design Philippe Starck




4897



4898




4899




MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)





4897	2	4.4	0.077	36X58X36
4898	2	7.6	0.171	40X107X40
4899	2	8.2	0.218	43X118X43

4850



MATERIAL

Transparent polycarbonate



4850	2	9.3	0.228	59X41X94
------	---	-----	-------	----------




level achieved	
h. 65/75	
EN 1022:2005	Compliant
EN 15373:2007	
5.1	Compliant
5.2	Compliant
Attachment A para. A.5	(maximum level) 3
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.4	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3


Level achieved	
EN 15373:2007	
5.1	Compliant
5.2	Compliant
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



4911
h. seat 43.5 cm. - Basic Veneer
4912
h. seat 43.5 cm. - Slatted Ash



5911
h. seat 41.5 cm. - Basic Veneer
5912
h. seat 41.5 cm. - Slatted Ash




SEAT
Curved 3D wood

FRAME
Chrome-plated or painted steel


Basic Veneer



Slatted Ash



5926
Basic Veneer




SEAT
Curved 3D wood

FRAME
Chrome-plated or painted steel

SPOKES
Chrome-plated or painted die-cast aluminium

Basic Veneer



discover
Smart Wood Collection



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	12
6.5	12
6.6	12
6.17	12
6.18	12
6.24	12
6.25	12


4911/4912	1	7.9	0.265	53X57X88
5911/5912	1	7.9	0.265	53X57X88

5926	1	8.8	0.340	63X63X85

	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	12
6.5	12
6.6	12
6.17	12
6.24	12
6.25	12



5928
Q/Wood Soft - h. seat 42.5 cm. - Basic Veneer



SHELL

Curved 3D wood

SEAT

Aquaclean® fabric-upholstered mass-dyed thermoplastic technopolymer

FRAME

Chrome-plated or painted steel

Basic Veneer




Product made of FSC® certified wood

This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.




5928



1 9.6 0.308 58X59X90

4913
h. seat 43.5 cm. - Basic Veneer
4914
h. seat 43.5 cm. - Slatted Ash




5913

h. seat 41.5 cm. - Basic Veneer

5914

h. seat 41.5 cm. - Slatted Ash



SHELL

Curved 3D wood

SEAT

Mass-dyed thermoplastic technopolymer

FRAME

Chrome-plated or painted steel

Basic Veneer



Slatted Ash




Product made of FSC® certified wood



discover
Smart Wood Collection

4913/4914 1 9.6 0.308 58X59X90
5913/5914 1 9.6 0.308 58X59X90




level achieved
EN 1022:2005 Compliant
EN 16139:2013+AC 2013 Compliant
EN 1728:2012+AC 2013

6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



5927

Basic Veneer



SHELL

Curved 3D wood

SEAT

Mass-dyed thermoplastic technopolymer

FRAME

Chrome-plated or painted steel

SPOKES

Chrome-plated or painted die-cast aluminium


Basic Veneer



Product made of FSC™ certified wood

5929

Q/Wood Soft - Basic Veneer



SHELL

Curved 3D wood

SEAT

Aquaclean® fabric-upholstered mass-dyed thermoplastic technopolymer

FRAME

Chrome-plated or painted steel

SPOKES

Chrome-plated or painted die-cast aluminium

Basic Veneer



Product made of FSC™ certified wood


This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.



discover
Smart Wood Collection




	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.17	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



5927

1 10.0 0.340 63X63X85



5929

1 10.0 0.340 63X63X85

	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.17	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

ELEGANZA NIA 2022

Design Philippe Starck




reddot winner 2023
best of the best



reddot winner 2023
best of the best

ELEGANZA ELA 2022

Design Philippe Starck



FRAME

Recycled and recyclable batch-dyed thermoplastic technopolymer



B
White



Recycled
material
structure



N
Black



Made with the recovery of
waste plastic materials from
illycaffè iperespresso capsules

6260

"Melange" fabric

SEAT

Partly post-industrial recycled fabric-upholstered polyurethane



1
Black



2
Dove Grey



3
Sky blue




4
Mustard



5
Rust



Made from recycled fabric



FRAME

Recycled and recyclable batch-dyed thermoplastic technopolymer



B
White



Recycled
material
structure



N
Black



Made with the recovery of
waste plastic materials from
illycaffè iperespresso capsules

6265

"Melange" fabric

SEAT

Partly post-industrial recycled fabric-upholstered polyurethane



1
Black



2
Dove Grey



3
Sky blue



4
Mustard



5
Rust



Made from recycled fabric



EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Compliant
EN 1728:2012+AC2013	level reached
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

6260



1

7.50



5.10



0.183



0.137



60X61X50

50X55X55

6265



1

7.00



5.10



0.183



60X61X50

50X55X55

EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Compliant
EN 1728:2012+AC2013	level reached
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

ELEGANZA NIA MISSONI 2022


Design Philippe Starck powered by 

ELEGANZA ELA MISSONI 2022

Design Philippe Starck powered by 



6275




FRAME


post-industrial recycled thermoplastic technopolymer obtained from illy coffee pods

SEAT

Missoni fabric-upholstered polyurethane




A new major partnership with the Illy Group supplements the unwavering research conducted by Kartell to develop innovative materials and promote sustainable production. For the first time ever, post industrial waste coffee pods are being used to regenerate material, which is ground into a granule-like consistency to give rise to the second raw material, giving the material a new lease on life so it can be injected into a Kartell mould to produce a designer product. The partnership with Illy does not stop with the mere supply of recycled material, but it embraces a new way of managing the circular economy process between two excellences. The quality of a consumer industrial product leads to an industrial project which generates beauty and is in itself based on quality. It took almost two years of work to achieve the quality standard and the necessary mechanics to produce a chair from waste coffee pods.



6275	1	7.50	0.183	60X61X50
	1	5.10	0.137	50X55X55

6276





FRAME

post-industrial recycled thermoplastic technopolymer obtained from illy coffee pods

SEAT


Missoni fabric-upholstered polyurethane



discover Eleganza by Missoni




EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Compliant
EN 1728:2012+AC2013	level reached
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



6276	1	7.00	0.183	60X61X50
	1	5.10	0.137	50X55X55

CHARLA 2021

Design Patricia Urquiola



STRUCTURE

Recycled and recyclable batch-dyed thermoplastic technopolymer



N
Black

SEAT

Polyurethane with fabric upholstery

4215

Orsetto fabric

A4215



Product made of recycled material


In order to better satisfy the needs of common areas, Charla is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.

Dimensions of customised fabric to cover a single piece: 140x125 cm.




Fire-resistant version

UK Standard BS 5852 S5, S.I. 1324



4215/A4215 1 7.10 0.138 56X62X40 51X51X46



STRUCTURE

Recycled and recyclable batch-dyed thermoplastic technopolymer



N
Black

SEAT

Polyurethane with fabric upholstery

4218

Antibes fabric

A4218



IMO International Maritime Organization Cert.



Product made of recycled material


In order to better satisfy the needs of common areas, Charla is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.

Dimensions of customised fabric to cover a single piece: 140x125 cm.



Fire-resistant version

UK Standard BS 5852 S5, S.I. 1324




4218/A4218 1 7.10 0.138 56X62X40 51X51X46



EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Conforme
EN 1728:2012+AC2013	level attained
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

EN 1022:2005	Compliant
EN 1022:2018 7.2	Compliant
EN 16139:2013	Conforme
EN 1728:2012+AC2013	level attained
4.1	Compliant
4.2	Compliant
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



FRAME

Batch-dyed thermoplastic technopolymer, recycled and recyclable for the black and white version

SEAT

Fabric-covered polyurethane

4182

Embossed fabric



Fire tested version

IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification M11848D20D11M00018
US - California Standard TB 117 - UK Standard BS 7176 Medium Hazard - S.I. 1324

4182




4180




TC
Customer fabric

In order to better satisfy the needs of common areas, Clap is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.

Dimensions of customised fabric to cover a single piece: 140x125 cm.




4180/4182 1 6.15 0.161 54X49X61 51X51X46



STRUCTURE

Recycled and recyclable batch-dyed thermoplastic technopolymer



SEAT


Rubelli Quatrefoil® design by Luke Edward Hall fabric

4188



FRAME


Batch-dyed thermoplastic technopolymer, recycled and recyclable for the black and white version



SEAT

Aquaclean® fabric

4187



4187/4188 1 6.15 0.161 54X49X61 51X51X46




EN 1022:2005	Compliant
EN 16139:2013	Compliant
EN 1728:2012	level attained
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

EN 1022:2005	Compliant
EN 16139:2013	Compliant
EN 1728:2012	level attained
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




Table with 2 columns: Standard (EN 1022:2005, EN 16139:2013, EN 1728:2012) and Compliance (Compliant, level reached).

5848



FRAME
Transparent or mass-dyed polycarbonate



SEAT
Rubelli® Déjeuner sur l'Herbe Fabric-covered polyurethane foam



In order to better satisfy the needs of common areas, Madame is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
Dimensions of customised fabric to cover a single piece: 140x115 cm.

5848





Table with 4 columns: Quantity (1), Weight (6.83, 5.18), Dimensions (0.145, 0.114), and Box Size (58X43X58, 53X44X49).

5838



FRAME
Transparent or mass-dyed polycarbonate



Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification
MI1848D20D11W00020
UK Standard BS 7176 Medium Hazard - S.I. 1324
US - California Standard TB 117

5838




Table with 4 columns: Quantity (1), Weight (6.83, 5.18), Dimensions (0.145, 0.114), and Box Size (58X43X58, 53X44X49).




Table with 2 columns: Standard (EN 1022:2005, EN 16139:2013 + AC2013, EN 1728:2012 + AC 2013) and Compliance (Compliant, level reached).

MADemoiselle 2012

Design Philippe Starck

MADemoiselle KRAVITZ 2013

Design Philippe Starck




FRAME
Transparent or batch-dyed polycarbonate

SEAT
Polyurethane foam with fabric upholstery



4900
Transparent frame
4901
Black frame
Rubelli Quatrefoil® design by Luke Edward Hall fabric



4895
Transparent frame
4896
Black frame
À la mode fabrics



4892
Black frame
4893
Transparent frame
À la mode fabrics



MATERIAL
Transparent or batch-dyed polycarbonate

SEAT
Fabric covered polyurethane

4192
Black frame
4193
Transparent frame



4392
Black frame
4393
Transparent frame



In order to better satisfy the needs of common areas, Mademoiselle is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.

📏 Dimensions of customised fabric to cover a single piece: 140x110 cm.



	level achieved
EN 1728:2000	
6.7	(maximum level) 5
6.12	(maximum level) 5
6.13	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5

4895/4896	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47
4900/4901	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47
4892/4893	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47

4192/4193	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47
4392/4393	1	5.3	0.10	55X36X54
	1	5.2	0.12	52X53X47

	level achieved
EN 1728:2000	
6.7	(maximum level) 5
6.12	(maximum level) 5
6.13	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5

AUDREY 2012

Design Piero Lissoni


Good Design Award 2012  red dot design award
winner 2013

AUDREY SOFT 2012


Design Piero Lissoni



5875



5876




FRAME


Painted aluminium

SEAT AND BACK


Batch-dyed modified polypropylene



5975




5976



FRAME

Painted aluminium



5879

Stacking support

Audrey Soft is the fabric version of this chair. If required, a support accessory is also available, enabling the chairs to be stacked without damaging the upholstery.



SEAT AND BACK

Polyurethane

UPHOLSTERY

Noma fabric made of 100% recycled polyester



Made from recycled fabric




Fire tested version
NOMA FABRIC IT UNI 9175, EN 1021 fire reaction test,
class 1 IM Ministerial approval pending

	level achieved without arms
EN 16139:2013	Compliant
EN 1022:2005	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2

5875


5876



2	13.2	0.279	57X86X57
2	14.8	0.304	57X86X62

5975

5976




2	14.6	0.286	57X88X57
2	16.6	0.311	57X88X62

	Level achieved with arms	Level achieved without arms
EN 1022:2005	Compliant	Compliant
EN 15373:2007		
5.1	Compliant	Compliant
5.2	Compliant	Compliant
Attachment A para. A.2	3	3
EN 1728:2000		
6.2.1	3	3
6.2.2	3	3
6.5	3	-
6.6	3	-
6.7	3	3
6.8	3	3
6.10	3	-
6.12	3	3
6.13	3	3
6.15	3	3
6.16	3	3
6.17	3	-
maximum level=3		



5954

Four wooden legs




FOUR LEGS

Oak-stained ashwood or painted beechwood


SHELL

Thermoplastic technopolymer mass-coloured or painted



5950

Sled




SLED LEG

Steel painted with epoxy polyester


SHELL

Thermoplastic technopolymer mass-coloured or painted



5956

Rocking chair



SHELL

Thermoplastic technopolymer mass-coloured or painted

ROCKING CHAIR

Oak-stained ash




Level achieved	
EN 1022:2005	Compliant
EN 15373:2007	
5.1	Compliant.
5.2	Compliant.
Attachment A par. A.2	3
EN 1728:2000	
6.2.1	3
6.2.2	3
6.6	3
6.7	3
6.8	3
6.10	3
6.12	3
6.13	3
6.15	3
6.16	3
6.17	3
Maximum level= 3	


Level achieved	
5954	2
5950	2
5956	1

13.0	0.218	60X79X46
12.0	0.193	63X51X60
13.0	0.218	60X79X46
11.8	0.208	63X55X60


Level achieved	
EN 15373:2007	
5.1	Compliant.
5.2	Compliant.
6.2.1	3
6.2.2	3
6.6	3
6.7	3
6.8	3
6.10	3
6.15	3
6.16	3
6.17	3
Maximum level= 3	




MATERIAL
Thermoplastic technopolymer, mass-coloured or painted



MATERIAL
Transparent or batch-coloured polycarbonate




	level reached
EN 16139:2013	Compliant
EN 1022:2005	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2



	level achieved
EN 1022:2005	Compliant
EN 15373:2007	
5.1	Compliant
5.2	Compliant
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3




5830



MATERIAL
Transparent polycarbonate



4835



FRAME
Die-cast aluminium


SEAT
Transparent polycarbonate



EN 15373:2007	Level achieved
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.5	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.10	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3
6.17	(maximum level) 3


5830

2 15.2 0.339 63X61X88



4835

1 12.2 0.357 66X83X65







EN 1728:2000	level achieved
6.2.1	(maximum level) 5
6.7	(maximum level) 5
6.8	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5



55




2870
Chrome-plated structure
N2870
Black structure
2891
Self-extinguishing chair chrome-plated structure




2875
Trolley for chairs
2873
Linking device



2878
Swivel chair adjustable in height




2879
Swivel armchair adjustable in height



FRAME
Chrome-plated or painted steel
SHELL/ARMS
batch-dyed polypropylene

TABLET
Laminated stratified H.P.L.


2870/N2870/2872/2874/2869/2878/2879




Fire-resistant version
IT UNI 9177 fire reaction test,
class 1 ministerial certification
M11848D30D100027



EN 1022:2005	Compliant
EN 15373:2007	Level achieved
5.1	Compliant.
5.2	Compliant.
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3



2870/N2870	2	12.0	0.302	59X58X90
2891	4	22.6	0.381	59X100X58
2872	2	14.3	0.302	58X58X90
2874	2	17.0	0.303	59X90X58
2869	2	17.0	0.303	59X90X58



2878	1	9.8	0.220	58X90X58
2879	1	11.0	0.256	57X84X52


EN 1022:2005	Compliant
EN 15373:2007	Level achieved
5.1	Compliant.
5.2	Compliant.
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

MAUI SOFT NOMA 2013


Tribute to Vico Magistretti



2895 Chrome-plated structure
N2895 Black structure
T2895 Customer fabric chrome-plated structure
X2895 Customer fabric black structure



2897 Armchair on casters with gas lift pump



FRAME


Chrome-plated or painted steel

SHELL

Fabric-covered nylon

COVER

New Noma fabric made of 100% recycled polyester



T2895/X2895



T
Customer
fabric


In order to better satisfy the needs of common areas, Maui Soft is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
 Dimensions of customised fabric to cover a single piece: 140x125 cm.



Fire-resistant version
 NOMA FABRIC IT UNI 9175, EN1021 fire reaction test, class 1 IM Ministerial approval M11848D20D1IM00028
 UK Standard BS7176




2895/N/T/X	2	13.8	0.327	59X59X94
2897	1	11.6	0.255	57X52X86




MAUI SOFT TREVIRA 2013

Tribute to Vico Magistretti

2895 Chrome-plated structure
N2895 Black structure



2897 Armchair on casters with gas lift pump



FRAME


Chrome-plated or painted steel

SHELL

Fabric-covered nylon


COVER

Trevira fabric



Fire-resistant version
 TREVIRA FABRIC
 IT UNI 9175, EN1021 fire reaction test, class 1 IM ministerial certification M11848D20D1IM00015
 UK Standard BS5852 S5, BS 7176 Medium Hazard - S.I. 1324
 US California Standard TB 117

2895/N	2	13.8	0.327	59X59X94
2897	1	11.6	0.255	57X52X86



EN 1022:2005	Compliant
EN 15373:2007	Level achieved
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

SPOON/SPOON CHAIR
 2007


Design Antonio Citterio with Toan Nguyen

BE BOP
 2019

Design Ludovica + Roberto Palomba



4828




MATERIAL

batch-dyed polypropylene




4819




MATERIAL

Batch-dyed polypropylene



5826



MATERIAL


Mass-dyed modified polypropylene and soft touch treatment



	4819	level achieved	4828
EN 15373:2007			
5.1	Compliant		
5.2	Compliant		
EN 1728:2000			
6.2.1	(maximum level) 3	(maximum level) 5	
6.2.2	(maximum level) 3		
6.4	(maximum level) 5		
6.6	(maximum level) 3		
6.7	2	(maximum level) 5	
6.8	(maximum level) 3		
6.10	(maximum level) 3		
6.15	(maximum level) 3		
6.16	(maximum level) 3		
6.17	(maximum level) 3		

4828

4819



1

11.8

0.267

57X57X82


1

16.4

0.424

69X66X93

5826



1


8.0

0.344

63X72X76

EN 1022:2005	Compliant
EN 16139:2013	Compliant
EN 1728:2012	Level achieved
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L1
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2

4848



LEGS


Sturdy aluminium

SEAT

Smooth batch-dyed polypropylene



4536



LEG


Smooth batch-dyed polypropylene

BASE

Painted die-cast aluminium

TOP

Coated with scratch resistant SMC




level achieved

EN 1728:2000	
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.5	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.12	(maximum level) 5
6.13	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5



4848 2 11.2 0.290 57X57X89



4536 1 base 4.58 0.062 49X26X49
1 leg 1.8 0.033 23X63X23
1 top 7.42 0.037 68X8X68



SOFAS AND ARMCHAIRS



6193
sofa



MATERIAL

Painted galvanised steel



6197
cushion




MATERIAL

Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.




6192
armchair



MATERIAL

Painted galvanised steel



6196
cushion



MATERIAL

Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.



EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	L1
6.5	L1
6.6	L1
6.10	L1
6.11	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.26	L1
6.27	L1


			
6193	1	25.0	0.534
6197	1	1.8	0.012
			123X62X70
			96X44X3

			
6192	1	13.0	0.371
6196	1	0.7	0.006
			73X76X67
			47X43X3

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	L1
6.5	L1
6.6	L1
6.10	L1
6.11	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.26	L1
6.27	L1



6194
coffee table




MATERIAL
Painted galvanised steel



03 White 09 Black RU Rust VE Sage

 SALT FOG TESTED


6199
table



6198
table



MATERIAL
Painted galvanised steel



03 White 09 Black RU Rust VE Sage

 SALT FOG TESTED




EN 15372:2016	level reached
5.1	Compliant
5.2	Compliant
EN 1730:2012	level reached
6.2	I3
6.3	I3
6.4.2	I3
6.6	I3
7.2	Compliant

6194 1 22.0 0.2314 42X92X60



6199 1 20.5 0.366 77X69X69
6198 1 17.5 0.366 77X69X69



EN 15372:2016	level reached
5.1	Compliant
5.2	Compliant
EN 1730:2012	level reached
6.2	I3
6.3	I3
6.4.2	I3
6.6	I3
7.2	Compliant



6190
chair



MATERIAL
Painted galvanised steel




6195
cushion



MATERIAL
Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.



6191
armchair



MATERIAL
Painted galvanised steel



6195
cushion



MATERIAL
Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.



EN 1022:2005	Level reached
EN 1728:2012+AC2013	Compliant level reached
6.4	L1
6.5	L1
6.6	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.27	L1


6190	1	10.0	0.166	58X56X82
6195	1	0.5	0.003	35X36X3

6191	1	11.0	0.277	58X57X84
6195	1	0.5	0.003	35X36X3

EN 1022:2005	Level reached
EN 1728:2012+AC2013	Compliant level reached
6.4	L1
6.5	L1
6.6	L1
6.10	L1
6.11	L1
6.15	L1
6.16	L1
6.17	L1
6.20	L1
6.25	L1
6.26	L1
6.27	L1



6220



MATERIAL
Painted galvanised steel




6200



MATERIAL
Painted galvanised steel




6195
cushion



MATERIAL
Heat-formed polyurethane upholstered in a fabric containing laser-cut, water-repellent recycled material with the lower side coated in a non-slip rubberised effect.



6220



6200
6195



UNCLE JACK, UNCLE JIM 2014

Design Philippe Starck




Compasso D'Oro 2001

BUBBLE CLUB 2000

Design Philippe Starck



6410



MATERIAL

Transparent or mass-dyed polycarbonate and soft touch effect treatment

TRANSPARENT



B4
Crystal




O3
White



O9
Black

6400



MATERIAL

Transparent polycarbonate


TRANSPARENT




B4
Crystal




6050



6070



6080



MATERIAL

Smooth batch-dyed polyethylene

MAT



60
Zinc
white



61
Light
grey



64
Ochre



66
Powder




65
Green




O9
Black



	Level attained	
	armchair	sofa
EN 1022:2005	Compliant	Compliant
EN 16139:2013	Compliant	Compliant
EN 1728:2012		
6.4	L2	L2
6.5	L2	L2
6.10	L2	L2
6.11	L2	L2
6.15	L2	L2
6.16	L2	L2
6.17	L2	L2
6.18	L2	L2
6.20	L2	L2
6.24	L2	L2
6.25	L2	L2
6.26	L2	L2
maximum level = L2		



6410	1	14.6	0.675	79X111X77
6400	1	35.4	1.806	200X105X86



6050	1	41.2	1.181	192X75X82
6070	1	25.0	0.657	104X77X82
6080	1	6.5	0.124	53X44X53

	level achieved	
	armchair	sofa
EN 15373:2007		
5.1	Compliant	Compliant
5.2	Compliant	Compliant
Attachment A para. A.2	3	3
EN 1728:2000		
6.2.1	3	3
6.2.2	3	3
6.5	3	3
6.6	3	3
6.7	3	-
6.15	3	-
maximum level=3		


6040



MATERIAL
Transparent PMMA



5867



MATERIAL
Transparent or batch-dyed PMMA



	level achieved
EN 1728:2000	
6.2.2	1
6.7	1
6.15	1


6040	1	24.6	0.488	116X69X61
------	---	------	-------	-----------

5867	1	20.2	0.478	90X69X77
------	---	------	-------	----------


EN 1022:2005	level achieved
EN 1728:2000	Compliant
6.2.1	1
6.2.2	1
6.5	1
6.6	1
6.7	1
6.8	1
6.10	1
6.12	1
6.13	1
6.15	1
6.16	1



4915
Basic Veneer
4916
Slatted Ash



4918
Basic Veneer
4919
Slatted Ash



SEAT
Curved 3D wood

FRAME
Chrome-plated or painted steel


Basic Veneer




Slatted Ash



4917
Slatted Ash leather seat upholstery



4920
Slatted Ash leather upholstery




SHELL
Curved 3D wood

SEAT
Curved 3D wood with leather seat upholstery

FRAME
Chrome-plated or painted steel

Slatted Ash




discover
Smart Wood Collection




level achieved

	armchair	ottoman
EN 1022:2005	Comp.	Comp.
EN 16139:2013+AC2013	Comp.	Comp.
EN 1728:2012+AC2013		
6.4	L2	L2
6.5	L2	L2
6.10	L2	-
6.11	L2	-
6.15	L2	L2
6.16	-	L2
6.17	L2	L2
6.18	L2	L2
6.20	L2	-
6.24	L2	L2
6.25	L2	L2
6.26	L2	-



4915/4916	1	12.8	0.57	70X70X115
4918/4919	1	6.5	0.135	53X53X61



4917	1	13.7	0.57	70X70X115
4920	1	7.8	0.135	53X53X61

level achieved


	armchair	ottoman
EN 1022:2005	Comp.	Comp.
EN 16139:2013+AC2013	Comp.	Comp.
EN 1728:2012+AC2013		
6.4	L2	L2
6.5	L2	L2
6.10	L2	-
6.11	L2	-
6.15	L2	L2
6.16	-	L2
6.17	L2	L2
6.18	L2	L2
6.20	L2	-
6.24	L2	L2
6.25	L2	L2
6.26	L2	-

A.I. LOUNGE 2023

Design Philippe Starck





5904




FRAME
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment

SEAT
Padded with fabric-upholstered polyurethane foam




5904




FRAME
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment


SEAT
Padded with fabric-upholstered polyurethane foam




5904



5904





FRAME
Batch-dyed and painted polycarbonate with soft touch treatment.
SEAT
Padded with fabric-upholstered polyurethane foam

5845


A5845
Solid



5846
Fancy



Fire tested version
UK Standard BS5852 S5, S1, 1324
US - California Standard TB 117



FRAME
Batch-dyed and painted polycarbonate with soft touch treatment.
SEAT
Padded with fabric-upholstered polyurethane foam

5847
New Dyed Fiber





Table with 2 columns: Compliance standards and level reached. Rows include EN 1022:2005, EN 16139:2013+AC 2013, EN 1728:2012+AC 2013, and various levels from 6.4 to 6.26, all reaching level L2.

5845/5846



5847







Table with 2 columns: Compliance standards and level reached. Rows include EN 1022:2005, EN 16139:2013+AC 2013, EN 1728:2012+AC 2013, and various levels from 6.4 to 6.26, all reaching level L2.



FRAME
Batch-dyed polycarbonate
SEAT
Fabric-covered polyurethane
5842



Fire tested version
UK Standard BS5852 S5, S.I. 1324
US - California Standard TB 117

*Any combination of collection fabrics can be used on request.

In order to better satisfy the needs of common areas, Cara is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
Dimensions of customised fabric to cover a single piece: 140x110 cm.





Table with 4 columns: Model, Quantity, Weight, Dimensions. Rows for 5842/A5842/5843 and 5844.



FRAME
Batch-dyed polycarbonate
SEAT
Fabric-covered polyurethane
5844
Dyed fiber



*Any combination of collection fabrics can be used on request.

In order to better satisfy the needs of common areas, Cara is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
Dimensions of customised fabric to cover a single piece: 140x110 cm.




Table with 4 columns: Model, Quantity, Weight, Dimensions. Rows for 5844.




Table with 2 columns: Compliance, Level reached. Rows for EN 1022:2005, EN 16139:2013+AC 2013, EN 1728:2012+AC 2013, and levels 6.4 to 6.26.




6280

A6280
only on request



6285

swivel version
A6285
only on request




FRAME

Painted steel


SEAT AND BACK

Fabric-upholstered polyurethane

Texture



Chenille




Bouclé



Removable cover

6281

A6281
only on request




FRAME

Painted steel


SEAT AND BACK

Fabric-upholstered polyurethane

Texture



Chenille



Bouclé



Removable cover

Fire tested version

CHENILLE/BOUCLÉ FABRIC

IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification approval pending


UK Standard BS 5852 S5, S.I. 1324

TEXTURE FABRIC


UK Standard BS 5852 S5, S.I. 1324



EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



6280/A6280	1	31.0	0.509	83X83X74
6285/A6285	1	36.0	0.509	83X83X74




6281	1	77.0	1.430	233X84X73
A6281	1	77.0	1.430	233X84X73

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




6283

A6283 
only on request



6284

A6284 
only on request




FRAME

Painted steel


SEAT AND BACK

Fabric-upholstered polyurethane

Texture



Chenille




Bouclé



Removable cover

6282

A6282 
only on request




FRAME

Painted steel


SEAT

Fabric-upholstered polyurethane

Texture



Chenille



Bouclé



Removable cover

Fire tested version

CHENILLE/BOUCLÉ FABRIC

IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification approval pending


UK Standard BS 5852 S5, S.I. 1324

TEXTURE FABRIC


UK Standard BS 5852 S5, S.I. 1324



EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



6283/6284	1	56.0	0.620	155X85X73
A6283/A6284	1	56.0	0.620	155X85X73



6282	1	17.3	0.285	47X78X78
A6282	1	17.3	0.285	47X78X78

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2



7180
Cushion



MATERIAL
Fabric-upholstered goose feather and down cushions

Texture


TB Burgundy	TV Green	TM Brown	TG Grey	TA Sky blue

Chenille

DA Beige	DB Grey	DC Burgundy	DD Sage	DE Sky blue


Bouclé

DF Ecru	DG Grey	DM Brick red	DN Sage	DP Blue



Removable cover

7175
Cushion



7176
Cushion



MATERIAL
Fabric-upholstered goose feather and down cushions
Jacquard


D1 Beige	D2 Grey	D3 Teal	D4 Orange	D5 Plum



Removable cover




7180




1 1.85 0.039 51X51X15

7175
7176



1 1.85 0.039 51X51X15
1 1.3 0.039 51X51X15



FRAME
Painted steel
SEAT AND BACKREST
Polyurethane with fabric upholstery

6245
Curly/Orsetto fabric
A6245




★ version always in stock - other than in the case of unforeseen events beyond Kartell's control


6246
Antibes fabric
A6246



Fire-resistant version
CURLY/ORSETTO FABRIC
UK standard BS 5852:1979 Part 1 - Source 1
ANTIBES FABRIC
UNI 9175, EN1021 fire reaction test, class 1 IM M1848D20D1W00031
UK standard BS 5852:1979 Part 1 - Source 1



6245/A6245 1 33.5 0.627 88X88X81
6246/A6246 1 33.5 0.627 88X88X81



FRAME
Painted steel
SEAT AND BACKREST
Polyurethane with fabric upholstery

6247
Curly/Orsetto fabric
A6247




★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

6248
Antibes fabric
A6248



Fire-resistant version
CURLY/ORSETTO FABRIC
UK standard BS 5852:1979 Part 1 - Source 1
ANTIBES FABRIC
UNI 9175, EN1021 fire reaction test, class 1 IM M1848D20D1W00031
UK standard BS 5852:1979 Part 1 - Source 1



6247/A6247 1 74.0 1.824 206X108X82
6248/A6248 1 74.0 1.824 206X108X82



Table with 2 columns: EN 1022:2005, Compliant. Rows list various standards and their compliance status.

Table with 2 columns: EN 1022:2005, Compliant. Rows list various standards and their compliance status.



FRAME
Painted steel

SEAT
Polyurethane with fabric upholstery

6249
Curly/Orsetto fabric
A6249



version always in stock - other than in the case of unforeseen events beyond Kartell's control

6250
Antibes fabric
A6250



Fire-resistant version
CURLY/ORSETTO FABRIC
UK standard BS 5852:1979 Part 1 - Source 1
ANTIBES FABRIC
UNI 9175, EN1021 fire reaction test, class 1 IM.M1848D20D1IM00031
UK standard BS 5852:1979 Part 1 - Source 1



MATERIAL
Goose down and flock cushions

7177
Curly/Orsetto fabric



version always in stock - other than in the case of unforeseen events beyond Kartell's control

7178
Antibes fabric




Table with 2 columns: EN 1022:2005, Compliant. Rows show levels 6.4, 6.5, 6.15, 6.16, 6.18, 6.24 and their corresponding maximum levels L2.

Table with 4 columns: Product code, Weight (kg), Volume (m³), Dimensions (cm). Rows for 6249/A6249 and 6250/A6250.


Table with 4 columns: Product code, Weight (kg), Volume (m³), Dimensions (cm). Rows for 7177/7178 and 7178/7178.

LARGO 2016
Design Piero Lissoni


7155
2-seater




7170
3-seater




7171
3-seater, right ottoman




7179
3-seater, left ottoman




7172
Corner, 5-seater



7173
Corner, 6-seater



7174
Corner, 7-seater



7175
Cushion



7176
Cushion



FRAME

Painted steel

SEAT AND BACKREST

Expanded polyurethane with fabric upholstery

Velvet



Removable cover

*Any combination of collection fabrics can be used on request.
Dimensions of customised fabric to cover a single piece:
2-seater sofa: 140x720 cm. 3-seater sofa: 140x950 cm.



EN 1022 2005	level reached
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	Compliant
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2


7155

7170

7171/7179

7175

7176




2 seat frames	37.0	0.851	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	18.0	0.134	190X64X11
3 seat frames	55.5	1.276	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	22.7	0.187	265X64X11
2 seat frames	37.0	0.851	101X78X54
1 ottoman frame	26.0	0.633	102X115X54
1 armrest	10.5	0.212	101X42X50
1 base frame	22.7	0.187	265X64X11
1 cushion	1.85	0.039	51X51X15
1 cushion	1.3	0.039	51X51X15

7172

7173

7174



4 seat frames	70.0	1.702	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
2 base structures	36.0	0.268	190X64X11
1 corner structure	5.8	0.028	68X68X6
5 seat frames	87.5	2.127	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
1 base structure	22.7	0.187	265X64X11
1 base structure	18.0	0.134	190X64X11
1 corner structure	5.8	0.028	68X68X6
6 seat frames	105.0	2.552	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
2 base structures	45.4	0.373	265X64X11
1 corner structure	5.8	0.028	68X68X6

EN 1022 2005	level reached
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	Compliant
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2


LARGO 2016

Design Piero Lissoni

7150

2-seater


A7150



7160

3-seater


A7160



7161

3-seater, right ottoman


A7161



7169

3-seater, left ottoman


A7169



7162

Corner, 5-seater


A7162



7163

Corner, 6-seater


A7163



7164

Corner, 7-seater

A7164



7085

Cushion



7166

Cushion



FRAME

Painted steel

SEAT AND BACKREST

Expanded polyurethane with fabric upholstery

REMOVABLE COVER

Sofa is available in all fabric combinations, with fireproof versions (code AXXXX) indicated with the specific icon.

Curly



Houndstooth



Gubbio



Nilo



Fire tested version

NILLO FABRIC
IT UNI 9175 flame resistance test Class 1 IM Ministerial approval M11848D20D1M00022, EN 1021 UK Standard BS5852 S5, S.I. 1324 - US - California Standard TB 117
PIED DE POULE FABRIC
IT UNI 9175 flame resistance test Class 1 IM Ministerial approval M11848D20D1M00026, EN 1021 UK Standard BS5852 S5, S.I. 1324 - US - California Standard TB 117
CURLY FABRIC
UK standard BS 5852:1979 Part 1 - Source 1



	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

7150/A7150

2 seat frames	37.0	0.851	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	18.0	0.134	190X64X11

7160/A7160

3 seat frames	55.5	1.276	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	22.7	0.187	265X64X11

7161/A7161/7169/A7169

2 seat frames	37.0	0.851	101X78X54
1 ottoman frame	26.0	0.633	102X115X54
1 armrest	10.5	0.212	101X42X50
1 base frame	22.7	0.187	265X64X11

7085 Gubbio/Houndstooth/Curly

1 cushion	1.85	0.039	51X51X15
-----------	------	-------	----------

7085 Nilo

2 cushions	3.0	0.070	52X52X26
------------	-----	-------	----------

7166

1 cushion	1.3	0.039	51X51X15
-----------	-----	-------	----------

7162/A7162

4 seat frames	70.0	1.702	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
2 base structures	36.0	0.268	190X64X11
1 corner structure	5.8	0.028	68X68X6

7163/A7163

5 seat frames	87.5	2.127	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
1 base structure	22.7	0.187	265X64X11
1 base structure	18.0	0.134	190X64X11
1 corner structure	5.8	0.028	68X68X6

7164/A7164

6 seat frames	105.0	2.552	101X78X54
1 corner frame	28.0	0.562	102X102X54
2 armrests	21.0	0.424	101X42X50
2 base structures	45.4	0.373	265X64X11
1 corner structure	5.8	0.028	68X68X6

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

PLASTICS OUTDOOR 2022

Design Piero Lissoni

6293



6292



6294



6296



SEAT AND BACK

Fabric-upholstered polyurethane

UPHOLSTERY

"New Dyed Fiber" outdoor fabric



7185



MATERIAL

Padding covered with removable, water-repellent polyester fabric.



NEW

6299

Protective cover

NEW

6300

Protective cover for pouf



Protective cover tutorial













level reached	
Compliant	
EN 1022:1998	
EN 1728:2000	
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5

6293	1	24.0	0.305	92X36X92	
6292	1	27.4	0.538	92X65X92	
6294	1	31.0	0.562	93X65X93	
6296	1	31.0	0.562	93X65X93	
7185	1	1.85	0.039	51X51X15	


6299	1	5.0	0.157	90X35X50	
6300	1	5.0	0.157	90X35X50	

PLASTICS DUO 2010


Design Piero Lissoni



SEAT AND BACKREST
Goose down and flock cushions



Fire tested version
NILO FABRIC
IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification
n. M11848D20D11M00010
UK Standard BS5852 S5, BS 7176 Medium Hazard - S.I. 1324
US - California Standard TB 117
ORSETTO FABRIC
UK Standard BS 5852 S5, S.I. 1324



7090/A7090	1	23.5	0.298	91X36X91
7091/A7091	1	24.5	0.306	91X37X91
7092/A7092	1	26.5	0.621	91X75X91
7093/A7093	1	27.5	0.621	91X75X91
7094/A7094	1	27.5	0.621	91X75X91
7096/A7096	1	27.5	0.621	91X75X91
7095/A7095	1	32.0	0.704	91X65X119
7097/A7097	1	32.0	0.704	91X65X119
7098/A7098	1	32.5	0.704	91X65X119
7099/A7099	1	32.5	0.704	91X65X119

7085	2	3.0	0.070	52X52X26
------	---	-----	-------	----------

EN 1022:1998	level achieved
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5


EN 1022:1998	level achieved
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5



6091



6093



6095



6097





MATERIAL

Soft polyurethane with fabric upholstery recyclable, ecological, non-toxic



Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM Ministerial MI1848D20D1M00029
UK Standard BS5852 S5 BS7176 Medium Hazard - US - California Standard TB 117



MATERIAL

Fabric-covered expanded polyurethane

6025

Technical fabric



In order to better satisfy the needs of common areas, Trix is also available in a personalised version with fabrics provided by the client.
Dimensions of customised fabric to cover a single piece: 140x340 cm.

EN 1022:1998	level achieved
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5


6091	1	24.0	0.305	92X36X92	
6093	1	27.4	0.538	92X65X92	
6095	1	31.0	0.562	93X65X93	
6097	1	31.0	0.562	93X65X93	

6025	1	14.6	0.376	103X44X83	



Table with 2 columns: Standard (EN 1022:2005, EN 16139:2013, EN 1728:2012) and Compliance status (Compliant, level reached, maximum level).

6086



LEGS

Steel tubes painted with epoxy polyester



SEAT

Fabric-covered polyurethane foam

COVER

Velvet



Trevira™



In order to better satisfy the needs of common areas, Foliage is also available in a personalised version with fabrics provided by the client. Dimensions of customised fabric to cover a single piece: armchair: 140x180 cm. sofa: 140x800 cm.

6086





Table with 4 columns: Quantity (1), Weight (14.7/7.0), Volume (0.410/0.183), and Dimensions (76X76X71/71X66X39).

6085



LEGS

Steel tubes painted with epoxy polyester



SEAT

Fabric-covered polyurethane foam

COVER

Velvet



Trevira™



Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification
M11848D20D1M00017 - M11848D20D1M00016
UK Standard - Cloth cover BS5852 S5, BS 7176 Medium Hazard - S.I. 1324 - CRIB5
UK Standard - Trevira™ cover BS 7176 Medium Hazard - S.I. 1324 - CRIB5
US California Standard TB 117

6085




Table with 4 columns: Quantity (1), Weight (44.0/8.8), Volume (1.082/0.2), and Dimensions (76X80X178/95X60X35).



Table with 2 columns: Standard (EN 1022:2005, EN 16139:2013, EN 1728:2012) and Compliance status (Compliant, level reached, maximum level).

POP OUTDOOR 2007

Design Piero Lissoni with Carlo Tamborini

FRAME

Transparent polycarbonate



Transparent


7041

Transparent frame




7042

Transparent frame



7043

Transparent frame



7044

Transparent frame



Additional seat
To create a sofa seating more than three, order a multiple set for each desired additional seat (each multiple set equals one additional seat).

70420

Pair of extra cushion covers
for use only with outdoor upholstery

SEAT AND BACK


Fabric-upholstered polyurethane

UPHOLSTERY

"New Dyed Fiber" outdoor fabric



Stripes outdoor fabric



Sunbrella® outdoor fabric



Ikon outdoor fabric



7185

Cushion



7186


Cushion



MATERIAL

Padding covered with removable, water-repellent polyester fabric.

Stripes fabric




Sunbrella® fabric




Ikon fabric



New Dyed Fiber fabric



7041	1 armchair frame	21.0	0.157	89X68X26
	1 pair of cushions	8.9	0.240	80X60X50
7042	1 armchair frame	21.0	0.157	89X68X26
	1 seat frame	13.8	0.117	82X68X21
	2 pairs of cushions	17.8	0.480	80X60X50
7043	1 armchair frame	21.0	0.157	89X68X26
	2 seat frames	27.6	0.234	82X68X21
	3 pairs of cushions	26.7	0.720	80X60X50
7044	1 seat frame	13.8	0.117	82X68X21
	1 pair of cushions	8.9	0.240	80X60X50
70420	1 pair of cushion covers	2.2	0.026	26X20X50



7185	1 cushion	1.85	0.039	51X51X15
7186	1 cushion	1.3	0.039	51X51X15

EN 1022:2005	Compliant
EN 1728:2000	level reached
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	4


POP MISSONI 2007

Design Piero Lissoni with Carlo Tamborini


6051
Transparent frame



6052
Transparent frame



6053
Transparent frame



6054
Transparent frame



Additional seat
To create a sofa that seats more than three, order "N" multiple units (each multiple unit is an additional seat).


60530
Cushion cover for set of cushions

FRAME
Transparent polycarbonate



SEAT AND BACKREST
Goose down and flock cushions

COVER
Missoni fabrics




7175
Cushion



7176
Cushion



MATERIAL
Fabric-upholstered goose feather and down cushions
Missoni fabrics



EN 1022:2005	Compliant
EN 1728:2000	Level achieved
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	4

6051	1 armchair frame	21.0	0.157	89X68X26
	1 couple of cushions	9.23	0.240	80X60X50
6052	1 armchair frame	21.0	0.157	89X68X26
	1 seat frame	13.8	0.117	82X68X21
	2 couples of cushions	22.6	0.480	80X60X50
6053	1 armchair frame	21.0	0.157	89X68X26
	2 seats frame	27.6	0.234	82X68X21
	3 couples of cushions	33.9	0.720	80X60X50
6054	1 seat frame	13.8	0.117	82X68X21
	1 set of cushions	9.23	0.240	80X60X50
60530	1 set of cushion covers	2.2	0.030	30X20X50

7175	1	1.85	0.039	51X51X15
7176	1	1.3	0.039	51X51X15


POP 2007

Design Piero Lissoni with Carlo Tamborini


6041 Transparent frame A6041



6042 Transparent frame A6042



6043 Transparent frame A6043



6044 Transparent frame A6044



Additional seat
To create a sofa that seats more than three, order "N" multiple units (each multiple unit is an additional seat).

60440 Cushion cover for set of cushions

FRAME Transparent polycarbonate




Transparent

SEAT AND BACKREST Goose down and flock cushions

COVER


New solid colours cotton fabrics



Removable cover

Fire tested version
UK - Standard BS 5852 S4 part 1
US - California Standard TB 117

***Any combination of collection fabrics can be used on request.**
Dimensions of customised fabric to cover a single piece:
1-seat 140x230 cm.



6041/A6041	1 armchair frame	21.0	0.157	89X68X26
	1 couple of cushions	10.3	0.240	80X60X50
6042/A6042	1 armchair frame	21.0	0.157	89X68X26
	1 seat frame	13.8	0.117	82X68X21
	2 couples of cushions	20.6	0.480	80X60X50
6043/A6043	1 armchair frame	21.0	0.157	89X68X26
	2 seats frame	27.6	0.234	82X68X21
	3 couples of cushions	30.9	0.720	80X60X50
6044/A6044	1 seat frame	13.8	0.117	82X68X21
	1 set of cushions	10.3	0.240	80X60X50
60440	1 set of cushion covers	2.2	0.026	26X20X50

EN 1022:2005	Compliant
EN 1728:2000	Level achieved
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	4






TABLES


VISCOUNT OF WOOD 2021

Design Philippe Starck


5940




5942




5944



5946




5948



FRAME

Chrome-plated or painted steel



TOP


wood with MDF inner support, clad on both sides with wood veneer and varnished.



Product made of FSC™ certified wood



discover
Smart Wood Collection



5940	1 top	22.0	0.082	154X89X6
	1 frame	10.0	0.096	76X51X25
5942	1 top	27.5	0.099	169X98.5X6
	1 frame	10.0	0.096	76X51X25
5944	1 top	39.5	0.116	198X98X6
	1 frame	10.0	0.096	76X51X25
5946	1 top	55.5	0.175	248X109X6.5
	1 frame	17.5	0.099	76X35.5X37
5948	1 top	18.0	0.071	109X109X6
	1 frame	10.0	0.096	76X51X25

EN 1730:2012	level achieved
EN 12521:2005	Compliant
6.2	Compliant
6.3	L2
6.4.2	L2
6.6	L2
7.2	Compliant.




VISCOUNT OF WOOD 2021

Design Philippe Starck



4940



FRAME
Chrome-plated steel




TOP
wood with MDF inner support, clad on both sides with wood veneer and varnished.



discover
Smart Wood Collection


4941



FRAME
Chrome-plated steel




TOP
wood with MDF inner support, clad on both sides with wood veneer and varnished.



4940

1 top 35.0 0.116 139X139X6
1 frame 15.0 0.041 107X43X9



4941

1 top 49.0 0.154 201X128X6
1 frame 15.0 0.041 107X43X9




EARL OF WOOD 2020
Design Philippe Starck

LUNAT 2021
Design Patricia Urquiola




4927




FRAME
Chrome-plated or painted steel

TOP
Curved wood



discover
Smart Wood Collection

4945




FRAME
Painted steel

TOP
wood with MDF inner support, clad on both sides with wood veneer and varnished.




	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
6.2	1.3
6.3	1.3
6.4	1.3
6.6	1.3
6.7	Compliant.
7.2	Compliant.

4927



4945



	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant.
5.2	Compliant.
6.2	1.3
6.3	1.3
6.4.2	1.3
6.6	1.3
7.2	Compliant.



GLOSSY 2001


Design Antonio Citterio with Oliver Löw



4584
Chrome-plated steel frame

4580
Gold-plated steel frame


4578
Black painted steel frame



4572
Chrome-plated steel frame

4579
Gold-plated steel frame

4573
Black painted steel frame



FRAME

Chrome, gold-plated or painted steel



TOP


Stoneware with marble finish



4560
Polyester lacquered top
Chrome-plated steel frame


4567
Polyester lacquered top
Gold-plated steel frame

4570
Scratch-proof laminated top
Chrome-plated steel frame



FRAME


Chrome-plated steel



TOP


MDF polyester lacquered

4560/4567




Scratch-proof laminated

4570



4572
Glass top
Chrome-plated steel frame

4579
Glass top
Gold-plated steel frame



FRAME

Chrome-plated steel




GLASS TOP


MDF polyester lacquered with glass top



*adjustable foot




4578/4580/4584	1 top	45.0	0.146	135X135X8
	1 frame	8.39	0.107	80X74X18
4572/4573/4579	1 top	67.8	0.204	204X125X8
	1 frame	8.39	0.107	80X74X18




4560/4567	1 top	35.9	0.135	139X7X139
	1 frame	8.39	0.107	80X74X18
4570	1 top	36.5	0.135	139X7X139
	1 frame	8.39	0.107	80X74X18
4572/4579	1 top	60.9	0.211	204X8X129
	1 frame	8.39	0.107	80X74X18



4590
Chrome-plated steel frame
4594
Gold-plated steel frame
4563
Black painted steel frame



4588
Chrome-plated steel frame
4589
Gold-plated steel frame
4565
Black painted steel frame



FRAME
Chrome, gold-plated or painted steel




TOP
Stoneware with marble finish




*adjustable foot

5578




5573




FRAME
Painted steel

TOP
Stoneware


Stoneware in solid colour



*adjustable foot



4590/4594/4563	1 top	50.6	0.125	125X125X8
	1 frame	8.39	0.107	80X74X18
4565/4588/4589	1 top	41.8	0.125	125X125X8
	1 frame	8.39	0.107	80X74X18



5578	1 top	45.0	0.146	135X135X8
	1 frame	8.39	0.107	80X74X18
5573	1 top	67.8	0.204	204X125X8
	1 frame	8.39	0.107	80X74X18

MULTIPLO XL 2016

Design Antonio Citterio



4084
INDOOR
Oval stoneware top with marble finish

4085
OUTDOOR
Oval glass top

4123
OUTDOOR
Rectangular stoneware top with marble finish

4124
OUTDOOR
Rectangular glass top

4125
OUTDOOR
Rectangular stoneware top with marble finish

4126
OUTDOOR
Rectangular glass top

4160
INDOOR
Rectangular stoneware top with marble finish

STRUCTURE
Matte painted die-cast aluminium

TOP
Stoneware with marble finish

Glass

4085/4123/4124
4125/4126



*On request, Kartell can pair black or white tops with contrasting legs.
To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.

	Level reached
EN 1022:2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3



4084/4085	1 top	63.0	0.200	200X125X8	
	1 leg	19.0	0.589	81X79X92	
	1 leg	19.0	0.589	81X79X92	
4123/4124	1 top	44.0	0.125	165X95X8	
	1 leg	19.0	0.589	81X79X92	
	1 leg	19.0	0.589	81X79X92	
4125/4126	1 top	68.8	0.141	187X97X10	
	1 leg	19.0	0.589	81X79X92	
	1 leg	19.0	0.589	81X79X92	
4160	1 top	101.0	0.257	245X107X12	
	1 leg	19.0	0.589	81X79X92	
	1 leg	19.0	0.589	81X79X92	



LARGE SQUARE BASE

4075


Square stoneware top with marble finish

4076

Square stoneware top in solid colour

4077

Square glass top




4134

Square stoneware top with marble finish

4135

Square glass top




4138

Square stoneware top with marble finish

4139

Square glass top



4081


Rounded stoneware top with marble finish

4082

Rounded stoneware top in solid colour

4083

Rounded glass top




4136

Rounded stoneware top with marble finish

4137

Rounded glass top



SMALL SQUARE BASE

4063


Square stoneware top with marble finish

4064

Square stoneware top in solid colour

4065

Square glass top



4069


Rounded stoneware top with marble finish

4070

Rounded stoneware top in solid colour

4071

Rounded glass top




4140

Square stoneware top with marble finish

4141

Square glass top



STRUCTURE


Matte painted die-cast aluminium

TOP


Stoneware with marble finish




4081



Stoneware in solid colour




Glass




*On request, Kartell can pair black or white tops with contrasting legs.

To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.



	1 top	1 leg	2 tops	2 legs	4 tops	4 legs
4075/4076/4077	39.0	0.090	78.0	0.180	156.0	0.360
4134/4135	54.0	0.125	108.0	0.250	216.0	0.500
4081/4082/4083	48.0	0.125	96.0	0.250	192.0	0.500
4136/4137	60.0	0.157	120.0	0.314	240.0	0.628
4138/4139	57.0	0.125	114.0	0.250	228.0	0.500




	1 top	1 leg	2 tops	2 legs	4 tops	4 legs
4063/4064/4065	25.0	0.058	50.0	0.116	100.0	0.232
4069/4070/4071	22.0	0.058	44.0	0.116	88.0	0.232
4140/4141	29.0	0.058	58.0	0.116	116.0	0.232


	level reached
EN 1022:2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	Compliant
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3

BASE WITH 3 SPOKES

- 4060**
Square stoneware top with marble finish
4061
Square stoneware top in solid colour
4062
Square glass top




- 4066**
Rounded stoneware top with marble finish
4067
Rounded stoneware top in solid colour
4068
Rounded glass top




BASE WITH 4 SPOKES

- 4072**
Square stoneware top with marble finish
4073
Square stoneware top in solid colour
4074
Square glass top




- 4078**
Rounded stoneware top with marble finish
4079
Rounded stoneware top in solid colour
4080
Rounded glass top



STRUCTURE
Matte painted die-cast aluminium

TOP
Stoneware with marble finish




Stoneware in solid colour



Glass



*On request, Kartell can pair black or white tops with contrasting legs.
To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.




	1 top	25.0	0.058	85X85X8
4060/4061/4062	1 leg	17.0	0.589	81X79X92
4066/4067/4068	1 top	22.0	0.058	85X85X8
	1 leg	17.0	0.589	81X79X92
4072/4073/4074	1 top	39.0	0.090	106X106X8
	1 leg	19.5	0.512	80X80X80
4078/4079/4080	1 top	48.0	0.125	125X125X8
	1 leg	19.6	0.512	80X80X80

	level reached
EN 1022:2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3


MULTIPLO LOW 2016

Design Antonio Citterio


4150
INDOOR
Oval stoneware top with marble finish
4151
Oval glass top




4156
Rectangular stoneware top with marble finish
4157
Rectangular glass top



4152
Rounded stoneware top with marble finish
4153
Rounded glass top



4154
Square stoneware top with marble finish
4155
Square glass top



STRUCTURE
Matte painted die-cast aluminium

TOP
Stoneware with marble finish



4151/4156/4157
4152/4153/4154/4155




*On request, Kartell can pair black or white tops with contrasting legs.
To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.

	level reached
EN 1022:2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3




4150/4151	1 top	63.0	0.200	200X125X8	
	1 leg	15.0	0.368	92X80X50	
	1 leg	15.0	0.368	92X80X50	
4156/4157	1 top	55.0	0.141	185X95X8	
	1 leg	15.0	0.368	92X80X50	
	1 leg	15.0	0.368	92X80X50	
4152/4153	1 top	48.0	0.125	125X125X8	
	1 leg	9.0	0.320	80X80X50	
4154/4155	1 top	39.0	0.090	106X106X8	
	1 leg	12.5	0.368	92X80X50	







5522




5523



5524




MATERIAL
Galvanized steel and epoxy polyester coating




6522

Stoneware with marble finish




6523

Stoneware with marble finish




6524

Stoneware with marble finish



LEGS
Painted steel

TOP
Stoneware with marble finish



EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3

	1 top	30.4	0.108	170X7X91
5522	1 structure	19.4	0.161	79X85X24
5523	1 top	36.0	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
5524	1 top	41.4	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24

	1 top	53.5	0.172	167X86X12
6522	1 structure	19.4	0.161	79X85X24
6523	1 top	65.0	0.203	197X86X12
	1 structure	19.4	0.161	79X85X24
6524	1 top	71.5	0.144	202X7X102
	1 structure	22.0	0.182	80X95X24

EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3




FOUR 2005

Design Ferruccio Laviani


4522

4502
Soft touch




4523

4503
Soft touch




4524

4509
Soft touch



4525

4510
Soft touch



LEGS

Painted steel


TOP

Scratch-proof laminate or scratch-proof soft touch laminate



4514

Soft touch width: 90 cm



LEGS


Painted steel

TOP


Scratch-resistant soft-touch laminate



EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3



4502	1 top	29.8	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
4503	1 top	37.9	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
4509	1 top	50.4	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24
4510	1 top	36.6	0.139	141X7X141
	1 structure	24.0	0.251	134X24X78
4522	1 top	30.0	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
4523	1 top	39.6	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
4524	1 top	50.5	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24
4525	1 top	34.4	0.139	141X7X141
	1 structure	24.0	0.251	134X24X78



4514	1 top	42.0	0.144	202X7X102
	1 structure	22.0	0.182	80X95X24


SIR GIO 2017
Design Philippe Starck




BLAST 2017
Design Philippe Starck



3275



3276



FRAME

Transparent thermoplastic technopolymer



TOP

Laminated crystal




Assembly instructions




Production video

4095



4096




FRAME

Transparent thermoplastic technopolymer

CONNECTING PIPE

Galvanized or metallized aluminum



TOP


Laminated crystal



	Level reached
EN 1730:2012	
EN 15372:2016	
6.2	13
6.3	13
6.4	13
6.6	13
6.7	Compliant.
7.2	Compliant.

3275


3276



1 top	27.0	0.105	127X127X6.5
1 leg	11.2	0.331	66X66X76
1 top	30.0	0.105	127X127X6.5
1 leg	11.2	0.331	66X66X76

4095

4096



1 top	20.0	0.072	85X10X85
1 leg	6.128	0.012	45X45X63
1 top	26.0	0.115	135X10X85
1 leg	6.0	0.012	45X45X63


	Level reached
EN 1730:2012	
EN 15372:2016	
5.1	Compliant.
5.2	Compliant.
6.2	13
6.3	13
6.5	13
6.6	13
7.2	Compliant.

UNDIQUE MAS 2023


Design Patricia Urquiola




4168



4170



4173



417400

x3 KIT RO h. 51 + GR h. 30 + AR h. 44

FRAME

Polyester lacquered beech wood

TOP

Polyester lacquered MDF




Product made of FSC™ certified wood


*adjustable foot

4168	1	12.0	0.175	50X50X14	
4170	1	22.0	0.370	87X87X14	
4173	1	24.0	0.436	120X62X14	
4174	1	12.0	0.175	50X50X14	
	1	22.0	0.370	87X87X14	
	1	24.0	0.436	120X62X14	


4165



4166



4167



FRAME

Painted steel

TOP

Stoneware



4165	1	10.0	0.175	55X55X58	
4166	1	23.0	0.370	95X95X41	
4167	1	23.0	0.436	130X70X48	

UNDIQUE 2021

Design Patricia Urquiola



EN 15372:2016					
Par. 5.1.5.2	Compliant	Compliant			
EN 1730:2012					
6.2	(maximum level) L3	L3			
6.3	(maximum level) L3	L3			
6.4.2	(maximum level) L3	L3			
6.6	(maximum level) L3	L3			
6.9	(maximum level) L3	L3			
7.2	Compliant	Compliant			

NEW!

THIERRY XXL 2023


Design Piero Lissoni

THIERRY BISTROT 2022


Design Piero Lissoni



4045



4046



FRAME


Painted steel

TOP

Back-painted tempered plate glass



4044



FRAME

Painted steel

TOP

Back-painted tempered plate glass



	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant
5.2	Compliant
6.2	13
6.3	13
6.4.2	13
6.5	13
6.6	13
6.9	13
7.2	Compliant

4045	1	40.0	0.101	136X136X5.5
4046	1	75.0	0.473	82X77X75
	1	62.0	0.135	124X198X5.5
	1	75.0	0.473	82X77X75

4044

			
1	41.0	0.505	79X80X80

	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant
5.2	Compliant
6.2	13
6.3	13
6.4.2	13
6.5	13
6.6	13
6.9	13
7.2	Compliant


143

THIERRY 2021


Design Piero Lissoni




4040



4041



4042



4043

x3 KIT h. 40 + h. 45 + h. 50

FRAME

Painted steel

TOP

Back-painted tempered plate glass




reddot design award
best of the best 2013

Good Design Award 2012


INVISIBLE TABLE 2012

Design Tokujin Yoshioka

5070



5075



MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT




B4
Crystal



E5
Glossy
white

5072

Kids



MATERIAL

Transparent PMMA

TRANSPARENT



AA
Transparent
Drawing



	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant
5.2	Compliant
6.2	1.3
6.3	1.3
6.4.2	1.3
6.5	1.3
6.6	1.3
6.9	1.3
7.2	Compliant

4042	1	13.0	0.152	60X55X46.5
4041	1	13.5	0.162	50X57X57
4040	1	15.5	0.159	60X60X45
4043	1	13.0	0.152	60X55X46.5
	1	13.5	0.162	50X57X57
	1	15.5	0.159	60X60X45


5070	1	23.8	1.054	112X84X112
5075	1	20.6	0.539	112X43X112
5072	1	22.6	0.728	112X58X112

	Level achieved
EN 15372:2008	Compliant
5.1	Compliant
5.2.2	Compliant
5.2.3	Compliant
EN 1730:2000	Level achieved
6.2	1
6.3	1
6.6	1
6.7	Compliant

K-TOP 2023
Design Rodolfo Dordoni



4297



FRAME
Polyester lacquered beech wood


UNDERTOP
Polyester lacquered MDF

TOP
Marble effect ceramic



4297 1 28.0 0.160 107X107X14


4294



FRAME
Polyester lacquered beech wood

UNDERTOP
Polyester lacquered MDF

TOP
Marble effect ceramic or coloured mirror




4294 1 14.0 0.055 63X63X14






4255
Glass top



4256
Glass top




LEG
Transparent PMMA with chrome-plated steel internal structure

TOP
Lacquered polyester covered with glass




**TOP LACQUERED POLYESTER
SQUARE PLEATED LEG - SQUARE BASE**

4272




4273




LEG
Transparent PMMA with chrome-plated steel internal structure

SQUARE BASE
Chrome-plated aluminium steel

TOP
Lacquered polyester



4255	1 top	45.8	0.138	178X8X97
	4 legs	16.1	0.101	75X27X50
4256	1 top	58.4	0.176	208X8X106
	4 legs	16.1	0.101	75X27X50







4272	1 top	9.0	0.036	85X5X85
	1 leg	7.9	0.088	35X72X35
	1 base	6.7	0.034	53X12X53
4273	1 top	10.0	0.036	85X5X85
	1 leg	7.9	0.088	35X72X35
	1 base	13.3	0.034	53X12X53





Level achieved	
EN 12521:2000	
5.1	Compliant.
5.2	Compliant.
EN 1730:2000	
6.2	2
6.3	5
6.4	5
6.5	5
6.6	5
6.7	Compliant.
6.8	4
maximum level	5



TOP LAMINATED
ROUNDED LEG - ROUNDED BASE




TOP LAMINATED
SQUARE PLEATED LEG - SQUARE BASE




- ROUNDED LEG**
Transparent PMMA
- SQUARE LEG**
Transparent PMMA with chrome-plated steel internal structure
- ROUNDED BASE**
Painted aluminium
- SQUARE BASE**
Painted steel
- TOP**
Laminated



Level achieved		
	leg round	leg square
EN 15372:2008		
5.1	Compliant	-
5.2.2	Compliant	-
5.2.3	Compliant	-
EN 12521:2000		
5.1	-	Compliant
5.2	-	Compliant
EN 1730:2000		
6.2	3	2
6.3	3	5
6.4	3	5
6.5	3	5
6.6	3	5
6.7	-	Compliant
6.8	-	4
maximum level	3	5



4280	1 top	7.0	0.028	75X5X75
	1 leg	4.0	0.120	40X75X40
	1 base	5.7	0.034	53X12X53
4281	1 top	8.0	0.028	75X5X75
	1 leg	4.0	0.120	40X75X40
	1 base	5.7	0.034	53X12X53
4282	1 top	9.0	0.028	75X5X75
	1 leg	4.0	0.120	40X75X40
	1 base	5.7	0.034	53X12X53
4283	1 top	10.0	0.028	75X5X75
	1 leg	4.0	0.120	40X75X40
	1 base	5.7	0.034	53X12X53







4290	1 top	7.0	0.028	75X5X75
	1 leg	7.9	0.120	40X75X40
	1 base	13.3	0.034	53X12X53
4291	1 top	8.0	0.028	75X5X75
	1 leg	7.9	0.120	40X75X40
	1 base	13.3	0.034	53X12X53
4292	1 top	9.0	0.028	75X5X75
	1 leg	7.9	0.120	40X75X40
	1 base	13.3	0.034	53X12X53
4293	1 top	10.0	0.028	75X5X75
	1 leg	7.9	0.120	40X75X40
	1 base	13.3	0.034	53X12X53





TOPTOP OUTDOOR 2007

Design Philippe Starck with Eugeni Quilliet

TOP MELAMINE ROUNDED LEG - ROUNDED BASE



TOP MELAMINE SQUARE PLEATED LEG - SQUARE BASE



ROUNDED LEG

Transparent PMMA

SQUARE LEG

Transparent PMMA with chrome-plated steel internal structure

ROUNDED BASE


Painted aluminium

SQUARE BASE

Painted steel

TOP

Melamine



Level achieved		
	leg round	leg square
EN 15372:2008		
5.1	Compliant	-
5.2.2	Compliant	-
5.2.3	Compliant	-
EN 12521:2000		
5.1	-	Compliant
5.2	-	Compliant
EN 1730:2000		
6.2	3	2
6.3	3	5
6.4	3	5
6.5	3	5
6.6	3	5
6.7	-	Compliant
6.8	-	4
maximum level	3	5

4200	1 top	4.86	0.020	72X4X69
	1 leg	4.15	0.120	40X75X40
	1 base	4.78	0.034	53X12X53
4201	1 top	8.0	0.020	72X4X69
	1 leg	4.15	0.120	40X75X40
	1 base	4.78	0.034	53X12X53
4202	1 top	9.0	0.025	81X4X77
	1 leg	4.15	0.120	40X75X40
	1 base	4.78	0.034	53X12X53
4203	1 top	10.0	0.025	81X4X77
	1 leg	4.15	0.120	40X75X40
	1 base	4.78	0.034	53X12X53





4210	1 top	7.0	0.020	72X4X69
	1 leg	7.9	0.088	35X72X35
	1 base	13.3	0.014	48X6X48
4211	1 top	8.0	0.020	72X4X69
	1 leg	7.9	0.088	35X72X35
	1 base	13.3	0.014	48X6X48
4212	1 top	9.0	0.025	81X4X77
	1 leg	7.9	0.088	35X72X35
	1 base	13.3	0.014	48X6X48
4213	1 top	10.0	0.025	81X4X77
	1 leg	7.9	0.088	35X72X35
	1 base	13.3	0.014	48X6X48

TOPTOP OUTDOOR FOR DR. YES 2009





Design Philippe Starck with Eugeni Quislet



TOP MELAMINE ROUNDED LEG - ROUNDED BASE



TOP MELAMINE SQUARE PLEATED LEG - SQUARE BASE



ROUNDED LEG
Transparent PMMA

SQUARE LEG
Transparent PMMA with chrome-plated steel internal structure

ROUNDED BASE
Painted aluminium white or black

SQUARE BASE
Painted aluminium white or black

TOP
Melamine



Level achieved		
	leg round	leg square
EN 15372:2008		
5.1	Compliant	-
5.2.2	Compliant	-
5.2.3	Compliant	-
EN 12521:2000		
5.1	-	Compliant
5.2	-	Compliant
EN 1730:2000		
6.2	3	2
6.3	3	5
6.4	3	5
6.5	3	5
6.6	3	5
6.7	-	Compliant
6.8	-	4
maximum level	3	5


4330	1 top	4.86	0.020	72X69X4
	1 leg	4.15	0.120	40X40X75
	1 base	4.78	0.034	53X53X12
4331	1 top	5.93	0.020	72X69X4
	1 leg	4.15	0.120	40X40X75
	1 base	4.78	0.034	53X53X12
4332	1 top	6.16	0.025	81X77X4
	1 leg	4.15	0.120	40X40X75
	1 base	4.78	0.034	53X53X12
4333	1 top	8.2	0.025	81X77X4
	1 leg	4.15	0.120	40X40X75
	1 base	4.78	0.034	53X53X12

4346	1 top	4.86	0.020	72X69X4
	1 leg	6.0	0.088	35X35X72
	1 base	13.3	0.014	48X48X6
4347	1 top	4.86	0.020	72X69X4
	1 leg	6.0	0.088	35X35X72
	1 base	13.3	0.014	48X48X6
4348	1 top	6.16	0.025	81X77X4
	1 leg	6.0	0.088	35X35X72
	1 base	13.3	0.014	48X48X6
4349	1 top	8.2	0.025	81X77X4
	1 leg	6.0	0.088	35X35X72
	1 base	13.3	0.014	48X48X6


SPOON TABLE 2009
Design Antonio Citterio with Toan Nguyen




4506



4507




4508




LEGS
Batch-coloured modified polypropylene


TOP
Honeycomb aluminium and melamine laminate




4511




4512



4516




4517



FRAME
Chrome-plated or painted steel

TOP
Scratch-proof laminated, thickness 30mm



MAX 1999
Design Ferruccio Laviani



EN 1730:2000

ENV 12521:2000	
4.1	Compliant
4.2	Compliant
EN 15372:2008	level achieved
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.7	Compliant
6.8	3
UNI 8594:2004	Compliant
UNI 9086:1987	4



4506	1	23.01	0.197	163X93X13
4507	1	24.4	0.227	176X99X13
4508	1	31.6	0.306	216X109X13

4511/4516	1 top	22.5	0.111	172X7X92
	1 structure	8.95	0.046	71X25X26
4512/4517	1 top	32.2	0.144	201X7X102
	1 structure	8.95	0.046	71X25X26



	level achieved
UNI 8593/84	(maximum level) 5
UNI 8594/84	(maximum level) 5
UNI 9085/87	(maximum level) 5



LIGHTS


NEW!

ANGELO STONE 2023

Design Philippe Starck



9400/B9400/U9400/Z9400



FRAME
Liquid-painted die-cast aluminium

DIFFUSER
Transparent thermoplastic technopolymer covered in fabric




SPARE PART

9400000
LED Module

9402000/9404000 (vers. U9400)/9405000 (vers. Z9400)
Power supply

9405/B9405/U9405/Z9405



FRAME
Liquid-painted die-cast aluminium


DIFFUSER
Transparent thermoplastic technopolymer covered in fabric




SPARE PART

9405100
LED Module


9405200/9405300
Power supply




The light source and power supply element in this appliance must be replaced by qualified personnel only.



The light source and power supply element in this appliance must be replaced by qualified personnel only.



9400/B/U/Z 1 13.0 0.524 54X54X180



9405/B/U/Z 1 3.6 0.130 40X40X80





NEW
SUSTAINABLE
MATERIAL

9550/9554
dimmable*

kg 6.0

8x Max 5W E14
8x 5W LED E12

2500°K CRI 80 20.000 h. 8x 400lm*

DIMMER Kartell Custom Bulb

IP 20 220-240 120 CLASS G

MATERIAL
2.0 polycarbonate from renewable transparent feedstock or batch-dyed

GLOSSY

B4 Crystal

E6 Black

2.0 New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

9546
Pack of 2 light bulbs E14 5W 2.700°K

9542
Pack of 2 light bulbs E14 5W 2.500°K

9544
Pack of 2 light bulbs E12 5W

JJ17
Pack of 8 light bulbs E14 5W 2.500°K LED included
Cannot be sold separately from 9559/9555/9545

Pack of 8 light bulbs E12 5W LED included
Cannot be sold separately from 9554/9559/9561

*product dimmable with compatible systems

9555/9559
dimmable*

kg 6.0

8x Max 5W E14
8x 5W LED E12

2500°K CRI 80 20.000 h. 8x 400lm*

DIMMER Kartell Custom Bulb

IP 20 220-240 120 CLASS G

MATERIAL
2.0 polycarbonate from renewable painted feedstock

METALLIC

GG Matt bronze

9545/9561
dimmable*

kg 6.0

8x Max 5W E14
8x 5W LED E12

2500°K CRI 80 20.000 h. 8x 400lm*

DIMMER Kartell Custom Bulb

IP 20 220-240 120 CLASS G


MATERIAL
2.0 polycarbonate from renewable metallic feedstock

METALLIC


BL Polished Champagne




NEW
SUSTAINABLE
MATERIAL




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2500 K.



9550/9554	1	9.00	0.290	63X63X72
9542/9546	2	0.75	0.001	8X8X22
9544	2	0.75	0.001	8X8X22




9555/9559	1	9.00	0.290	63X63X72
9560/9561	2	0.75	0.001	8X8X22



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2500 K.




9560/B9560/U9560/Z9560
Dimmerable battery version




MATERIAL
PMMA, PP and metallic or painted recycled ABS



9561/B9561/U9561/Z9561
Outdoor dimmerable battery version




MATERIAL
PMMA, PP and metallic recycled ABS




9562000
Battery, LED Module




9570/B9570/U9570/Z9570
Wall lamp




MATERIAL
PMMA, PP and metallic or painted recycled ABS




9570700
LED Module, Power supply




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9560/B/U/Z 1 0.61 0.008 15X15X36
9561/B/U/Z 1 0.61 0.008 15X15X36




9570/B/U/Z 1 0.60 0.007 15X15X33



The light source and power supply element in this appliance must be replaced by qualified personnel only.



9005/B9005/U9005




MATERIAL
Batch-dyed recycled ABS




9008//U9008



MATERIAL
Batch-dyed recycled ABS





The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9700/B9700/U9700
Dimmable





MATERIAL
Polyester powder-coated steel





JJ15
Pack of 3 E14 5W LED light bulb included
Cannot be sold separately from 9700/B9700


9710/B9710/U9710
Dimmable battery version



9720/B9720/U9720
Direct power supply




MATERIAL
Polyester powder-coated steel




SPARE PART


9711500
Battery, LED Module (ver. 9710/B/U)
9712500
Battery, LED Module (ver. 9720/B/U)




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9700/B/U 1 19.0 0.396 52X53X144




9710/B/U 1 1.2 0.021 41.5X22X23
9720/B/U 1 1.2 0.021 41.5X22X23



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.




9425/B9425/U9425



FRAME

Polyester powder-coated steel



DIFFUSER


Transparent batch-dyed PMMA and ABS



JJ16


One G45 E14 5W LED light bulb included
Cannot be sold separately from 9525/B9425

9480/9481
Wall lamp




MATERIAL

Batch-dyed or transparent thermoplastic technopolymer, metallic recycled ABS




JJ16


One G45 5W LED light bulb included
Cannot be sold separately from 9480



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9425/B/U	1 Base	5.3	0.003	30X30X4
	1 Rod	1.8	0.001	3X3X168
	1 Lampshade	1.8	0.023	39X25X24



9480/9481	1	0.65	0.006	26X17X13.5
-----------	---	------	-------	------------



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.






9387/B9387/U9387/Z9387
Dimmable



9388/B9388/U9388/Z9388
Dimmable




FRAME
Chrome-plated steel, painted steel


DIFFUSER
Transparent or mass-dyed thermoplastic technopolymer



9390/9391




9430/9431



FRAME
Polished or painted die-cast aluminium


DIFFUSER
Transparent or mass-dyed thermoplastic technopolymer




SPARE PART
9386000/9386300
LED Module




discover Planet Family




The light source contained in this
appliance must only be replaced by
qualified personnel using original
spare parts.



9387/B/U/Z	1	12.5	0.22	40X40X138
9388/B/U/Z	1	13.2	0.269	40X40X168



9390/9391	1	4.2	0.05	39X33X39
9430/9431	1	4.2	0.05	39X33X39




The light source contained in this
appliance must only be replaced by
qualified personnel using original
spare parts.






9386/B9386/U9386/Z9386



9385/B9385/Z9385/U9385
Dimmable ON/OFF




FRAME

Polished or painted die-cast aluminium

DIFFUSER

Transparent or mass-dyed thermoplastic technopolymer




SPARE PART
9386000/9386300
LED Module




discover Planet Family

9410/B9410/U9410/Z9410
Dimmable battery version



9420/B9420/U9420/Z9420
Direct power supply




FRAME

Metallic technopolymer thermoplastic

DIFFUSER


Transparent or batch-dyed PMMA




SPARE PART
94110 + COLOR CODE (ver. 9410/B/U/Z)
LED Module
94200 + COLOR CODE (ver. 9420/B/U/Z)
LED Module




discover Mini Planet




The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



9386/B/U/Z	1	4.08	0.05	39X39X33
9385/B/U/Z	1	4.72	0.094	39X55X44




9410/B/U/Z	1	0.75	0.01	20X20X24
9420/B/U/Z	1	0.75	0.01	20X20X24



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9180/B9180/U9180/Z9180 dimmable




MATERIAL

Transparent or mass-dyed thermoplastic technopolymer



9185/B9185/U9185 dimmable outdoor version



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer



SPARE PART


91825EU (ver. 9180/B9180)
LED Module

91825US (ver. U9180/Z9180)
LED Module

91855EU (ver. 9185)
LED Module

91855US (ver. U9185)
LED Module

9175/9176



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer




JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately from 9175

One E26 Max 7.5W LED light bulb included
Cannot be sold separately from 9176




Production video




The light source contained in this
appliance must only be replaced
by qualified personnel using
original spare parts.



The light source can be replaced
with a similar source, respecting
the data indicated on the label.
We recommend using a light
source with a colour temperature
of 2700 K.



9180/B/U/Z 1 12.26 0.562 57X173X57
9185/B/U 1 12.26 0.562 57X173X57



9175/9176 1 4.0 0.288 60X60X80

MINI KABUKI 2018

Design Ferruccio Laviani


TAKE 2003

Design Ferruccio Laviani

NEW
SUSTAINABLE
MATERIAL



9200/B9200/U9200
dimmable



MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




100V-240V power supply included



SPARE PART

9202000
Dimmer, LED Module

9050/B9050/U9050/Z9050



MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material





New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)


JJ04

One E14 3.8W LED light bulb included
Cannot be sold separately from 9050/B9050


NEW
SUSTAINABLE
MATERIAL



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9070/B9070/U9070/Z9070
dimmable
MATERIAL
2.0 polycarbonate from renewable transparent feedstock, mass-dyed or metallic





9076/B9076/U9076/Z9076
dimmable




B9071/U9071 B4
ON/OFF

MATERIAL
Transparent polycarbonate
9072/B9072/U9072/Z9072
dimmable
9074/B9074/U9074/Z9074
dimmable




9077/B9077/U9077
dimmable
MATERIAL
Polycarbonate 2.0, made from mass dyed, soft-touch renewable raw material




JJ01
Three E14 max. 3.4W LED light bulbs included
Cannot be sold separately from 9077/B9077




discover Bourgie



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9070/B/U/Z	1	5.2	0.132	44X70X43
B9071/U				
9072/B/U/Z	1	5.2	0.132	44X70X43
9074/B/U/Z	1	5.2	0.132	44X70X43
9076/B/U/Z	1	5.2	0.132	44X70X43



9077/B/U	1	5.2	0.132	44X70X43
-----------------	---	-----	-------	----------




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



BATTERY 2015


Design Ferruccio Laviani



MATERIAL

Mass-dyed or metallic transparent PMMA

W9140/U9140



W9145/U9145




100V-240V power supply included



SPARE PART

91450 + COLOR CODE (ver. W9410/W9145)
Battery, LED Module

91451 + COLOR CODE (ver. U9410/U9145)
LED Module, Power supply




W9140/U 1 (minimum purchase 4 pieces) 0.71


W9145/U 1 (minimum purchase 4 pieces) 0.71

0.008 36X15X15

0.008 36X15X15




9475/B9475/U9475/Z9475 dimmerable battery outdoor version



9470/B9470/U9470/Z9470 direct power supply

MATERIAL

Mass-dyed or transparent PMMA




SPARE PART

94768 + COLOR CODE (ver. 9475/B/U/Z)
Battery, LED Module

94772 + COLOR CODE (ver. 9470/B/U/Z)
LED Module, Power supply



100V-240V power supply included



9470/B/U/Z 1 1.14


9475/B/U/Z 1 1.24

0.017 19X19X48

0.017 19X19X48

BIG BATTERY 2019


Design Ferruccio Laviani



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9470 9475




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



W9140 W9145



9335/B9335/U9335/Z9335



MATERIAL

Mass-dyed and metallic transparent PMMA



N.B.
The lamp body is suitable for use outdoors (IP54), but the rechargeable base is only suitable for indoor use (IP20)



100V-240V power supply included



SPARE PART


93359 + COLOR CODE
Charging base

9335400
Battery, LED Module



Production video

9220/B9220/U9220/Z9220




MATERIAL

Transparent or batch-dyed PMMA - Metallized ABS



9225/B9225/U9225/Z9225
outdoor



MATERIAL

Transparent or batch-dyed PMMA - Metallized ABS



SPARE PART

92209 + COLOR CODE (ver. 9220/9225/B9220/B9225)
Battery


92212 + COLOR CODE (ver. 9220/9225/B9220/B9225)
LED Module

92215 + COLOR CODE (ver. U9220/Z9220/U9225/Z9225)
Battery


92216 + COLOR CODE (ver. U9220/Z9220/U9225/Z9225)
LED Module




100V-240V power supply included




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.



9335/B	1 (minimum purchase 4 pieces)	1.2	0.008	39X15X15
9335/U	1 (minimum purchase 4 pieces)	1.2	0.008	39X15X15
9335/Z	1 (minimum purchase 4 pieces)	1.2	0.008	39X15X15



9220/B/U/Z	1	0.86	0.016	20X21X38
9225/B/U/Z	1	0.86	0.016	20X21X38



The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.





LIGHT-AIR 2013


Design Eugeni Quislet





9131/9133 Hanging



9125/9126 Wall lamp



9110/B9110/U9110/Z9110 Table lamp




FRAME

Transparent thermoplastic technopolymer

DIFFUSER

Transparent thermoplastic technopolymer covered in fabric




JJ02

One E14 4W LED light bulb included
Cannot be sold separately from 9131/9125/9110/B9110



9130/9132 Hanging sculpted version



9120/9121 Wall lamp sculpted version



9135/B9135/U9135/Z9135 Sculpted table lamp



MATERIAL


Transparent or mass-dyed thermoplastic technopolymer

9120/9130/9135/9132/9121/B9135/U9135/Z9135




JJ03


One E14 4W LED light bulb included
Cannot be sold separately from 9130/9120/9135/B9135




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9110/B/U/Z	1	1.5	0.015	23X41X16
9125/9126	1	1.345	0.013	23X29X19
9131/9133	1	1.09	0.013	23X29X19



9120/9121	1	1.3	0.013	23X29X19
9130/9132	1	1.05	0.013	23X29X19
9135/B/U/Z	1	1.47	0.015	23X41X16



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



TOY 2018

Design Moschino by Jeremy Scott




ALEDIN 2016

Design Alberto and Francesco Meda



8836/B8836/U8836



MATERIAL
Painted thermoplastic technopolymer



8837/B8837/U8837

MATERIAL
Metallic technopolymer thermoplastic



SPARE PART


8837000
LED Module



discover TOY


9190/B9190/U9190/Z9190

Tec dimmable




9195/B9195/U9195/Z9195

Dec dimmable




MATERIAL
Mass colored polycarbonate, anodised aluminum



9190/B9190/U9190/Z9190

Tec Mat dimmable



MATERIAL
Painted polycarbonate, anodised aluminum




SPARE PART


91900 + COLOR CODE (ver. 9190/B/U/Z)
LED Module

91950 + COLOR CODE (ver. 9195/B/U/Z)
LED Module


100V-240V power supply included




The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



8836/B/U	1	1.5	0.030	35X28X29
8837/B/U	1	1.5	0.030	35X28X29



9190/B/U/Z	1	4.7	0.03	23.5X117.5X11
9195/B/U/Z	1	4.7	0.03	23.5X117.5X11




The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.






9300/W9300
dimmable




MATERIAL
Transparent or batch-dyed PMMA



9310000
LED Module


9320/W9320



MATERIAL
Mass-dyed or transparent PMMA




9325/W9325




MATERIAL
Metallic PMMA



9320000
LED Module



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.

9300/W	1	4.62	0.096
			47X85X24


9320/W	1	1.2	0.014
9325/W	1	1.2	0.014
			42X25X14
			42X25X14

CINDY 2009

Design Ferruccio Laviani



9100/B9100/U9100/Z9100



MATERIAL

Recycled metallic ABS




Product made of recycled material

JJ05

One E27 11.2W LED light bulb included
Cannot be sold separately

One E26 Max 7.5W LED light bulb included
Cannot be sold separately



MATERIAL


Transparent or mass-dyed polycarbonate

9010



EASY 2003

Design Ferruccio Laviani




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 3000 K.




9100/B/U/Z 1 2.07 0.032 26X49X25

9010 1 0.96 0.01 15X44X15



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.






9030/9031

MATERIAL

Batch-dyed recycled PMMA



9038/9039

MATERIAL

Painted PMMA



9035/9036

MATERIAL


Metallic PMMA



JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9030/9038/9035

One E26 Max.75W LED light bulb included
Cannot be sold separately
from 9031/9039/9036



9053/9054

MATERIAL

Batch-dyed recycled PMMA



9068/9069

MATERIAL

Painted PMMA



9066/9067

MATERIAL


Metallic PMMA




JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9053/9068/9066


One E26 Max.75W LED light bulb included
Cannot be sold separately
from 9054/9069/9067



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9030/9031	1	3.7	0.124	55X41X55
9038/9039	1	3.7	0.124	55X41X55
9035/9036	1	3.7	0.124	55X41X55



9053/9054	1	2.14	0.058	42X32X43
9068/9069	1	2.14	0.058	42X32X43
9066/9067	1	2.14	0.058	42X32X43




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



BIG FL/Y 2002

Design Ferruccio Laviani



MATERIAL
Batch-dyed recycled PMMA

9058/9059



9097/9098


MATERIAL
Painted PMMA



JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9058/9097


One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9059/9098



9058/9059	1	10.45	0.481	86X65X86
9097/9098	1	10.45	0.481	86X65X86

BELLISSIMA 2018

Design Ferruccio Laviani




MATERIAL
Mass-dyed thermoplastic technopolymer

9450/9451



9455/9456




9460/9461



JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9450/9455/9060


One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9451/9456/9461



9450/9451	1	4.7	0.13	53X53X43
9455/9456	1	4.7	0.13	53X53X43
9460/9461	1	4.7	0.13	53X53X43



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




9260/9261

S2

9263/9264

S2 Metallic



9270/9271

CW2




9265/9266

S1


9268/9269

S1 Metallic




9275/9276

C1



MATERIAL


Transparent or mass-dyed technopolymer thermoplastic



MATERIAL

Metallic technopolymer thermoplastic

9263/9264/9268/9269



JJ08


Three G9x3.5W LED light bulbs included
Cannot be sold separately from 9260 S2/9270 CW2/9263 S2

JJ09

Six G9x3.5W LED light bulbs included
Cannot be sold separately from 9265 S1/9268 S1/9275 C1


9280/9281

S0



MATERIAL


Transparent or mass-dyed technopolymer thermoplastic




Alternative sources: G9 max 28W Halo, G9 max 4W Led

JJ10


Nine G9x3.5W LED light bulbs included
Cannot be sold separately from 9280 S0




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9260/9261	1	2.36	0.024	25X39X25
9263/9264	1	2.4	0.024	25X39X25
9265/9266	1	7.14	0.059	30X60X33
9268/9269	1	7.6	0.059	30X60X33
9270/9271	1	2.46	0.024	25X39X25
9275/9276	1	7.07	0.059	30X60X33




9280/9281	1	17.6	0.157	100X58X27
-----------	---	------	-------	-----------



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9250/9251




FRAME

Transparent or batch-dyed polycarbonate

FLOWERS



Batch-dyed technopolymer thermoplastic




JJ07

Nine G9x3.5W LED light bulbs included
Cannot be sold separately from 9250

9060/B9060/U9060/Z9060



9065/B9065/U9065/Z9065



FRAME

Transparent PMMA

DIFFUSER


Polycarbonate




JJ06

One E27 12W LED light bulb included
Cannot be sold separately
from 9060/B9060/9065/B9065


One E26 7.5W LED light bulb included
Cannot be sold separately
from U9060/U9065




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9250/9251 1 9.52 0.145 59X50X49




9060/B/U/Z 1 10.7 0.142 28X181X28
9065/B/U/Z 1 3.05 0.049 27X67X27



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.






MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

9080/9081




9082/9083




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

JJ12
One E27 8.4W Globo Led light bulb included
Cannot be sold separately from 9080/9082

9040/9041



9045/9046




ROSETTE
Chrome-plated steel

DIFFUSER
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)


JJ11
One E14 4W Led light bulb included
Cannot be sold separately from 9040/9041




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9080/9081 1 2.93 0.063 43X34X43
9082/9083 1 2.93 0.063 43X34X43



9040/9041 1 0.76 0.011 28X22X18
9045/9046 1 0.77 0.011 28X22X18



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.





ACCESSORIES



MATERIAL
 Biomaterial from renewable source

5970

VE
 Green

RO
 Pink

PA
 Cream

GI
 Yellow

Product made of biopolymer created using raw materials from renewable sources of non-GMO agricultural origin

4986
 SI/silver finish

4988

4967
 SI/silver finish

4985
 SI/silver finish

MATERIAL
 Recycled thermoplastic technopolymer from industrial scrap

4986-4988

03
 White

09
 Black

4966-4967-4985


SI
 Silver

Product made of recycled material



5970				
	1	4.6	0.063	33X32X60

4986	1	2.6	0.044	32X32X42
4966	1	2.6	0.044	32X32X42
4988	1	3.6	0.063	33X32X60
4967	1	3.6	0.063	33X32X60
4985	1	4.7	0.085	33X33X78



4966

4967

4985

MATERIAL
 Batch-dyed or painted ABS

GLOSSY

03 White	15 Blue	18 Green	20 Violet	09 Black	10 Red

4966	1	2.6	0.043
4967	1	3.63	0.063
4985	1	4.7	0.085

32X32X42
 33X32X60
 33X33X78



5966

5967

MATERIAL
 Metallic ABS

METALLIC

XX Chrome	GG Gold	RR Copper


5966	1	2.64	0.044
5967	1	3.5	0.063

32X32X42
 33X32X60




4959
 Closing top

4959
 SI/silver finish



4955

4955
 SI/silver finish




4953

4953
 SI/silver finish




4931

4932
 SI/silver finish




4935

4936
 SI/silver finish



4933

4934
 SI/silver finish




7900
 Package of 4 wheels



MATERIAL
 Batch-dyed or painted ABS



MATERIAL
 Recycled thermoplastic technopolymer from industrial scrap



4970




4979




4972
 Closing top




4978



MATERIAL
 Batch-dyed ABS



4955	1	3.9	0.076	43X43X41
4959	1	0.9	0.006	42X42X3.5
4953	1	2.7	0.046	43X43X25
4931/4932	1	3.9	0.076	43X43X41
	1	0.9	0.006	42X42X3.5
	1	2.7	0.046	43X43X25
4935/4936	3	8.1	0.139	43X43X25
	1	0.9	0.006	42X42X3.5
4933/4934	2	7.8	0.152	43X43X41
	1	0.9	0.006	42X42X3.5
7900	1	1.2	0.003	19X19X32



4970	1	2.1	0.034	39X38X24
4979	1	3.2	0.060	39X39X40
4972	1	0.8	0.004	39X39X3
4978	1	0.57	0.003	35X31X3



COMPONIBILI SMILE 1969

Design Anna Castelli Ferrieri

Smile personalization by Fabio Novembre 2017 tribute to Anna Castelli Ferrieri



4924



4925



4926



MATERIAL
Batch-dyed ABS



Compasso D'Oro 1994



2008



2012




2026



STRUCTURE
Painted steel


CONTAINERS AND SHELVES

Recycled thermoplastic technopolymer from industrial scrap with soft-touch effect



MOBIL MAT 1994

Design Antonio Citterio with Oliver Löw




4924/4925/4926

1

2.6

0.043

32X32X42



2008

1

13.3

0.140

50X56X50

2012

1

17.8

0.192

56X58X59

2026

1

22.2

0.251

56X80X56



2000



2001



2004



2005



2010



2011



2020



2021



2024



2025



2034



2035



2040



2041



FRAME

Chrome-plated steel

CONTAINER AND SHELVES

Batch-dyed thermosetting with scratch-proof and knock properties


OPTIONAL




L1
Ice



L2
Cobalt



2000	1	12.9	0.140	50X56X50
2001	1	12.8	0.140	50X56X50
2004	1	13.3	0.140	50X56X50
2005	1	14.0	0.140	50X56X50
2010	1	17.8	0.192	56X58X59
2011	1	17.4	0.192	56X58X59
2020	1	21.0	0.251	56X80X56



2021	1	20.8	0.251	56X80X56
2024	1	22.2	0.251	56X80X56
2025	1	21.4	0.251	56X80X56
2034	1	26.0	0.304	56X97X56
2035	1	25.6	0.304	56X97X56
2040	1	30.2	0.339	55X112X55
2041	1	28.6	0.339	55X112X55

NEW!

A.I. CONSOLE 2023

Design Philippe Starck

Good Design Award 2010

GHOST BUSTER 2010

Design Philippe Starck with Eugeni Quilliet



NEW
SUSTAINABLE
MATERIAL

5907

MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment

MAT

- BI White
- NE Black
- GR Gray
- AR Rusty orange

Product made of recycled material

3220
Small Ghost Buster

3210
Ghost Buster

MATERIAL
Transparent or batch-dyed PMMA

TRANSPARENT

- B4 Crystal
- V9 Smoke

MAT

- E5 White
- E6 Black




5907

1	6.6	0.215	100X77X28
---	-----	-------	-----------


3220

1	8.12	0.144	51X69X41
3210	1	20.2	0.347
			80X85X51





4470

FRAME
Chrome-plated steel and polished aluminium feet




4473

FRAME
Painted steel




4470	1	14.0	0.246	98X33X76
4473	1	14.0	0.246	98X33X76





4460

FRAME
Chrome-plated steel and polished aluminium feet



4463

FRAME
Painted steel




4460	1	12.6	0.147	80X30X61
4463	1	12.6	0.147	80X30X61





4465




STRUCTURE
Chrome steel

TRAYS
PMMA




TRANSPARENT

5000



5005




MATERIAL
Transparent PMMA



TRANSPARENT



4465



5000
5005




TRAYS 2002


Design Piero Lissoni




4410



4412



4414




FRAME
Chrome-plated steel


SHELVES
Batch-dyed PMMA



4416



4418



FRAME
Chrome-plated steel

SHELVES
Batch-dyed PMMA










4410 - 4414	reached level
EN 1730:00	
6.5	(maximum level) 3
6.3	(maximum level) 3

4410	1	6.43	0.042	98X8X54
4412	1	10.25	0.066	92X8X89
4414	1	12.5	0.076	157X9X54

4416	1	14.8	0.109	86X24X53
4418	1	33.2	0.224	174X28X46



4416	reached level
UNI 8606/84	(maximum level) 3
UNI 8600/84	(maximum level) 3



SHELVES
curved wood

SUPPORTS
mass-dyed thermoplastic technopolymer


STRUTS
painted steel




discover
Smart Wood Collection



Adam Wood
video tutorial




8914	2 shelves	8.0	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	2 struts	9.0	0.055	212X20X13
8915	2 shelves	8.0	0.085	100X50X17
	2 shelves	8.0	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	1 strut	6.0	0.055	212X20X13
8916	2 struts	9.0	0.055	212X20X13
	2 shelves	8.0	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	3 shelves	10.5	0.085	100X50X17
	2 struts	9.0	0.055	212X20X13
	2 struts	9.0	0.055	212X20X13
	2 struts	9.0	0.055	212X20X13




8930	2 shelves	8.0	0.085	100X50X17
8931	3 shelves	10.5	0.085	100X50X17
8932	1 strut	6.0	0.055	212X20X13
8933	2 struts	9.0	0.055	212X20X13

	level achieved
EN 16121:2013+AC 2017	
5.2	Compliant.
5.3	Compliant.
5.4	Compliant.
5.5	Compliant.
EN 16122:2012+AC 2015	
6.1.2	Compliant.
6.1.3	Compliant.
6.1.5	Compliant.
10.2	Compliant.


4760
2-ways joint




4761
3-ways joint




4762
4-ways joint




4763
Short shelf




4764
Medium shelf




4765
Wide shelf




4766
Maxi shelf




4768



4769




4767





MATERIAL
ABS




4770
Cube for modular shelving system






MATERIAL
Lacquered polyurethane



4760	4	1.4	0.011	20X15X37
4761	4	1.57	0.014	20X19X37
4762	1	0.56	0.010	17X16X37
4763	2	0.76	0.005	17X8X37
4764	4	3.1	0.021	37X15X37
4765	2	3.35	0.026	38X9X76
4766	1	2.25	0.016	37X4.5X95




4767	1	42.54	0.324	
4768	1	25.38	0.193	
4769	1	30.05	0.225	
4770	1	3.47	0.064	40X40X40



MATERIAL
fire-retardant mass-dyed thermoplastic technopolymer





Bookworm
video tutorial




HINGE
Polycarbonate

SHELF
Transparent or mass-dyed thermoplastic technopolymer









4928
Basic Veneer
4929
Slatted Ash



FRAME
Chrome-plated or painted steel;
TOP
Curved wood



discover
Smart Wood Collection



MATERIAL
Transparent or batch-dyed PMMA




4928	1	3.10	0.09	43X43X50
4929	1	3.10	0.09	43X43X50

8500	1	6.4	0.148	60X41X60
8501	1	6.52	0.176	60X49X60
8502	1	7.01	0.202	60X56X60


EN 1730:00	reached level
6.3	3
6.5	(maximum level) 5




8600




MATERIAL
Transparent or batch-dyed PMMA



8605
Glass top




MATERIAL
Transparent or batch-dyed PMMA



8610

TipTop Kids




MATERIAL
Transparent or batch-dyed PMMA




8600

TipTop Mono



MATERIAL
Batch-dyed PMMA



8600	1	5.4	0.146	54X52X52
8605	1	5.93	0.146	54X52X52

8610	1	5.4	0.146	54X52X52
8600	1	5.4	0.146	54X52X52



9910




MATERIAL

Transparent or batch-dyed PMMA




9900




MATERIAL

Transparent or batch-dyed PMMA



9910

1 13.4 0.151 81X60X31




9900

1 5.77 0.076 59X39X33


EN 1022:2008	Compliant
EN 16139:2013	
par. 4	Compliant
EN 1728:2012	reached level
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2



8810




MATERIAL
Smooth batch-dyed polypropylene



8800

Transparent




MATERIAL
Mass-dyed or transparent polycarbonate





8801


Metallic



MATERIAL
Metallic PMMA polycarbonate



8810 1 3.0 0.043 31X44X31




8800 1 3.55 0.075 38X52X38
8801 1 3.72 0.075 38X52X38

EN 10977:2002 reached level 5
EN 1728:2000 (maximum level) 5
6.2.1 (maximum level) 5
6.7 (maximum level) 5



8850



MATERIAL

Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

TRANSPARENT



B4
Crystal



Y2
Pink



Y5
Light
blue



J1
Pale
smoke
grey

MAT



E5
Glossy
white




E6
Glossy
black



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ICCA certified* (International Sustainability and Carbon Certification)

8805

Table



8818

Stool



MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT



B4
Crystal



J1
Smoke



AM
Amber



8850

1

3.3

0.085

44X44X44

8805

1

5.35

0.114

51X44X51

8818

1

4.77

0.099

44X51X44


reached level	
stool	
EN 1022:2005	Compliant
EN 1728:2012	
6.15	L1
6.17	L2

reached level	
table	
EN 1730:00	Compliant
EN 15372:2008	
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.5	(maximum level) 3
6.6	(maximum level) 3




3500

Without door



3510

With door




MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT



8860



MATERIAL


Transparent or batch-dyed polycarbonate

TRANSPARENT






8853
Colonna - Stool




8852
Pilastro - Stool



8851
Calice - Vase



MATERIAL
Painted batch-dyed thermoplastic technopolymer




8820
Saint-Esprit




8821
Attila



8822
Napoleon



MATERIAL
Painted thermoplastic technopolymer




	reached level
EN 1022:2005	Compliant
EN 16139:2013 + AC2013	Compliant
EN 1728:2012 + AC 2013	
4.1	(maximum level) L2
4.2	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2

8853	1	4.13	0,06	36X46X36
8852	1	4.47	0,06	36X46X36
8851	1	3.22	0,047	31X49X31

8820	1	5.4	0.050	46X33X33
8821	1	5.9	0.066	38X46X38
8822	1	5.3	0.066	38X46X38
8831	1	5.9	0.066	38X46X38
8832	1	5.3	0.066	38X46X38



8855




MATERIAL

Mass-dyed thermoplastic technopolymer



8854



MATERIAL

Mass-dyed thermoplastic technopolymer



	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	12
6.5	12
6.15	12
6.16	12
6.17	12
6.18	12
6.24	12
6.25	12
6.27	12


8855

1

5.0

0.073

38X49X39




8854

1

5.17

0.104

47X47X47



	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	12
6.5	12
6.15	12
6.16	12
6.17	12
6.18	12
6.24	12
6.25	12
6.27	12

245



8340

50

50

9

4.4

8320

50

70

9

5.8

MATERIAL

Transparent or mass-dyed PMMA

- TRANSPARENT

B4 Crystal

AZ Light blue
- OPAQUE

E5 Glossy white

E6 Glossy black

8330

80

180

10

30.0

MATERIAL

Transparent or mass-dyed PMMA

FRAME

Steel

TRANSPARENT

B4 Crystal

OPAQUE

E5 Glossy white

E6 Glossy black



8340

1

5.5

0.050

59X57X15

8320

1

7.2

0.058

58X77X13


8330

1

38.6

0.357

94X190X20




MATERIAL
Transparent or mass-dyed PMMA

8300




8305
Metallic

MATERIAL
Metallic PMMA




8306
Mat Opaque



MATERIAL
Painted PMMA




8300/8305/8306 1 7.77 0.091 77X91X13



MATERIAL
Transparent or mass-dyed PMMA




8310 1 14.6 0.160 100X123X13



FRAME

Transparent or mass-coloured PMMA

9950




9951

FRAME

Metallic PMMA




9953/9954
with lighting




FRAME

Transparent or batch-dyed PMMA with lighting




9962

Toothbrush holder




MATERIAL

Transparent or mass-dyed thermoplastic technopolymer






9963

Soap dish




MATERIAL


Transparent or mass-dyed thermoplastic technopolymer



9950/9951	1	5.87	0.081	87X85X11
9953/9954	1	6.37	0.081	87X85X11



9962	1	0.3	0.002	11X11X18
9963	1	0.35	0.002	16X6X18



WALL SUPPORTS

Chrome ABS

MATERIAL

Transparent or mass-dyed PMMA

9920



9921

WALL SUPPORTS


Chrome ABS

MATERIAL


Metallic PMMA




9930



9935



9940




WALL SUPPORTS


Chrome ABS

MATERIAL


Transparent or mass-dyed PMMA



9920/9921 1 0.93 0.007 51X20X7



9930 1 0.43 0.003 35X11X8
9935 1 0.55 0.004 51X10X8
9940 1 0.76 0.006 64X11X9




MATERIAL
Transparent PMMA clock face and batch-dyed or metallic ABS case

1900




1910




MATERIAL
Transparent, mass-dyed or metallic thermoplastic technopolymer

1930




1931




JELLIES COAT HANGERS 2015


Design Patricia Urquiola




4752



4753



4754




WALL BASE

Polycarbonate

COAT RACK

Transparent or mass-dyed thermoplastic technopolymer

TRANSPARENT




4702

TRANSPARENT HOOKS

Transparent or batch-dyed polycarbonate

TRANSPARENT



MAT HOOKS

ABS

MAT



4713

Metallic


METAL HOOK

Metallic ABS

METALLIC



Jellies Coat Hangers
video tutorial



4752

2 0.96 0.007 19X19X19

4753

2 0.55 0.003 13X13X15

4754

4 0.65 0.002 10X10X20



4702

2 0.32 0.001 13X10X10

4713


2 0.32 0.001 13X10X10

HANGER 2001

Design Alberto Meda



8170




BASE AND UPRIGHT
Brushed Steel

RINGS
Chromed die-cast aluminium


HOOKS
Transparent polycarbonate



8172




8174




8176

4 items packaging



8178

4 items packaging




WALL SUPPORT
Polished aluminium


HOOKS
Transparent polycarbonate



8170




1 base
1 upright
8.0
1.44
0.053
0.004
46X46X25
5X150X5



8172	1	1.15	0.009	65X12X11
8174	1	1.7	0.011	92X12X10
8176	4	0.37	0.003	20X12X13
8178	4	0.116	0.001	11X9X8



8160




BASE AND UPRIGHT
Steel

HOOK AND SUPPORTS
Aluminium

CAPS
Batch-dyed scratch-resistant PMMA




8160



1 base
1 upright
8.3
1.7
0.069
0.003
45X34X45
4X165X4


5165



MATERIAL
ABS



5165




4
1.6
0.004
25X7X22






7000



FRAME
Painted steel

- STEPS
Fiberglass reinforced polypropylene
- MAT
- 03 White
 - 09 Black
 - 48 Metallized dark grey

7030



FRAME
Chrome-plated steel


- STEPS
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

- TRANSPARENT
- P9 Smoke grey
 - Z4 Powder blue
 - Z2 Amber
 - 70 Crystal
 - 71 Orange red
 - 72 Cobalt


New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




7000





7030






MATERIAL
Painted or batch-dyed PMMA and crack-resistant



MATERIAL
Transparent or batch-dyed polycarbonate



UMBRELLA STAND/WASTE BASKET 1966

Design Gino Colombini/Kartell Technical Office

MISSES FLOWER POWER 2008

Design Philippe Starck with Eugeni Quittlet



7610



4670



MATERIAL

Recycled thermoplastic technopolymer from industrial scrap, with soft-touch effect




Product made of recycled material

8920



MATERIAL

Mass-coloured polyethylene



7610

4670

1

2.5


1.52

0.041

0.042

26X61X26

40X26X40



8920

1

19.7

0.675


63X63X170

KLEO 2023


Design Ludovica + Roberto Palomba




2370R1



2371V1



2372G1




MATERIAL
100% PP (BCF)



2373



2374



MATERIAL
100% PP (BCF)





Kleo is the new rug, designed by Ludovica+Roberto Palomba, also suitable for outdoor use, available in three shapes, round, square and rectangular, and in three colours. The rugs adapt perfectly to every living space and, thanks to their resistance to footfall, are particularly well suited to use outdoors, in the garden, on the terrace and by the swimming pool. Kleo is hand-made on a loom, with no backing. Easy to wash, breathable and waterproof, they allow water to drain off, making them suitable for use in humid environments. The rug can be matched with a cachepot in the same material, available in two sizes.




2370R1	1	10.0	0.168	28X214X28
2371V1	1	12.0	0.168	28X214X28
2372G1	1	14.0	0.199	28X254X28


2373	1	1.8	0.010	35X17X17
2374	1	2.7	0.018	45X20X20




2359




MATERIAL
Hand-tufted and hand-cut Himalayan wool, vegetable and mineral dyes




2360




MATERIAL
Hand-tufted and hand-cut Himalayan wool, vegetable and mineral dyes




2355F6



2355F7



MATERIAL
Hand-tufted and hand-cut Himalayan wool, vegetable and mineral dyes



Fireproof in compliance with UNI EN 13501-1:2009:
Classification of products and construction elements based on their reaction to fire


2359	1	21.00	0.089	114X28X28
2360	1	38.00	0.168	214X28X28

2355F6	1	19.00	0.160	255X25X25
2355F7	1	19.00	0.160	255X25X25



NEW

2358



MATERIAL

Recycled and recyclable PET



P1
Grey with green fringe




Made from recycled fabric




100% recyclable product

2356



2357



MATERIAL

Recycled and recyclable PET



F8
Grey with blue fringe



F9
Anthracite with almond fringe




Made from recycled fabric




100% recyclable product

2354F4

2354F5



2352F3



MATERIAL

Polyamide fiber on polypropylene base, digital printing, serged edge






2354F4




2354F5



2352F3



2358	1	10.0	0.160	255X25X25
2356	1	18.2	0.092	174X23X23
2357	1	40.0	0.180	247X27X27




2352F3	1	8.75	0.168	28X214X28
2354F4/F5	1	14	0.168	28X214X28



Suitable for ages: 18 months to 8 years

The product is EN71 an ASTM compliant and manufactured according to the criteria defined in European Directive 2009/48/EC.

3270



MATERIAL

Transparent or mass-coloured polycarbonate

TRANSPARENT



B4
Crystal



G3
Yellow



3270

1


6.95

0.149

75.5X64.5X30.5



2858



FRAME

Painted steel

SHELL AND SEAT

PMMA

WHEELS

EVA

TRANSPARENT



10
Red



2858

1

13.6

0.357

56X59X108



Suitable for ages: 3 to 7 years


The product is EN71 an ASTM compliant and manufactured according to the criteria defined in European Directive 2009/48/EC.



TABLEWARE



1965



MATERIAL

Recycled and metallized PMMA




Made from recycled PMMA


A NEW ECO FRIENDLY RECYCLED MATERIAL

Kartell is using recycled PMMA in its transparent productions for the first time. Teatime is the first product made from this material, which originates largely from the depolymerisation of plastic waste from various sources. This material retains aesthetic quality and structural requirements comparable to pure new material; this project makes it possible to give industrial plastic waste a new lease of life and turn it into new products that will stand the test of time and become design icons.

1585




1584



MATERIAL


Recycled PMMA



Made from recycled PMMA

A NEW ECO FRIENDLY RECYCLED MATERIAL

A new, eco-friendly recycled material. Kartell is using recycled PMMA in its transparent products for the first time. This material is largely derived from the depolymerisation of plastic waste from various sources. It retains the aesthetic quality and structural strength of the pure new material. Its use gives industrial plastic waste a new lease of life and turns it into products that will stand the test of time as design icons.




1965

1

1.7

0.010

47X38X6



1585

1

1.8

0.013

23X23X26

1584

1


2.2

0.019


23X23X36




1551




MATERIAL
Transparent or mass-dyed and metallized thermoplastic technopolymer




1550



MATERIAL
Transparent or mass-dyed and metallized thermoplastic technopolymer



1551 1 1.31 0.027 35X27.5X28




1550 1 1.25 0.024 28X28X31

JELLIES FAMILY 2014


Design Patricia Urquiola




1499




1494




1495




1496



1497



1490




1491



1492



1493




1581




MATERIAL









Transparent or mass-dyed thermoplastic technopolymer



1499	4	0.93	0.007	31X8X31
1494	4	1.03	0.005	26X7X26
1495	4	1.92	0.008	31X8X31
1496	4	1.47	0.008	27X11X27
1497	4	2.96	0.008	37X7X37




1490	1	0.92	0.008	14.5X35X15.5
1491	16	4.74	0.027	18.5X15X19
1492	16	3.28	0.024	18.5X14X19
1493	16	3.03	0.021	18.5X12X19
1581	16	3.22	0.008	30X17X37







1517




1516




1515



1518




1519



MATERIAL


Melamine

OPAQUE



1517	4	2.2	0.007	22X23.5X13.5
1516	4	2.2	0.007	30.5X28.5X8.5
1515	4	2.8	0.007	35X33X6
1518	4	0.75	0.002	19X17X6.5
1519	4	1.15	0.004	15X16.5X17

1511



1512



1513




1514



MATERIAL

Transparent or mass-dyed thermoplastic technopolymer

TRANSPARENT




1511	1	0.92	0.007	14.5X35X15.5
1512	16	4.74	0.026	18.5X15X19
1513	16	3.28	0.024	18.5X14X19
1514	16	3.03	0.021	18.5X12X19






1236




MATERIAL
Melamine




1236 1 set of three 2.28 0.011 54X5X40


1205




1206



1207



1208



MATERIAL
Melamine



1205	4	2.0	0.009	28X30X11
1206	4	1.97	0.009	28X30X11
1207	4	1.91	0.009	28X30X11
1208	4	1.68	0.009	28X30X11




PIAZZA 2018


Design Fabio Novembre



1441




MATERIAL
Transparent or mass-dyed thermoplastic technopolymer



1441 1 2.0 0.022 52X10X42


ABBRACCIAIO 2012

Design Philippe Starck with Ambroise Maggior



MATERIAL
Galvanised or painted aluminium

1955



1956



1955 1 1.2 0.012 23X17X31
1956 1 1.2 0.012 23X17X31

1220



MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT



B4
Crystal



VF
Smoke



E2
Green




E9
Pink




E4
Blue



1200



1210



MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT



B4
Crystal



VF
Smoke



E2
Green




E9
Pink




E4
Blue



1201



1211




MATERIAL

Metallic PMMA

METALLIC



XX
Chrome



1220

2

6.47



0.114



53X51X42



1200

4



6.7



0.044



55X44X20

1201

4

6.7

0.044

55X44X20

1210

4

11.0

0.065

64X46X22


1211

4

11.0

0.065


64X46X22



MATERIAL
Transparent or coloured PMMA mass-dyed



1215 1 1.8 0.014 39X25X15



MATERIAL
Transparent or coloured PMMA mass-dyed




1218 1 1.3 0.013 33X19X20





1225



MATERIAL

Transparent or batch-dyed PMMA

TRANSPARENT



MAT



1225



1




2.2




0.036




30X37X32



1226



1227




MATERIAL

Mass-dyed or transparent PMMA

TRANSPARENT



1228



MATERIAL

Metallic PMMA

METALLIC



1226



4



6.95



0.076



52X52X28

1227

2

4.6

0.058

31X31X60

1228

2


4.6

0.058

31X31X60




1229



MATERIAL
Mass-dyed or transparent PMMA



1239




MATERIAL
Metallic PMMA



1229 1 3.7 0.076 39X50X39
1239 1 3.7 0.076 39X50X39

1221




MATERIAL
Transparent or mass-coloured PMMA



1221 1 1.88 0.027 26X32X32

7680
Pack of 16 pieces





MATERIAL
Smooth batch-dyed polypropylene




1445



MATERIAL
Printed transparent PMMA



7680 1 1.8 0.012 37X20X16



1445 4 2.06 0.006 45X33X4



Kartell - The Culture of Plastics

"Kartell - The Culture of Plastics" is the first monograph on the Kartell design brand. Published by Taschen and available in six languages in two volumes (the first includes Italian, Spanish and Portuguese and the second includes English, French and German), the monograph is a chronological excursus through the technological, aesthetic and functional innovations and the activities of the Italian company, world leader in the industrial manufacture of design products made of plastic materials now in its third generation.

Narrating the tale in this coffee table book divided into decades from the '50s through to the new millennium are Silvana Annicchiarico, Gillo Dorfles, Chantal Hamaide, Marie-Laure Jousset, R. Craig Miller, Giovanni Odoni, Franca Sozzani and Deyan Sudjic while journalists Giulia Crivelli and Giovanni Odoni interview the current president, Claudio Luti, who in 1988 took over the management of the company from his father-in-law, Giulio Castelli.

A design industry of global fame synonymous with the concept of "transparency" in 400

pages full of images describes its earliest stages, its evolution, the challenges successfully met, its incessant drive in research and technological innovation, its designers, the prizes won and its worldwide distribution. But Kartell expresses itself best through its product icons that can be found in homes all over the world. There are historic shots and pictures from the archives, announcements and visuals, with detailed captions on technological innovations revealing the history of a company that has taught us to appreciate the culture of plastics.

Kartell - The Culture of Plastics
Taschen Books, 400 pages
Size: 250x315 mm
Editors: Hans Werner Holzwarth and Elisa Storace

Code for IT ES POR: 95100/03
Code for ENG FR DE: 95100/04
List price:
49,99 € - 44,99 £ - 69,99 \$

For purchasing conditions contact your area representative directly.




kARTEll - 150 items, 150 artworks

kARTEll - 150 items, 150 artworks. Not only a book photographs taken by the most relevant photographers and contemporary artists world-wide, such as Mario Testino, Peter Lindbergh, Helmut Newton, Steven Meisel, David LaChapelle. With absolute freedom, every artist chose a Kartell product, within the items from the historical until the current collection, in order to give birth to his personal interpretation. In addition to images, a rich collection of stories written by famous people within different fields (cinema, music, art, show business). A gift idea for design connoisseurs as well as for fashion, visual arts and photography lovers.

kARTEll - 150 items, 150 artworks
Skira, 280 pages
Size: 210x297 mm
Concept: Franca Sozzani
Art direction: Luca Stoppini

Italian book code: 95000/03
English book code: 95000/04
Public price: 60,00 €

For commercial conditions please contact your agent.



Simple care is needed for the maintenance of Kartell products to retain the original features of the materials.

PLASTIC MATERIALS

Cleaning. Use a soft damp cloth with soap or a liquid detergent, preferably diluted with water.

The use of the following substances must absolutely be avoided: acetone, trichloroethylene, ethyl alcohol or detergents containing even small quantities of these substances which cause irreparable damage to the plastic of which the products are made.

We recommend always using a damp cloth to prevent plastic surfaces from becoming charged with static electricity which attracts dust. Also avoid abrasive solvents, cleaning powders and creams, steel wool or rough sponge cloths.

Use. Do not drag objects across the plastic surface, even if it has a scratch resistant finish, since sharp objects can damage the plastic just as they would damage wood or metal. Do not place very hot plates or pots directly on the surface, but always use a cloth or trivet.

WOOD

Cleaning. As with plastic surfaces, use a soft damp cloth. Do not use alcohol or other spot-removers. For a deeper cleaning use a little non-abrasive liquid detergent and wipe in the direction of the wood grain. Dry the surface well with a soft cloth. Never use acetone, trichloroethylene or ammonia.

Use. Moisture in wood can cause swelling which is normal in a natural material. Our woods hold up well under normal temperature and humidity conditions. Slight color variations from one piece of wood to another are normal and these tend to disappear with time. Wood can change color over time. To delay this, it is best to avoid placing it in direct sunlight.

METALS

Cleaning. Normal dirt on either painted or plain metallic steel or aluminium surfaces must be removed with soap and water (preferably hot) and neutral liquid detergent; dry with a soft cloth or with a chamois cloth. Never use cleaning powders, abrasive or steel wool pads, which can cause scratching, or liquid detergents that contain chlorine or its derivatives such as bleach or muriatic acid.


Use. Avoid spilling grapefruit juice, cola, salt and coffee on metal surfaces. These can cause indelible stains. To remove black marks on aluminium chair legs, products especially made for steel finishes or non-abrasive car polishes are recommended.

FABRIC COVER

Kartell uses different kinds of covers, for each one you may find the appropriate cleaning and usage instructions within the instruction card enclosed in the packaging.

STONEWARE

Cleaning. For routine surface cleaning, simply use a damp microfibre cloth. For more thorough periodical cleaning, use a neutral liquid detergent with a soft sponge or microfibre cloth.



product charts



FABRICS

CUSTOMER FABRIC

CUSTOMER FABRIC COM (CUSTOMER OWN MATERIAL)

The amount of fabric indicated for each model refers only to plain, self-coloured material in 140 cm width, without any defects.

The minimum order amount for this programme is as follows:

- 1 piece for sofas and armchairs;
- 4 pieces for chairs.

The feasibility of covering the requested product with COM is subject to verification by Kartell SpA of a sample of fabric to be sent together with the order.

Simply send a COM sample no smaller than A4 size (210 x 297 mm).

The use of any material that is not 140 cm wide, or of any fabric that is not plain and self-coloured, is subject to authorisation by Kartell SpA and in such cases the company may request a larger quantity than that indicated on the list.

The client must clearly indicate any particular cuts to be made, plus the direction of stripes or decorative parts.

Kartell SpA approval of the material provided by the Client is limited only to the production of the upholstery. Kartell SpA therefore declines any responsibility relating to resistance to wear, fire resistance or other technical characteristics of fabrics provided by the Client.

Kartell S.p.A. is in no way responsible for customer-supplied materials, for any defects or technical shortcomings of such materials, for any possible defective reactions on the upholstered product or for care and washing instructions.

SHIPPING OF CUSTOMER OWN MATERIAL


The sample of customer own material ("COM") and the fabric required for the production of the items ordered must be sent to us with delivery duty paid (DDP) complete with all the instructions required to identify the material, the order and the model it refers to.

The material should be sent to the following address: Kartell S.P.A., Via Delle Industrie, 1 - 20082 Noviglio (Milan)

DELIVERY TIMES FOR CUSTOMER OWN MATERIAL ORDERS

Orders are generally available within 4 weeks of receipt of the material, unless otherwise indicated due to the particular characteristics of the fabric and, in any case, subject to technical feasibility.

IMPORTANT: indications regarding amounts of material required are not valid for customer own leather ("COL"). For further information, please contact our Sales Office.




COM
Customer Own Material



TREND FABRICS

SOLID

Cara/Cara Mat




Composition 62% VI, 22% CO, 11% U, 5% PL

Martindale 30.000



FANCY

Cara/Cara Mat



1E white-beige - 3G rusty-beige

Composition 44% CO, 27% VI, 22% PL, 6% U, 1% SE

Martindale 30.000



4H black-beige

Composition 38% VI, 30% CO, 20% PL, 12% U

Martindale 25.000



2F green-black


Composition 32% CO, 50% VI, 7% U, 3% VVO, 8% PC

Martindale 20.000



PIED DE POULE

Largo/Clap



Composition 49% U, 38% CO, 13% VI


Martindale 35.000



TREND FABRICS

MELANGE

Eleganza



Composition 45% post industrial recycled Cotton, 10% U, 28% PC, 12% PL, 5% VI

Martindale 30.000



Made from recycled fabric

RUBELLI® DÉJEUNER SUR L'HERBE

Madame



D
Déjeuner

Composition 100% CO

Martindale 20.000



Flame proof

OEKO-TEX®
CONFIRMED IN TEXTILES
STANDARD 100

RUBELLI® QUATREFOIL DESIGN BY LUKE EDWARD HALL

Mademoiselle/Clap



RC/A
Cream

RP/S
Pistachio

RB/VV
Brown

Composition 100% CO

Martindale 20.000




Flame proof

OEKO-TEX®
CONFIRMED IN TEXTILES
STANDARD 100

TREND FABRICS

MATCH

Largo/Plastics Duo/Cushions



Composition 48% CO, 15% VI, 7% U, 30% PL

Martindale 52.000



VELVET

Largo/Foliage/Cushions



Composition 100% PL

Martindale 100.000



KRAVITZ

Mademoiselle Kravitz



07
faux-fur - snake print fabric

09
faux-fur - woven fabric

81
raffia fabric - woven fabric

07 faux-fur - snake print fabric

Composition 100% MA - 62% VI, 30% CO, 8% PL

09 faux-fur - woven fabric

Composition 100% MA - 42% VI, 40% CO, 18% WO

81 raffia fabric - woven fabric

Composition 100% PVC - 42% VI, 40% CO, 18% WO

TREND FABRICS

NEW

TEXTURE

K-Waiting



TM
brown



TG
grey



TB
burgundy



TV
green



TA
sky blue

A.I. Lounge



1Y
white yellow



4V
green



3C
hazelnut



2E
grey

Composition 100% PL

Martindale 25.000



Flame proof

BOUCLÉ

K-Waiting



DF
ecru



DG
grey



DM
brick red



DN
green



DP
blue

Composition 100% PL

Martindale 80.000



Flame proof



IMO
International Maritime
Organization Certif.

TREND FABRICS

CHENILLE

K-Waiting



DA
beige



DB
grey



DC
burgundy



DD
green



DE
sky blue

Composition 100% PL

Martindale 80.000



Flame proof



IMO
International Maritime
Organization Certif.



JACQUARD

K-Waiting (cushions)



D1
beige



D2
grey



D3
teal



D4
orange



D5
plum

Composition 40% WO, 20% VI, 15% CO, 10% PL, 10% LI, 5% PC


Martindale 40.000



CLASSIC FABRICS

TREVIRA

Maui Soft




Composition 100% PL Trevira

Martindale 65.000



NOMA new fabric made of 100% recycled polyester

Audrey Soft/Maui Soft



Composition 100% Recycled PL

Martindale 60.000




Highly usable and all-round design
Classic colours with a twist
Superior fire resistance
Good stretch properties
Prolongs furniture life
Strong environmental profile
No heavy metal
100% post-consumer recycled flame retardant polyester
STANDARD 100 by OEKO-TEX®
Meet Möbelfakta requirements

CLASSIC FABRICS


CURLY

Largo/Lunam/Cushions




Composition 22% WV; 22% PC; 22% PL; 14% VI; 13% CO; 7% U

Martindale 30.000



BOUCLÉ RICCIO

A.I. Lounge



Composition 56% PC; 15% PL; 12% VI; 11% CO; 6% U

Martindale 30.000




ORSETTO

Lunam/Charla/Cushions/Plastics Duo



Composition 33% VI, 29% PC, 15% WO, 8% CO, 7% PL, 6% U, 1% PA, 1% EA


Martindale 60.000



CLASSIC FABRICS

TREVIRA

Foliage



D green
C grey
B orange
A beige

Composition 100% PL Trevira

Martindale 75.000



NEW! PANAMINO BASIC

A.I. Lounge



1I/2I white
4A anthracite
3G grey

Composition 34% VI; 31% CO; 15% LI; 13% PC; 7% PL

Martindale 30.000



Flame proof

EMBOSSED

Clap



2 graphite
3 grey
4 orange
5 beige

Composition 100% PL


Martindale 25.000



CLASSIC FABRICS

ANTIBES

Lunam/Charla/Cushions



1/01 beige
2/02 anthracite
3/03 pale grey
4/04 green
5/05 wine

Composition 90% PL, 10% VI

Martindale >50.000



Flame proof




IMO
International Maritime
Organization Certif.



NEW! NEW COTONE

Pop



BI white
EC ecru
GR grey
BL blue
VE green
AR orange

Composition 100% CO

Martindale 30.000



NILO

Largo/Pop Duo/Plastics Duo



70 white
71 ecru
72 dove
75 grey

Composition 46% CO, 45% VI, 8% LI, 1% SE

Martindale 20.000



À LA MODE FABRICS

MISSONI

Eleganza



MK
Color Black



MW
Color White

Composition 100% CO

Martindale 24.000



MZ
Zigzag

Composition 96% PL FR, 4% PL

Martindale 25.000



Flame proof

Pop/Mademoiselle/Cushions



QQ
vevery red tones

Composition 100% CO

Martindale 25.000



MOSCHINO

Mademoiselle



FM
sketches

Composition 100% CO

Martindale 39.000



À LA MODE FABRICS

EMILIO PUCCI

Madame



PA
Paris



NY
New York



SH
Shanghai



RO
Rome



MI
Milan

Composition 100% PES

Martindale 60.000



OUTDOOR FABRICS

NEW! VAGATEX® STRETCH FABRIC

Hiray



EC ecru AN anthracite MA brick red VE green VS dark green

Composition 50% PC, 45% PL, 5% EA

Martindale 20.000



SUNBRELLA®

Pop Outdoor



20 white 22 dove

Composition 100% PC

Martindale 15.000/25.000



IKON

Pop Outdoor



30 white 31 dove 32 orange

Composition 84% PP, 16% PL


Martindale 35.000



OUTDOOR FABRICS

NEW DYED FIBER

Plastics Outdoor/Pop Outdoor/Cara Mat Outdoor/Cushions



T4/J white T3/K grey T1/Z green T2/X burgundy R1/V green stripes R2/Y brick stripes

Composition 100% DYED ACRYLIC

Martindale Solid Color 50.000

Martindale Stripes 25.000



Oil repellent



Water repellent



Colour fast to light 7/8



Flame proof



Mould resistant



Soil resistant

DYED FIBER

Pop Outdoor/Cushions



62 blue 63 beige 64 dove grey/black 65 dove grey

Cara Outdoor/Cara Mat Outdoor



L/1L blue I/1I beige N/4N dove grey/black M blue-orange

Composition 100% PC (solution dyed acrylic)

Martindale 20.000



M blue-orange

Martindale 30.000



Oil repellent



Water repellent



Colour fast to light 7/8



Flame proof



Mould resistant



Soil resistant

TECHNICAL FABRICS

AQUACLEAN®
Q/Wood/Clap



Composition 50% PES, 35% PAC, 15% PA
Martindale 250.000



Kartell has decided to include the innovative Aquaclean® fabric, which can be cleaned with water and contains no PFC, a substance contained in most stain-resistant fabrics which pollutes the environment and is harmful to health.

This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.


TECHNICAL FABRICS

NEST
Trix



Composition 100% PL
Martindale 30.000

TECH
Plastics Tech Fabric



Composition 55% SI, 45% PL
Martindale 130.000



Pen, marker, lipstick...
“Write on and Erase me”.
The genuine eco-friendly faux leather.


Recyclable, eco-friendly, healthy, non toxic, free from: solvents, PVC, PU, PFC, formaldehyde, plasticizers, phthalates, heavy metals, BPA, allergens, anti-bacterial additives, biocides, flame retardant substances.

The fabric is suitable for medical use; is resistant to customary disinfecting agents which content alcohols, aldehydes, quaternary ammonium compounds, oxygen agents, alkylamines as active ingredients.

INSPECTED QUALITY by OETI (Institute for Ecology, Technology and Innovation)



STONEWARE WITH MARBLE FINISH




STONEWARE WITH **MARBLE FINISH**

Glossy/Multiplo



TU/BU/NU
Nature Tundra



GR/BR/NR
Green



MS/BS/NS
Symphonie



MG/BT/NT
Tropical Grey



CN
Aged Bronze



MB
White



MN
Black Marquina

Four



MS
Symphonie



MB
White



MN
Black Marquina

K-Top



TU
Nature Tundra



MS
Symphonie



MN
Black Marquina

Undique



QW
Terrazzo black



MW
Terrazzo light gray

Composition 40% Clay, 40% Feldspat, ~20% Sand and quartz, ~15% Kaolin and carbonate

Certifications CE EN 14411:2012, LEED, UL Greenguard



WOOD



P/Wood Q/Wood K/Wood S/Wood AI Wood



Basic Veneer Light



Basic Veneer Dark



Slatted Ash Light



Slatted Ash Dark

Earl of Wood



Basic Veneer Light



Basic Veneer Dark



Slatted Ash Black

Adam Wood



Basic Veneer Dark



Slatted Ash Black

Viscount of Wood



Ash



Walnut



Brown

Lunat



Walnut



The mark of
responsible forestry

Certifications FSC™

KARTELL LOVES THE PLANET

Kartell is sustainability. The "Kartell Loves the Planet" manifesto launched in 2018 describes the virtuous actions to which Kartell is committed in order to respect people and the environment and to fight climate change. Kartell is determined to promote and spread business values based on ethical principles, integrity and business sustainability, and to act according to the Sustainable Development Objectives of the UN's 2030 agenda. Continuous research into the use of recycled materials in Kartell's industrial production processes requires daily testing to ensure the excellent quality of the products made from such materials and from the non-contaminated virgin industrial waste that is returned to the cycle to produce design-focused products. These products must not only satisfy the strict standards required by applicable regulations but, more importantly, must also guarantee a unique aesthetic finish.

This circular economy project covers various types of material, used in different production processes. Polycarbonate, for example, is used in many Kartell products. Now in the form of polycarbonate 2.0, this exclusive material combines a second-generation renewable polymer obtained from cellulose and paper waste with an ISCC certified production process. Then there is the project that recovers illycaffè iperespresso capsules and

applies a special regeneration process to transform them into raw material for Kartell products. For Kartell, sustainability also means durability. At the end of their useful life, many Kartell products become collectors' items or find places in famous museums around the world. Objects of daily use therefore become timeless objects of art.

The production process and supply chain are governed by strict internal protocols that Kartell enforces to ensure quality and compliance with specific certification schemes. A great deal of attention is also paid to packaging and merchandising, which must likewise respect strict recyclability criteria. 80% of the Kartell catalogue already consists of products made from recycled and renewable materials. Whenever different types of raw material are involved, only materials that can be easily separated for end-of-life recycling are used.

Kartell aims to convert its entire production as quickly as possible, and many products have already been renewed using recycled materials.

So what does sustainability mean for Kartell? It means products that respect the principles of environmental protection throughout the production process, from design to delivery. Kartell's commitment to sustainability is also expressed through actions in the areas of financial management, human resources and social responsibility.

	Kartell products are timeless and conceived to merit a place in museums and private collections.
	Our corporate strategy is based on ethical production, transparent financial management and the economics of beauty.
	Recycled materials contribute to the circular economy and ensure recyclability in other industrial processes.
	We invest in continuous research into new materials and new production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).
	Our industrial processes are waste and emissions free.
	We are ISO and Greenguard certified.
	Our packaging is recyclable and sustainable.
	We are engaged in social solidarity projects worldwide.
	We provide a sustainable working environment.
	We believe in training.

SUSTAINABLE DEVELOPMENT GOALS

* In September 2015, the governments of the 193 member states of the General Assembly of the United Nations approved the UN's Sustainable Development Goals (SDGs). These 17 goals form a plan of action for the peace and prosperity of people and the planet and are jointly known as the 2030 Agenda for Sustainable Development.

BEING THE FIRST IN INNOVATION, COMBINING DESIGN AND INDUSTRIAL TECHNOLOGY

WE DEFEND BEAUTY AND RESPECT PEOPLE

Kartell products are timeless, produced with the utmost respect for the environment and destined – at the end of their life – to find places in museums and private collections. They are not just beautiful but beautifully made, the result of a production process that seeks perfection, considers even the smallest detail and prepares for possible future changes.

Our company's strategy is based on industrial ethics, transparent financial management and the economics of beauty.

FOR THE GOOD OF PEOPLE AND THE PLANET

For Kartell, "eco-friendly" is more than a catch-phrase: it's a practical commitment, underscored by certifications like Greenguard, which confirms minimal emission levels, and various ISO product and process certifications.

Kartell products are timeless.

CIRCULAR ECONOMY

Through innovative designs that serve the regenerative economy: this is how Kartell fulfils its commitment to environmental sustainability. We use recycled materials whenever technology permits and our industrial production processes generate neither waste nor emissions.

We carry out continuous research into new materials and production processes (e.g. bioplastics derived from vegetable waste not destined for the food chain).

RESPECT FOR THE ENVIRONMENT AND SUSTAINABILITY

Respect for the environment is and has always been one of the key elements of our brand's DNA. Our commitment is expressed through "Kartell Loves the Planet", the industrial manifesto in which Kartell places environmental responsibility and good sustainability practices at the heart of all activities, starting with the working environment.

SOLIDARITY AND TRAINING PROJECTS

Thinking of the next generation

The "Kartell Loves the Planet" industrial manifesto extends our sustainability commitment to social solidarity, and in particular to the education of young people in needy countries.

Kartell supports the Francesca Rava Foundation - N.P.H. Italia and the international programme entitled "Building Sustainability through Education. Empowering the young generation to be leaders of a green revolution" by offering scholarships to university students in Latin America for projects dedicated to environmental sustainability.

We also work with universities and training institutes on specific projects that combine creativity with the capacity to ensure sustainable marketing and design activities.





WOOD

Kartell holds FSC™ certification for its wooden products: FSC is the internationally recognised certification for forest management that has a positive impact on forests, the market and people. The FSC mark on our products ensures that the timber they are made of comes from a supply chain that complies with strict environmental, social and economic requirements dictated by the Forest Stewardship Council®, an international NGO that has been promoting responsible forest management for over 25 years. Being a material of natural origin, there may be differences in the colouring and the characteristic wood grain.



BIO

This unique material is obtained from agricultural waste that cannot be used to produce food for humans or animals. With a biological process, the waste materials once "attacked" by microorganisms generate a biomass that is similar to plastic. After a series of processes to refine the composition, this biomass becomes a material of the highest quality, and Kartell was the first to experiment with this material in injection and moulding like other plastics. The material used for the Bio collection boasts exclusive properties of biodegradability in water and soil, as certified by prestigious international institutes such as Vinçotte Belgium and TÜV Austria.



RECYCLED MATERIAL

A recycled thermoplastic technopolymer obtained from pure waste material that has been set aside and is not contaminated by other materials. The choice is dictated by the possibility to use scrap material that guarantees the aesthetic quality and structural requirements of the product, reducing the emissions necessary for its production. With this material, Kartell intends to go one step further in its commitment to environmental sustainability, using recycled material while eliminating waste from the environment and turning it back into raw material, activating a virtuous process of circular economy.



POLYCARBONATE 2.0

Polycarbonate 2.0 is a material, used exclusively by Kartell, which combines a second generation renewable polymer made from cellulose and paper waste with an ISCC (International Sustainability and Carbon Certification) certified process. ISCC was one of the first schemes for the sustainability of products throughout the supply chain in the renewable energy sector to be issued at European level, and it is now one of the most popular and widely recognised. The benefits of polycarbonate, such as superior shock resistant and flame retardant properties, elasticity, excellent mechanical properties and easy recycling, are retained in version 2.0.



RECYCLED PMMA

A new, eco-friendly recycled material. Kartell is using recycled PMMA in its transparent products for the first time. This material is largely derived from the depolymerisation of plastic waste from various sources. It retains the aesthetic quality and structural strength of the pure new material. Its use gives industrial plastic waste a new lease of life and turns it into products that will stand the test of time as design icons.



RECYCLED ILLY

As part of the commitment to the use of recycled materials, a new project has been investigated involving the virtuous recovery of the discarded plastic components of illycaffè's Iperespresso capsules, which are transformed into high quality secondary raw materials. By regenerating the ground material and returning it to granule form, then injecting it, Kartell transforms the coffee capsule removed from the production cycle into a sustainable commodity, a design object. 400 Iperespresso capsules are used to make each chair.



CERAMICS

The surfaces of the tables are made of special ceramics processed with low CO2 emissions, using industrial waste and recovering wastewater, resulting in exclusively designed sheets made in Italy. These ceramic materials are made by a partner whose business model focuses not only on profitability but also on responsible operation, obtaining B Corp certification for the highest standards of social and environmental performance.



RE-TEXTILE

Some of the fabrics used for the armchairs, sofas and carpets are made from recycled materials such as PET bottles transformed into polyester or fabrics from regenerated fishing nets.



CERTIFICATION CARB

In order to reduce the emissions from composite wood-based panels incorporated into the products used and intended for indoor living environments, all the items which contain wood-based panels are made using certified materials, conforming to the emission levels envisaged by the CARB (California Air Resource Board) and TSCA Title VI (Toxic Substances Control Act) standards. The tables of the TOP TOP, FOUR, MAUI, MAX, MULTIPLO, GLOSSY, VISCONTI OF WOOD and LUNAT collections, in the indoor versions, are CARB certified.



CERTIFICATION GREENGUARD

In its continuing commitment to protecting its customers' health, Kartell obtained Greenguard certification in 2014. When purchasing a Greenguard-certified product, consumers can be certain the product has been inspected, does not pollute and is not dangerous. Greenguard is used by many certification processes for environmentally-sustainable buildings (LEED; CHPS; ASHRAE; Green Globes; NAHB; IgCC, CONSIP) around the world. Greenguard certified categories: All Kartell products that have received GREENGUARD certification are featured on the UL SPOT website. <https://spot.ul.com>



RECYCLABILITY

Recyclability, sustainability, eco-compatibility - in two words environmental friendliness - are the issues at the heart of Kartell's product development strategy. As regards recyclability, the eco-friendly focus begins as early as the design and production phase: to simplify recycling, the various components of Kartell products are easy to disassemble and separate into single-materials parts; furthermore, all plastic components are clearly marked to ensure that they can be easily identified and recycled.



PACKAGING

The packaging contains mainly recycled material and is 100% recyclable. Contributing the environmental sustainability means eliminating wastage and the improper disposal of waste materials.

For more information on the recyclability of our products, visit: www.kartell.com



CERTIFICATIONS ISO 9001:2015



COMPANY QUALITY CERTIFICATION: ISO 9001

In 1996, Kartell decided to certify its Corporate Quality Management System in compliance with UNI EN ISO 9001:1994 standards.

In 2005, the company aligned its Quality Management Systems with the standard UNI EN ISO 9001: 2000.

In 2008, the company renewed its ISO 9001:2000 certification.

And, in 2010, it switched to UNI EN ISO 9001:2008.

During 2017 Kartell updated its certification standard to UNI EN 9001:2015.

A guarantor for this certification process is the I.I.P. (Italian Institute of Plastics), which is itself accredited by SINCERT and CISQ, the Italian federation of accreditation bodies for Quality Management Systems.

CISQ is part of IQNET (International Certification Network), a supranational body which guarantees mutual recognition of the ISO standard in countries worldwide.

The attainment and maintenance of this certification, made possible by the commitment and perseverance of all company offices involved, testifies to the continued research into ever higher levels of quality in company management systems.

A copy of the Quality Certification is available for downloading on www.kartell.com

CERTIFICATIONS ISO 14001:2015



ISO 14001 CERTIFICATION

In 2011 Kartell achieved UNI EN ISO 14001: 2004 certification for its support of an effective Environmental Management System, an international standard recognised throughout the world and developed about 10 years ago which defines development and implementation parameters in corporate processes in order to achieve an effective environmental management system.

WHAT IS ISO 14001?


This certification attests that the organization certified has implemented a management system capable of controlling environmental impact in its own business and systematically endeavours to improve it in a sustainable, effective and consistent manner. ISO 14001 certification is not obligatory but is the result of the voluntary choice of the Company which decides to define, implement, maintain and improve its own environmental management system.

During 2017 Kartell updated its certification standard to UNI EN ISO 14001:2015.

A copy of the Quality Certification is available for downloading on www.kartell.com



CERTIFICATIONS REFERENCE STANDARDS



UNI LIST
TECHNICAL REFERENCE STANDARDS

Food contact standards

Each page of the price list is dedicated to a product that has been tested in accordance with current regulations which are summarised in a table where the left hand column shows the code and/or paragraph of the test to which the product was subjected and the right hand column shows the test results and the levels attained. The specification of each regulation is show below:



LIST OF UNI TESTS
FOR CHAIRS:

UNI standard 8582/84 - 1022/98
stability test

UNI standard 8584/84
fatigue test for chair frame

UNI standard 8585/84
impact test for seat

UNI standard 8586/84
test for resistance to repetitive impacts

UNI standard 8587/84
fatigue test for chair back

UNI standard 8589/84
test for arm resistance to vertical force

UNI standard 8590/84
test for arm resistance to horizontal force

UNI standard 8591/84
duration of the rotation of the seat

UNI standard 9083/87
drop test

UNI standard 9088/87
test for resistance of legs to side stress

UNI standard 9089/87
impact test for back and arms

UNI EN standard 10977:2002
Furniture for home and collective use - Seating



LIST OF UNI TESTS
FOR TABLES:

UNI standard 8592/84
stability test

UNI standard 8593/84
test for resistance of tops to concentrated loads

UNI standard 8594/84
top bending test

UNI standard 8595/84
structural strength test

UNI standard 9085/87
drop test

UNI standard 9086/87
impact test for legs

UNI EN standard 1729-2:2006
Furniture - Chairs and tables for schools.Part 2:
Safety requirements and test methods

UNI ENV standard 12521:2001
Home furniture - Tables - Mechanical and struc-
tural safety requirements

UNI EN 527-1:2011
Office furniture - VWork tables and desks.Part 1:
UNI EN 1022:2005 dimensions. Home furni-
ture - Seating - Stability test

UNI EN 15372:2008
Furniture - Strength, durability and safety
Requirements for tables for non-home use

UNI EN 12521:2009
Furniture - Strength, durability and safety
Requirements for tables for home use



LIST OF UNI TESTS FOR STORAGE
UNITS AND BOOKCASES:

UNI standard 8596/84
stability test

UNI standard 8600/84
bending test under a concentrated load

UNI standard 8601/84
top bending test

UNI standard 8606/84
maximum total load test




LIST OF UNI-EN TESTS
FOR STEPS:

UNI-EN standard 131-1/94
functional dimensions of the steps

UNI-EN standard 131-2/93
bending of the rungs and platform

Standard EN 1728:2000 took effect in 2002 (UNI EN 1728:2002 in Italy) harmonizing at the European level testing methods for resistance and durability of all the types of domestic seat- ing. This regulation, which replaces previous ones, prescribes much more severe testing pro- cedures than in the past.
Standard EN 15373 came into force in late 2007, updating the testing criteria, cycles and levels, with respect to EN 1728:2000.
Standard EN 16139:2013 came into force at the end of 2012, updating standard EN 15373 (see summary table).
In 2013, standard EN 1728 was updat- ed to the EN 1728:2012+AC:2013 edition (in Italy UNI EN 1728:2012+AC:2013).
Standard EN 1730:2000 updated with EN 15372:2008 (for Italy UNI EN 1730:2002) came into force in 2000 for the assessment of table performance took effect in 2000 to determine table performance. This stand- ard stipulates the testing methods to deter- mine the resistance, durability and stability of all types of tables. Tests are conducted on an assembled and ready-to-use table. The referenc- es to the characteristics tested are expressed with respect to the paragraph in the standard, as follows:



UNI EN standard 15373:2000
paragraph 5.1 - 5.2
General safety requirements

UNI EN standard 1022/2005
Stability

UNI EN standard 1728/2000

paragraph 6.2.1
static load on the chair back

paragraph 6.2.2
static load on the front edge of the seat

paragraph 6.5
static horizontal load on the arms

paragraph 6.6
static vertical load on the arms

paragraph 6.7
resistance to fatigue of the seat/backrest

paragraph 6.8
resistance to fatigue of the front of the seat

paragraph 6.10
resistance to fatigue of the arms

paragraph 6.12
static load on the front legs

paragraph 6.13
static load on the side legs

paragraph 6.15
impact on the seat

paragraph 6.16
impact on the backrest

paragraph 6.17
impact against the arm

paragraph 6.21
resistance of footrest

UNI EN standard 1728/2012

paragraph 6.4
Static load on the chair-backrest

paragraph 6.5
Static load on the front edge of the seat

paragraph 6.6
Static vertical load on the backrest

paragraph 6.10
Static horizontal load on the arms

paragraph 6.11
Static vertical load on the arms

paragraph 6.15
Static load on the front legs

paragraph 6.16
Static load on the side legs

paragraph 6.17
Resistance to fatigue of the seat-backrest

paragraph 6.18
Resistance to fatigue of the front of the seat

paragraph 6.20
Resistance to fatigue of the arms

paragraph 6.21
Resistance of footrest

paragraph 6.24
Impact on the seat

paragraph 6.25
Impact on the backrest

paragraph 6.26
Impact against the arm

paragraph 6.27
Drop resistance

paragraph 6.27.1
Drop resistance for multiple seats

UNI EN standard 1730/2000

paragraph 6.2
horizontal static load

paragraph 6.3
vertical static load

paragraph 6.4
resistance to horizontal fatigue

paragraph 6.5
resistance to vertical fatigue

paragraph 6.6
impact on the top

paragraph 6.7
stability

paragraph 6.8
drop

For products intended for contact with food, the following reference standards are used for testing: Ministerial Decree of 21 March 1973 and subsequent amendments Regu- lation (CE) No. 1935/2004 for mate- rials and objects intended to come into contact with foodstuffs.
Title 21 cfr. 1077.1460 of the Food and Drug Administration (FDA) – USA Article 16 of MHLW Food San- itation Law, Chapter III Specifica- tion for Apparatus and Containers and Packaging.
Standard and Specification for Food and Food Additives, etc. (Ministry of Health and Welfare Notification No.370, 1959 & MHLW Notification No. 336, 2010), Section III. Equip- ment and Containers/Packages (Japan).

FOR MORE INFORMATION ON
PRODUCT CERTIFICATION, PLEASE
CONTACT US AT:

INFO@KARTELL.COM

MEANING OF THE LEVEL TESTS, SUGGESTED USE:

STANDARD 16139:2013 LEVEL	STANDARD 12520:2010 LEVEL	STANDARD 10977:2002 LEVEL	STANDARD 15373:2007 LEVEL	SUGGESTED USE
-	-	1	-	Light domestic use
-	-	2	-	Normal domestic use
-	1	3	1	Heavy domestic use light collective use
L1	-	4	2	Collective use: public areas, waiting rooms, restaurants, offices
L2	-	5	3	HEAVY COLLECTIVE USE: SCHOOLS, PRISONS, HOSPITALS

LIGHTING REGULATIONS CERTIFICATIONS



REFERENCE MARKS

CE – indicates the conformity of the products bearing the acronym with the essential requisites of European Community directives.

ENEC – the European trademark for high quality in electrical products which indicates conformity with current European regulations is recognised as the equivalent of the individual national trademarks in 20 European countries, signatories to the Lum Agreement.

ETL – American and Canadian trademark of quality for electrical products. It certifies product conformity with current American and Canadian regulations.

PSE – Japanese trademark of quality for electrical products. It certifies product conformity with current Japanese regulations.

NOM – Mexican trademark of quality for electrical products. It certifies product conformity with current Mexican regulations.

EK/KC – Korean trademark of quality for electrical products. It certifies product conformity with current Korean regulations.

UKCA – indicates the compliance of the products that bear this mark with the essential requirements of the directives in force in the United Kingdom.

CB Certificate (Australia and New Zealand)

Certification attesting product conformity with international IEC regulations, can be issued with specific national deviations.

CB Certificate – Certification attesting product conformity with international IEC regulations.

CCC – China Compulsory Certificate The brand certifies product compliance with Chinese standards and is mandatory for lighting products imported in China.

ECO-CONTRIBUTION

Introduced in Legislative Decree no. 151 dated 25 July 2005 (updating directives 2002/95/EC, 2002/96/EC and 2003/108/EC), the eco-contribution is an environmental charge used to pay for waste management of electrical and electronic equipment (WEEE). This charge is used to finance all phases of treatment, transport, recovery and disposal of electrical and electronic appliances. Kartell lighting prices include the WEEE.

NOTICE PURSUANT TO ARTICLE 13 OF LEGISLATIVE DECREE NO. 151 DATED 25 JULY 2005.



Directive 2012/19/UE (waste electrical and electronic equipment: WEEE):

User information: pursuant to article 13 of Legislative Decree no. 151 dated 25 July 2005, no. 151 "Updating of Directives 2002/95/EC, 2002/96/EC and 2003/108/EC, regarding the reduction in the use of dangerous substances in electrical and electronic equipment, and the disposal of waste" this product is conform.

The barred bin symbol on the equipment or their packaging indicates that at the end of its useful life, the product must be disposed of separately from other waste. The user must take the equipment to an authorised recycling centre for electronic and electric waste, or return it to the original vendor when purchasing an equivalent product, on a one-to-one basis. The appropriate collection for environmentally-compatible recycling, treatment and disposal contributes

to avoiding possible negative effects on the environment and its health and encourages the reuse and/or recycling of the materials used in the equipment. Improper disposal of the product by the user will result in the application of the administrative sanctions stipulated by regulations in force.


ECODESIGN FOR LIGHTING

In response to current legislation, Kartell is working hard to bring its lighting products as closely as possible into line with the parameters established by the ECODESIGN directive.

The EU Ecodesign Directive establishes a framework under which manufacturers of energy-using products are obliged to reduce the energy consumption and other negative environmental impacts occurring throughout the product life cycle (production, use and disposal).

In particular, the regulation requires that light sources and their power supplies permit access for technical checking and that they be "disassemblable" to permit repair in the event of failure. Light sources must also be "replaceable" to permit upgrading or the installation of more efficient or improved components as these become available in future.

SUGGESTED LIGHT SOURCES



K-LUX	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	5W Led E14 E12	2700°K CRI 80	550lm	G45 Milk

TEA	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 8W Led E14 E12	2700°K CRI 80	800lm	G45 Milk

TEA APPLIQUE	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	G9 Max 7W Led	3000°K CRI 80	750lm	G9Tube Transp.

KHAN	V	Light Bulb	Ⓚ	DIMMER	Light Bulb
	220 240 120	Max 5W Led E14 E12	2500°K or 2700°K CRI 80	400lm	Kartell Custom Bulb

GEEN-A	V	Light Bulb	Ⓚ	DIMMER	Light Bulb
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	550lm	G45 Milk

FATA	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	550lm	G45 Milk

KABUKI SUSPENSION	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 15W Led E27 E26	2700°K CRI 80	1350lm	G125 Milk

TAKE	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	480lm	Olive Transp.

BOURGIE	V	Light Bulb	Ⓚ	DIMMER	Light Bulb
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	440lm	Olive Transp.

LIGHT AIR	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	470lm	G45 Milk

CINDY	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 15W Led E27 E26	3000°K CRI 80	1440lm	G125 Milk

EASY	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240	Max 15W Led E14	2700°K CRI 80	480lm	Olive Transp.

FL/Y SMALL FL/Y BIG FL/Y	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 15W Led E27 E26	2700°K CRI 80	1350lm	G125 Milk

BELLISSIMA	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 15W Led E27 E26	2700°K CRI 80	1350lm	G125 Milk

BLOOM	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 4.5W Led	2700°K CRI 80	360lm	G9 Tube Transp.


TOOBE	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 15W Led E27 E26	2700°K CRI 80	1350lm	G125 Milk

GÉ	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 12W Led E27 E26	2700°K CRI 80	1040lm	G125 Milk

É	V	Light Bulb	Ⓚ	Light Bulb	Light Bulb
	220 240 120	Max 5W Led E14 E12	2700°K CRI 80	480lm	G45 Transp.



GENERAL TERMS AND CONDITIONS OF SALE



I. SCOPE

- These General Terms and Conditions govern sales contracts entered into by Kartell S.p.A. ("Kartell") and its clients, professionals that purchase and resell ("Client") the Goods presented in the Kartell catalogue ("Goods"). The General Terms and Conditions of Sale may be waived or modified only through a written agreement between Kartell and the Client.

II. ORDERS

- Each Product order constitutes an irrevocable offer by the Client. Kartell reserves the right at its sole discretion, to accept, modify or refuse orders at its sole discretion, or to suspend delivery should the Client not provide Kartell with guarantees for the request and not respect the sales guidelines issued by Kartell from time to time.
- Excluding purchases made for specific purposes agreed in advance with Kartell or in the "contract" channel, the Goods may only be resold retail at the sales point indicated to Kartell.

III. PRICE

- Unless otherwise agreed, the prices of the Goods indicated in the price list are ex works for deliveries within the European Union, and ex Kartell warehouse for deliveries outside the European Union.
- The minimum amount of each order for delivery inside Italy is €400.00 (four hundred euros) excluding VAT, and €500.00 (five hundred euros) excluding VAT within the European Union. Should the order not reach this amount, the order may be accepted with a minimum additional charge on the Client invoice of €30.00 (thirty euros) in the first case, and €50.00 (fifty euros) in the second case as a "partial contribution to expenses".
- The price applied to the Goods is that in force at the order date. VAT must be added to the prices indicated in the price list (minus any discounts) in accordance with the law.
- Kartell reserves the right to modify the price of the Products indicated in the price list, at any time, as a result of events that determine an increase in production costs, by way of non-limiting example, an increase in the costs of (i) raw materials, (ii) transport, (iii) labour, (iv) energy, etc., or any other factor relating to production dynamics. It is understood that any changes in the price of the Products shall not in any way affect orders finalised before the entry into force of such price changes.

IV. OWNERSHIP

- Pursuant to Articles 1523-1526 of the Italian Civil Code, ownership of the Goods will be transferred to the Client only upon full

payment of the price. In the event of hire purchase and Client default, Kartell shall retain any instalments already paid by way of compensation, without prejudice to claims for greater damages.

V. PAYMENTS

- Payment is considered to have been made only when Kartell is in possession of the amount. In the event of payment by cheque or other method, the payment method must be considered to be accepted subject to payment in due course.
- However, order payment may not be suspended or delayed due to Client claims or defences regardless of ownership, nor may the Client offset debits and credits with Kartell.
- In accordance with Article 1186 of the Italian Civil Code, failure to pay or partial payment of any amount owed to Kartell shall automatically place the Client in default with the resulting expiry of the time limit and Kartell's simultaneous right to suspend deliveries, refuse or cancel orders, modify sales conditions and take action to ensure full payment of the credit, in addition to expenses, interests and damages. Late payment will also result in the automatic application (with no prior notice) of late interest at the rate established by Article 5 of Legislative Decree 231/2002.

VI. DELIVERY

- The delivery date is purely approximate and non-binding, with Kartell being entitled to make partial deliveries.
- Should delivery be delayed as requested by the Client, Kartell reserves the right to charge monthly warehousing and/or handling expenses equal to 10% (ten percent) of the amount indicated on the invoice, beginning in the month following notice to the Client of the Goods' availability.
- Any Product order cancellation or rejection at receipt will result in the application of a penalty on the Client of 30% (thirty percent) of the amount indicated on the invoice, without prejudice to claims for greater damages.
- Should the Goods be shipped outside EU territory, the Client must provide Kartell all documents certifying Product delivery within one (1) month. Should the Client fail to do so, Kartell reserves the right to charge the Client all expenses incurred to complete the sale operation.
- At delivery, the Client must carefully inspect the quantity and condition of Product packaging. On pain of forfeiture, any obvious defect must be: (i) reported in writing to the shipper at the time of delivery, indicating expressly on the consignment note "conditional acceptance", and (ii) promptly reported in writing to Kartell within 48 (forty-eight) hours of delivery, in compliance with the instructions below.
- Any returns must be approved in writing in advance by Kartell: unauthorised returns will be returned to the sender along with delivery charges.

VII. GUARANTEE AND CLAIMS

- The legal guarantee for the Goods begins, as per Article 1495 of the Italian Civil Code, on the date of acceptance of Product delivery by the Client or its representatives.
- Any claim regarding the Goods (excluding those identified at the time of receipt and regarding shipping) must be made in writ-

ing to Kartell **within 8 (eight) days** of the discovery, and in any case **within 12 (twelve) months** of Product delivery acceptance by the Client or its representatives in compliance with the following procedure: (Par. 6. Claims)

- With reference to the Consumer Code, Legislative Decree 206 of 6 September 2005, Articles 131 and 132, the Client loses and forfeits any right of recourse against Kartell if it does not notify Kartell in writing of an end-customer claim within 8 (eight) days of receipt of the end customer's complaint using the procedure described above.
- Kartell shall not be liable for damages caused by improper use, tampering, normal wear or failure to respect the assembly and maintenance instructions included in the product card, or component modifications or replacements with others not in accordance with the original specifications.
- In any case, Kartell's liability is limited to the value of the defective goods: Therefore, Kartell may not be held liable, among other things, for expenses sustained by the Client or end customer or for any other damage claimed (direct or indirect).
- The bulbs contained in the packaging of each lamp are supplied by Kartell as a courtesy in order to provide the best service to our customers.** However, since these accessories are not directly manufactured by Kartell but supplied by external suppliers, Kartell does not guarantee their correct function. In case of bulb fault or failure, it is the customer's responsibility to replace the bulb, in compliance with the technical information in the catalogue, in the dedicated section, or in the instruction booklet enclosed with the product, to which reference is made in full, and for which Kartell assumes no liability.

VIII. COMPETENT COURT

- Any disputes arising directly or indirectly from the contractual relationship are the exclusive competence of the Milan court.
- Applicable law is substantially Italian (excluding any application of foreign laws).

CLAIMS FOR SHIPPING DAMAGE

Should one of the following situations be noted at the time of Product delivery

- merchandise missing with respect to accompanying document
- merchandise different with respect to accompanying document
- Damaged packaging, highlighted by the relevant impact indicator where it is affixed to the packaging;

the Client must

- write reservations on the consignment note (either on the carrier's copy or on the recipient's copy). Written reservations must be detailed, as general reservations are not sufficient to allow proper processing of the claim
- Complete the reporting form (Transport claim form) in full: the form (facsimile shown below) is available from Kartell's regional agent, or Kartell's Sales Office at transport@kartell.it;
- Send a copy of the consignment note and the reporting form within 48 (forty-eight) hours of Product receipt.

CLAIMS FOR PRODUCT NON-CONFORMITY

To notify Kartell of a claim in the event of Product non-compliance, send the following documents to the Kartell Customer Care Office at quality@kartell.it:

- The product non-compliance form (Generic claim form) completed in full. The form (facsimile shown below) is available from the Kartell Customer Care Office, at the e-mail address above, or from Kartell's regional agent;
- Photographs showing the non-compliance (at least one photo per non-compliant Product)

If the complaint concerns a **new product** - just received by the customer or just delivered by the customer to the end customer - you must also send images of the relative packaging, supplying a full view and close up of the double label (production and shipping), as shown below.

You should keep hold of the Quality Control slip found inside the Product information, because it contains information which may be required by the Kartell Customer Care Department to make any required checks on production batches potentially affected by non-conformity. **After sending the documentation indicated in the above paragraphs, we recommend you keep the original product packaging.**

Only reports sent to the aforementioned addresses along with all the required elements will be taken into consideration by Kartell. In the absence of any or all of the required documentation and/or the original packaging, or in

CLAIMS



the case of failure to follow the procedure set out above, Kartell will be unable to follow up your report.

Kartell cannot be held liable for any damage, defects or faults caused to the products or resulting in any way from and/or connected with transport or deliveries not carried out directly by Kartell through its agents or carriers. Kartell strongly recommends the use of transport companies with proven experience, which guarantee a high level of service.

If it is possible to use the WebUP system, the complaint can be registered in the system using the same procedure.

Here you will find the guide for correctly uploading the complaint to WebUP:



Transport claim form

Kartell

CLAIM FORM
TRANSPORT DAMAGE

Customer Name
Company Name
Customer Address
Kartell Invoice number and date
Kartell Transport Document number and date

NON-COMPLIANCE OBSERVED UPON DELIVERY OF:

	ARTICLE CODE	QTY
Missing merchandise	☐	☐
Defective merchandise	☐	☐
Damaged packaging	☐	☐

Description of non-compliance:

Along with this claim form, ALWAYS send a copy of the DAMAGED delivery document (WITH IMPACT INDICATOR) related to the damaged goods.

Agent Name
Agent Address
Kartell Agent Code
Place and date

Phone and fax
Fax
E-mail
Responsible for the use of the WebUP system is the Kartell Customer Care Office.

Merchandise non-conformity claim form

Kartell

CLAIM FORM

Customer Name
Company Name
Customer Address
Kartell Invoice number and date
Kartell Transport Document number and date

Code of complaint form:
Date of receipt:
Quantity:
Description of defect (document):
Photos sent to: quality@kartell.it
Full view photo of packaging:
Photo of packing label details:

AGENT DATA
Agent Name
Agent Address
Kartell Agent Code
Place and date

Phone and fax
Fax
E-mail
Responsible for the use of the WebUP system is the Kartell Customer Care Office.



CODE INDEX

COD.	FAMILY	PAGE
1200	DUNE small tray	293
1201	DUNE small tray metal	293
1205	I.D. ISH BY D'O Autumn plate	289
1206	I.D. ISH BY D'O Spring plate	289
1207	I.D. ISH BY D'O Summer plate	289
1208	I.D. ISH BY D'O Winter plate	289
1210	DUNE large tray	293
1211	DUNE large tray metal	293
1215	I SHINE vase	294
1218	U SHINE bowl	294
1220	MOON centrepiece	292
1221	SHIBUYA vase	299
1225	MATELASSE vase	296
1226	JELLY centrepiece	297
1227	JELLY vase	297
1228	JELLY vase metal	297
1229	SHANGHAI vase	298
1236	NAMASTÉ set of 3 trays	288
1239	SHANGHAI vase metal	298
1441	PIAZZA tray	290
1445	L'AMERICANA table mat	301
1490	JELLIES FAMILY carafe	283
1491	JELLIES FAMILY cocktail glass	283
1492	JELLIES FAMILY water glass	283
1493	JELLIES FAMILY wine glass	283
1494	JELLIES FAMILY fruit plate	282
1495	JELLIES FAMILY flat plate	282
1496	JELLIES FAMILY soup bowl	282
1497	JELLIES FAMILY saucer	282
1498	JELLIES FAMILY salad bowl	285
1499	JELLIES FAMILY bowl	282
1511	TRAMA carafe	287
1512	TRAMA long drink glass	287
1513	TRAMA water glass	287
1514	TRAMA wine glass	287
1515	TRAMA underplate	286
1516	TRAMA dinner plate	286
1517	TRAMA soup bowl	286
1518	TRAMA fruit bowl	286

COD.	FAMILY	PAGE
1519	TRAMA bowl	286
1550	TRULLO centrepiece	281
1551	PUMO centrepiece	280
1580	JELLIES FAMILY tray	284
1581	JELLIES FAMILY flute	283
1582	JELLIES FAMILY coffee set	284
1583	JELLIES FAMILY sugar bowl	284
1585	OKRA vase h. 24 cm.	279
1584	OKRA vase h. 34 cm.	279
1900	TIC&TAC wall clock	254
1910	TIC&TAC wall clock metal	254
1930	AIR DU TEMPS clock	255
1931	AIR DU TEMPS clock metal	255
1955	ABBRACCIAIO candelabra	291
1956	ABBRACCIAIO candelabra gold	291
1965	TEATIME tray	278
2000	MOBIL container and shelf with wheels	214
2001	MOBIL container and shelf with feet	214
2004	MOBIL 2 containers with wheels	214
2005	MOBIL 2 containers with feet	214
2008	MOBIL MAT 2 containers with wheels	213
2010	MOBIL 3 containers with wheels	214
2011	MOBIL 3 containers with feet	214
2012	MOBIL MAT 3 containers with wheels	213
2020	MOBIL 3 containers and shelf with wheels	214
2021	MOBIL 3 containers and one shelf with feet	214
2024	MOBIL 4 containers with wheels	214
2025	MOBIL 4 containers with feet	214
2026	MOBIL MAT 4 containers with wheels	213
2034	MOBIL 5 containers with wheels	214
2035	MOBIL 5 containers with feet	214
2040	MOBIL 6 containers with wheels	214
2041	MOBIL 6 containers with feet	215
2352	CARPET ø200 cm.	273
2354	CARPET 300x200 cm.	273
2355	RUG round	271
2358	K'UM carpet ø250 cm.	272
2356	K'UM carpet 240x170 cm.	272
2357	K'UM carpet 360x240 cm.	272

COD.	FAMILY	PAGE
2359	PARAYS small carpet	270
2360	PARAYS big carpet	270
2370	KLEO round carpet	268
2371	KLEO square carpet	268
2372	KLEO rectangular carpet	268
2373	KLEO small cachepot	269
2374	KLEO large cachepot	269
2852	LOUIOU GHOST child's armchair - set of 4	25
2853	LOUIOU GHOST child's armchair	25
2854	LOUIOU GHOST personalised child's armchair	25
2855	LOUIOU GHOST SPECIAL ED. child's armchair	24
N2855	LOUIOU GHOST CUSTOM personalised child's armchair	24
2858	DISCOVOLANTE car (for certain countries only)	275
2869	MAUI chair with left-hand desk	56
2870	MAUI chair	56
N2870	MAUI chair black structure	56
2872	MAUI armchair	56
2873	MAUI attachment hook	56
2874	MAUI chair with right-hand desk	56
2875	MAUI cart for chairs	56
2878	MAUI chair with wheels and pump	57
2879	MAUI armchair with wheels and pump	57
2891	MAUI self-extinguishing chair	56
2895	MAUI SOFT chair fabric upholstery	58-59
N2895	MAUI SOFT chair fabric upholstery black str.	58-59
T2895	MAUI SOFT chair customer fabric upholstery	58
X2895	MAUI SOFT chair cust. fabric upholstery black str.	58
2897	MAUI SOFT swivel armchair fabric upholstery	58-59
3210	GHOST BUSTER dresser	217
3220	SMALL GHOST BUSTER night table	217
3270	H-HORSE rocking horse (for certain countries only)	274
3275	SIR GIO round table	138
3276	SIR GIO square table	138
3500	OPTIC container	240
3510	OPTIC container with door	240
4040	THIERRY table h. 40 cm.	144
4041	THIERRY table h. 45 cm.	144
4042	THIERRY table h. 50 cm.	144
4043	THIERRY kit h.40+45+50 cm.	144

COD.	FAMILY	PAGE
4044	THIERRY BISTROT table	143
4045	THIERRY XXL round table	142
4046	THIERRY XXL oval table	142
4060	MULTIPIO table 78x78 3 spokes leg marble finish	130
4061	MULTIPIO table 78x78 3 spokes leg solid colour	130
4062	MULTIPIO table 78x78 3 spokes leg glass top	130
4063	MULTIPIO table 78x78 small square base marble	129
4064	MULTIPIO table 78x78 small square base solid col.	129
4065	MULTIPIO table 78x78 small square base glass top	129
4066	MULTIPIO table ø78 3 spokes leg marble finish	130
4067	MULTIPIO table ø78 3 spokes leg solid colour top	130
4068	MULTIPIO table ø78 3 spokes leg glass top	130
4069	MULTIPIO table ø78 small square base marble	129
4070	MULTIPIO table ø78 small square base solid colour	129
4071	MULTIPIO table ø78 small square base glass top	129
4072	MULTIPIO table 99x99 4 spokes leg marble finish	130
4073	MULTIPIO table 99x99 4 spokes leg solid colour	130
4074	MULTIPIO table 99x99 4 spokes leg glass top	130
4075	MULTIPIO bean table 99x99 sq. base marble	128
4076	MULTIPIO rounded table 99x99 square base gres.	128
4077	MULTIPIO rounded table 99x99 square base glass	128
4078	MULTIPIO table ø118 4 spokes leg marble finish	130
4079	MULTIPIO table ø118 4 spokes leg solid colour	130
4080	MULTIPIO table ø118 4 spokes leg glass top	130
4081	MULTIPIO table ø118 square base marble finish	128
4082	MULTIPIO table ø118 square base solid col. top	128
4083	MULTIPIO table ø118 square base glass top	128
4084	MULTIPIO XL oval table 2 legs 2 spokes marble finish	126
4085	MULTIPIO XL oval table 2 legs 2 spokes glass top	126
4095	BLAST side table square	139
4096	BLAST side table rectangula	139
4123	MULTIPIO XL small table 2 legs 2 spokes marble top	126
4124	MULTIPIO XL small table 2 legs 2 spokes glass top	126
4125	MULTIPIO XL medium table 2 legs 2 spokes marble top	126
4126	MULTIPIO XL medium table 2 legs 2 spokes glass top	126
4134	MULTIPIO rounded table 118x118 sq. base marble	128
4135	CHARIA armchair Antibes	41
4136	CHARIA armchair Antibes fire resistant	41
4137	TOPTOP rectangular table glass top	148

COD.	FAMILY	PAGE
4138	MULTIPIO table 118x118 square base marble	128
4139	MULTIPIO table 118x118 square base glass	128
4140	MULTIPIO table 78x78 small square base marble	129
4141	MULTIPIO table 78x78 small square base glass top	129
4150	MULTIPIO LOW oval table 2 legs 2 spokes marble finish	132
4151	MULTIPIO LOW oval table 2 legs 2 spokes glass top	132
4152	MULTIPIO LOW table ø118 4 spokes leg marble finish	132
4153	MULTIPIO LOW table ø118 4 spokes leg glass top	132
4154	MULTIPIO LOW square table 99x99 c4 spokes marble	132
4155	MULTIPIO LOW square table 99x99 4 spokes leg glass	132
4156	MULTIPIO LOW medium table 2 legs 2 spokes marble	132
4157	MULTIPIO LOW Medium table 2 legs 2 spokes glass top	132
4160	MULTIPIO XL large table 2 legs 2 spokes marble finish	126
4165	UNDIQUE low round table h. 51 cm.	141
4166	UNDIQUE low round table h. 37 cm.	141
4167	UNDIQUE low bean table h. 44 cm.	141
4168	UNDIQUE MAS round table h. 51 cm.	140
4170	UNDIQUE MAS round table h. 30 cm.	140
4173	UNDIQUE MAS bean table h. 44 cm.	140
4174	UNDIQUE MAS kit h.30+44+51 cm.	140
4180	CLAP armchair customer fabric	42
4182	CLAP armchair	42
4187	CLAP armchair Aquaclean® fabric	43
4188	CLAP armchair Rubelli® fabric	43
4192	MADEMOISELLE KRAVITZ armchair	47
4193	MADEMOISELLE KRAVITZ covered armchair	47
4200	TOPTOP OUTDOOR round table	152
4201	TOPTOP OUTDOOR square table	152
4202	TOPTOP OUTDOOR round table	152
4203	TOPTOP OUTDOOR square table	152
4210	TOPTOP OUTDOOR round table	152
4211	TOPTOP OUTDOOR square table	152
4212	TOPTOP OUTDOOR round table	152
4213	TOPTOP OUTDOOR square table	152
4215	CHARIA armchair Orsetto	40
A4215	CHARIA armchair Orsetto fire resistant	40
4218	CHARIA armchair Antibes	41
A4218	CHARIA armchair Antibes fire resistant	41
4255	TOPTOP rectangular table glass top	148

COD.	FAMILY	PAGE
4256	TOPTOP rectangular table glass top	148
4272	TOPTOP round table	149
4273	TOPTOP square table	149
4280	TOPTOP round table	150
4281	TOPTOP square table	150
4282	TOPTOP round table	150
4283	TOPTOP square table	150
4290	TOPTOP round table	151
4291	TOPTOP square table	151
4292	TOPTOP round table	151
4293	TOPTOP square table	151
4294	K'TOP small side table	147
4297	K'TOP big side table	146
4330	TOPTOP OUTDOOR FOR DR. YES round table ø60 cm. round base	154
4331	TOPTOP OUTDOOR FOR DR. YES table 60x60 cm. round base	154
4332	TOPTOP OUTDOOR FOR DR. YES round table ø70 cm. round base	154
4333	TOPTOP OUTDOOR FOR DR. YES table 70x70 cm. round base	154
4346	TOPTOP OUTDOOR FOR DR. YES round table ø60 cm. square base	155
4347	TOPTOP OUTDOOR FOR DR. YES table 60x60 cm. square base	155
4348	TOPTOP OUTDOOR FOR DR. YES round table ø70 cm. square base	155
4349	TOPTOP OUTDOOR FOR DR. YES table 70x70 cm. square base	155
4392	MADEMOISELLE KRAVITZ armchair raffia/woven fabric	47
4393	MADEMOISELLE KRAVITZ armchair raffia/woven fabric	47
4410	TRAYS 80x40 cm. coffee table	222
4412	TRAYS 80x80 cm. coffee table	222
4414	TRAYS 140x40 cm. coffee table	222
4416	TRAYS cart 3 shelves	223
4418	TRAYS bookcase	223
4460	BATTISTA extendible folding table	219
4463	BATTISTA painted extendible folding table	219
4465	FLIP folding cart	220
4470	GASTONE folding cart	218
4473	GASTONE painted folding cart	218
4502	FOUR table soft touch	136
4503	FOUR table soft touch	136
4506	SPOON TABLE table	156
4507	SPOON TABLE table	156
4508	SPOON TABLE table	156
4509	FOUR table soft touch	136

CODE INDEX

COD.	FAMILY	PAGE
4510	FOUR table soft touch	136
4511	MAX table with wheels	157
4512	MAX table with wheels	157
4514	FOUR table soft touch width 90 cm.	137
4516	MAX table with feet	157
4517	MAX table with feet	157
4522	FOUR table	136
4523	FOUR table	136
4524	FOUR table	136
4525	FOUR table	136
4536	DR. NA TABLE round table	63
4560	GLOSSY square table	123
4563	GLOSSY square table	124
4565	GLOSSY round table	124
4567	GLOSSY square table	123
4570	GLOSSY square table	123
4572	GLOSSY oval table - glass/marble top	122-123
4573	GLOSSY oval table - glass/marble top	122
4578	GLOSSY round table marble top	122
4579	GLOSSY oval table - glass/marble top	122-123
4580	GLOSSY round table marble top	122
4584	GLOSSY round table marble top	122
4588	GLOSSY round table	124
4589	GLOSSY round table	124
4590	GLOSSY square table	124
4594	GLOSSY square table	124
4670	WASTE BASKET round waste basket	266
4676	MAGAZINE RACK magazine rack	264
4679	FRONT PAGE magazine rack	265
4702	WALL CLOTHES HOOK wall coat hooks	257
4713	WALL CLOTHES HOOK wall coat hooks metal	257
4752	JELLIES COAT HANGER wall coat hooks big	256
4753	JELLIES COAT HANGER wall coat hooks medium	256
4754	JELLIES COAT HANGER wall coat hooks small	256
4760	POLVARA corner joint	226
4761	POLVARA triple joint	226
4762	POLVARA quadruple joint	226
4763	POLVARA short panel	226
4764	POLVARA medium panel	226

COD.	FAMILY	PAGE
4765	POLVARA long panel	226
4766	POLVARA maxi panel	226
4767	POLVARA composition	226
4768	POLVARA composition	226
4769	POLVARA composition	226
4770	POLVARA Stackable cube	227
4819	SPOON CHAIR swivel chair	60
4828	SPOON stool	60
4835	EROISI swivel chair	55
4848	DR. NO armchair	62
4850	LA MARIE chair	29
4852	LOUIS GHOST armchair	22
4853	LOUIS GHOST armchair set of 4	22
4854	LOUIS GHOST decorated armchair	22
4856	VICTORIA GHOST armchair set of 4	23
4857	VICTORIA GHOST chair	23
4869	LUZZ MAT chair	52
4892	MADemoiselle armchair Missoni fabric	46
4893	MADemoiselle armchair Missoni fabric	46
4895	MADemoiselle armchair Maschino/B&W fabric	46
4896	MADemoiselle armchair Maschino/B&W fabric	46
4897	CHARLES GHOST stool h. 46 cm.	28
4898	CHARLES GHOST stool h. 65 cm.	28
4899	CHARLES GHOST stool h. 75 cm.	28
4900	MADemoiselle armchair Rubelli® fabric	46
4901	MADemoiselle armchair Rubelli® fabric	46
4911	P/WOOD chair h. 43.5 cm. basic veneer	30
4912	P/WOOD chair h. 43.5 cm. slatted ash	30
4913	Q/WOOD armchair h. 43.5 cm. basic veneer	33
4914	Q/WOOD armchair h. 43.5 cm. slatted ash	33
4915	K/WOOD armchair basic veneer	78
4916	K/WOOD armchair slatted ash	78
4917	K/WOOD armchair slatted ash leather upholstery	79
4918	S/WOOD footrest basic veneer	78
4919	S/WOOD footrest slatted ash	78
4920	S/WOOD footrest slatted ash leather upholstery	79
4924	COMPONIBILI SMILE composition	212
4925	COMPONIBILI SMILE composition	212
4926	COMPONIBILI SMILE composition	212

COD.	FAMILY	PAGE
4927	EARL OF WOOD desk	120
4928	AI WOOD side table basic veneer	230
4929	AI WOOD side table slatted ash	230
4931	COMPONIBILI composition	210
4932	COMPONIBILI composition silver	210
4933	COMPONIBILI composition	210
4934	COMPONIBILI composition silver	210
4935	COMPONIBILI composition	210
4936	COMPONIBILI composition silver	210
4940	VISCONT OF WOOD round table 130x130 cm.	118
4941	VISCONT OF WOOD oval table 192x118 cm.	119
4945	LUNAT desk	121
4953	COMPONIBILI low round element	210
4955	COMPONIBILI high round element	210
4959	COMPONIBILI tray/round lid	210
4966	COMPONIBILI 2 elements	207-208
4967	COMPONIBILI 3 elements	207-208
4970	COMPONIBILI low square element	211
4972	COMPONIBILI tray/square lid	211
4978	COMPONIBILI door for article 4979	211
4979	COMPONIBILI high square element	211
4985	COMPONIBILI 4 elements	207-208
4986	COMPONIBILI RECYCLED 2 elements	207
4988	COMPONIBILI RECYCLED 3 elements	207
5000	INVISIBLE SIDE console	221
5005	INVISIBLE SIDE side table	221
5070	INVISIBLE TABLE table	145
5072	INVISIBLE TABLE KIDS table	145
5075	INVISIBLE TABLE coffee table	145
5165	SEGMENTI wall coat hooks	261
5522	FOUR OUTDOOR outdoor table small	134
5523	FOUR OUTDOOR outdoor table medium	134
5524	FOUR OUTDOOR outdoor table large	134
5573	GLOSSY OUTDOOR oval table	125
5578	GLOSSY OUTDOOR round table	125
5802	PIUMA armchair	17
5803	RE-CHAIR chair	11
5806	VENICE & VENICE MAT chair	13
5814	GENERIC A chair	21

COD.	FAMILY	PAGE
5816	GENERIC C chair	21
G5818	CATWALK MAT chair	12
5820	AMI AMI chair	53
5826	BE BOP armchair	61
5830	PAPYRUS armchair	54
5834	SMATRIK chair	18
5835	SMATRIK rocking chair	19
5836	SMATRIK outdoor chair	18
5838	MADAME EMILIO PUCCI ED. armchair	45
5842	CARA armchair Solid fabric	84
A5842	CARA armchair Solid fabric fire resistant	84
5843	CARA armchair Fancy fabric	84
5844	CARA OUTDOOR armchair	85
5845	CARA MAT armchair Solid fabric	82
A5845	CARA MAT armchair Solid fabric fire resistant	82
5846	CARA MAT armchair	82
5847	CARA MAT OUTDOOR armchair	83
5848	MADAME armchair Rubelli® fabric	44
5849	MASTERS STOOL stool h.99 cm. metallic version	16
5853	LOUIS GHOST armchair fire-resistant	22
5856	VICTORIA GHOST chair fire-resistant	23
5864	MASTERS chair metallic version	15
5865	MASTERS chair	14
5866	MASTERS chair set of 4	14
5867	JOE COLOMBO armchair	77
5868	MASTERS STOOL stool h.109 cm.	16
5869	MASTERS STOOL stool h.99 cm.	16
5875	AUDREY painted chair	48
5876	AUDREY painted armchair	48
5879	AUDREY SOFT support for stacking	49
5881	SMATRIK STOOL stool	20
5882	SMATRIK STOOL outdoor stool	20
5886	A.I. chair	8
5887	A.I. chair metallic version	8
5888	A.I. STOOL RECYCLED stool h. 65 cm.	9
5889	A.I. STOOL RECYCLED stool h. 75 cm.	9
5890	ONE MORE stool oval back rest h.104 cm.	26
5891	ONE MORE stool oval back rest h.114 cm.	26
5895	ONE MORE PLEASE stool square back rest h.100 cm.	27

COD.	FAMILY	PAGE
5896	ONE MORE PLEASE stool square back rest h.110 cm.	27
5901	A.I. STOOL LIGHT stool h. 45 cm.	10
5902	A.I. STOOL LIGHT stool h. 65 cm.	10
5903	A.I. STOOL LIGHT stool h. 75 cm.	10
5904	A.I. LOUNGE armchair	80-81
5907	A.I. CONSOLE console	216
5911	P/WOOD chair h. 41.5 cm. basic veneer	30
5912	P/WOOD chair h. 41.5 cm. slatted ash	30
5913	Q/WOOD armchair h. 41.5 cm. basic veneer	33
5914	Q/WOOD armchair h. 41.5 cm. slatted ash	33
5926	P/WOOD swivel chair basic veneer	31
5927	Q/WOOD swivel armchair	34
5928	Q/WOOD armchair soft version	32
5929	Q/WOOD swivel armchair soft version	35
5940	VISCONT OF WOOD table 145x80 cm.	116
5942	VISCONT OF WOOD table 90x160 cm.	116
5944	VISCONT OF WOOD table 190x90 cm.	116
5946	VISCONT OF WOOD table 240x100 cm.	116
5948	VISCONT OF WOOD table 100x100 cm.	116
5950	COMBACK chair with sled base	50
5954	COMBACK chair 4 legs	50
5956	COMBACK rocking chair	51
5966	COMPONIBILI METAL 2 elements metal	209
5967	COMPONIBILI METAL 3 elements metal	209
5970	COMPONIBILI BIO container	206
5975	AUDREY SOFT chair fabric covered fire resist.	49
5976	AUDREY SOFT armchair fabric covered fire resist.	49
6025	TRIX seating system	105
6040	ICP chaise longue	76
6041	POP armchair	112
A6041	POP armchair fire resistant	112
6042	POP 2 seater sofa	112
A6042	POP 2 seater sofa fire resistant	112
6043	POP 3 seater sofa	112
A6043	POP 3 seater sofa fire resistant	112
6044	POP additional seat	112
60440	POP replacement cover	112
A6044	POP additional seat fire resistant	112
6050	BUBBLE CLUB two seater sofa	75

COD.	FAMILY	PAGE
6051	POP MISSIONI armchair	110
6052	POP MISSIONI 2 seater sofa	110
6053	POP MISSIONI 3 seater sofa	110
60530	POP MISSIONI cushion covers	110
6054	POP MISSIONI additional seat	110
6070	BUBBLE CLUB armchair	75
6080	BUBBLE CLUB coffee table	75
6085	FOLIAGE sofa	107
6086	FOLIAGE armchair	106
6091	PLASTICS TECH FABRIC ottoman	104
6093	PLASTICS TECH FABRIC armchair	104
6095	PLASTICS TECH FABRIC right armchair	104
6097	PLASTICS TECH FABRIC left armchair	104
6190	HIRAY chair	70
6191	HIRAY chair with armrests	71
6192	HIRAY armchair	67
6193	HIRAY sofa	66
6194	HIRAY side table	68
6195	HIRAY chair cushion	70-71-73
6196	HIRAY armchair cushion	67
6197	HIRAY sofa cushion	66
6198	HIRAY table	69
6199	HIRAY table	69
6200	HIRAY stool	73
6220	HIRAY table high	72
6245	LUNAM armchair Orsetto/Curly	92
A6245	LUNAM armchair Orsetto/Curly fire resistant	92
6246	LUNAM armchair Antibes	92
A6246	LUNAM armchair Antibes fire resistant	92
6247	LUNAM sofa Orsetto/Curly	93
A6247	LUNAM sofa Orsetto/Curly fire resistant	93
6248	LUNAM sofa Antibes	93
A6248	LUNAM sofa Antibes fire resistant	93
6249	LUNAM pouf Orsetto/Curly	94
A6249	LUNAM pouf Orsetto/Curly fire resistant	94
6250	LUNAM pouf Antibes	94
A6250	LUNAM pouf Antibes fire resistant	94
6260	ELEGANZA NIA armchair Melange fabric	36
6265	ELEGANZA ELA armchair Melange fabric	37

CODE INDEX

COD.	FAMILY	PAGE	COD.	FAMILY	PAGE	COD.	FAMILY	PAGE	COD.	FAMILY	PAGE	COD.	FAMILY	PAGE
6280	K-WAITING armchair	86	7093	PLASTICS DUO armchair long central	102	7179	LARGO sofa with ottoman left	96	8821	ATTILA stool-table	243	9074	BOURGIE table lamp gold	180
A6280	K-WAITING armchair fire resistant	86	A7093	PLASTICS DUO armchair long central fire resistant	102	7180	K-WAITING cushion	90	8822	NAPOLEON stool-table	243	9076	BOURGIE table lamp white-gold version	180
6281	K-WAITING sofa	87	7094	PLASTICS DUO armchair short left	102	7185	CUSHION OUTDOOR 48x48 cm.	100-109	8831	ATTILA stool-table metal	243	9077	BOURGIE MAT table lamp	181
A6281	K-WAITING sofa fire resistant	87	A7094	PLASTICS DUO armchair short left fire resistant	102	7186	CUSHION OUTDOOR 35x48 cm.	109	8832	NAPOLEON stool-table metal	243	9080	GE suspension lamp	202
6282	K-WAITING pouf	89	7095	PLASTICS DUO armchair short left	102	7610	UMBRELLA STAND	266	8836	TOY lamp	188	9082	GE suspension lamp metal	202
A6282	K-WAITING pouf fire resistant	89	A7095	PLASTICS DUO armchair short left fire resistant	102	7680	INFINITY bottle rack	300	8837	TOY lamp gold	188	9097	BIG FL/Y suspension lamp mat painted	196
6283	K-WAITING ottoman right backrest	88	7096	PLASTICS DUO armchair long right	102	7900	COMPONIBILI package 4 wheels	210	8850	JOLLY coffee table	238	9100	CINDY table lamp	192
A6283	K-WAITING ottoman right backrest fire resistant	88	A7096	PLASTICS DUO armchair long right fire resistant	102	8003	BOOKWORM 7 bookends bookcase short	228	8851	CAUCE vase	242	9110	LIGHT-AIR table shade fabric	186
6284	K-WAITING ottoman left backrest	88	7097	PLASTICS DUO armchair long right	102	8004	BOOKWORM 7 bookends bookcase short	228	8852	PILASTRO stool-table	242	9120	LIGHT-AIR wall lamp sculpted (for cert. countries only)	187
A6284	K-WAITING ottoman left backrest fire resistant	88	A7097	PLASTICS DUO armchair long right fire resistant	102	8005	BOOKWORM 11 bookends bookcase medium	228	8853	COLONNA stool-table	242	9125	LIGHT-AIR wall lamp fabric (for cert. countries only)	187
6285	K-WAITING swivel armchair	86	7098	PLASTICS DUO armchair long/tall left	102	8006	BOOKWORM 11 bookends bookcase medium	228	8854	ROY stool-table	245	9130	LIGHT-AIR susp. lamp sculpted (for cert. countries only)	187
A6285	K-WAITING swivel armchair fire resistant	86	A7098	PLASTICS DUO armchair long/tall left fire resistant	102	8008	BOOKWORM 17 bookends bookcase long	228	8855	EUR stool-table	244	9131	LIGHT-AIR suspension fabric (for cert. countries only)	186
6292	PLASTICS OUTDOOR central armchair	100	7099	PLASTICS DUO armchair long/tall right	102	8010	BOOKWORM 17 bookends bookcase long	228	8860	PANIER coffee table/container	241	9135	LIGHT-AIR table lamp sculpted	187
6293	PLASTICS OUTDOOR pouf	100	A7099	PLASTICS DUO armchair long/tall right fire resistant	102	8060	KITE SHELF bookcase/shelf	229	8914	ADAM WOOD bookcase 5 shelves 2 struts	224	9140	BATTERY table lamp	182
6294	PLASTICS OUTDOOR left armchair	100	7150	LARGO 2 seats sofa	98	8160	ALTA TENSIONE coat rack	260	8915	ADAM WOOD bookcase 10 shelves 3 struts	224	9145	BATTERY table lamp metal	182
6296	PLASTICS OUTDOOR right armchair	100	A7150	LARGO 2 seats sofa fire resistant	98	8170	HANGER coat rack	258	8916	ADAM WOOD bookcase 14 shelves 4 struts	224	9175	KABUKI suspension lamp	177
6299	PLASTICS OUTDOOR protective cover	101	7155	LARGO 2 seats sofa	96	8172	HANGER short wall-mounted coat rack	259	8920	MISSES FLOWER POWER vase	267	9180	KABUKI floor lamp	176
6300	PLASTICS OUTDOOR pouf protective cover	101	7160	LARGO 3 seats sofa	98	8174	HANGER long wall-mounted coat rack	259	8930	ADAM WOOD bookcase 2 shelves	224	9185	KABUKI outdoor floor lamp (for cert. countries only)	176
6400	UNCLE JACK sofa	74	A7160	LARGO 3 seats sofa fire resistant	98	8176	HANGER large hook	259	8931	ADAM WOOD 3 shelves	224	9190	ALEDIN table lamp tec	189
6410	UNCLE JIM armchair	74	7161	LARGO sofa with ottoman right	98	8178	HANGER small hook	259	8932	ADAM WOOD 1 strut	225	9195	ALEDIN table lamp dec	189
6522	FOUR CERAMIC table 158x79 cm. marble finish	135	A7161	LARGO sofa with ottoman right	98	8300	FRANÇOIS GHOST small mirror	248	8933	ADAM WOOD 2 struts	225	9200	MINI KABUKI table lamp	178
6523	FOUR CERAMIC table 190x79 cm. marble finish	135	7162	LARGO 5 seats corner sofa	98	8305	FRANÇOIS GHOST small mirror metallic	248	9005	TEA table lamp	166	9220	SPACE table lamp	185
6524	FOUR CERAMIC table 190x90 cm. marble finish	135	A7162	LARGO 5 seats corner sofa fire resistant	98	8306	FRANÇOIS GHOST small mirror painted	248	9008	TEA wall lamp	167	9225	SPACE outdoor table lamp	185
6275	ELEGANZA NIA MISSONI armchair Missoni fabric	38	7163	LARGO 6 seats corner sofa	98	8310	FRANÇOIS GHOST large mirror	249	9010	EASY suspension lamp (for cert. countries only)	193	9250	BLOOM suspension lamp	200
6276	ELEGANZA ELA MISSONI armchair Missoni fabric	39	A7163	LARGO 6 seats corner sofa fire resistant	98	8320	ONLY ME medium mirror	246	9030	FL/Y suspension lamp	194	9260	BLOOM suspension lamp small	198
7000	TIRAMISU folding stepladder	262	7164	LARGO 7 seats corner sofa	98	8330	ONLY ME mirror large	247	9035	FL/Y suspension lamp metallic	194	9263	BLOOM suspension lamp small metallic	198
7030	UPPER folding stepladder	263	A7164	LARGO 7 seats corner sofa fire resistant	98	8340	ONLY ME mirror small	246	9038	FL/Y suspension lamp mat painted	194	9265	BLOOM suspension lamp medium	198
7041	POP OUTDOOR armchair	108	7166	CUSHION	99	8500	T-TABLE coffee table	231	9040	E suspension lamp	203	9268	BLOOM suspension lamp medium metallic	198
7042	POP OUTDOOR two seater sofa	108	7169	LARGO sofa with ottoman left	98	8501	T-TABLE coffee table	231	9045	E wall lamp	203	9270	BLOOM wall lamp small	198
70420	POP OUTDOOR replacement cover	108	A7169	LARGO sofa with ottoman left - fire resistant	98	8502	T-TABLE coffee table	231	9050	TAKE table lamp	179	9275	BLOOM ceiling lamp	198
7043	POP OUTDOOR three seater sofa	108	7170	LARGO 3 seats sofa	96	8600	TIPTOP/TIPTOP MONO coffee table	232-233	9053	SMALL FL/Y suspension lamp	195	9280	BIG BLOOM suspension lamp	199
7044	POP OUTDOOR additional seat	108	7171	LARGO sofa with ottoman right	96	8605	TIPTOP coffee table glass top	232	9058	BIG FL/Y suspension lamp	196	9300	TAJ table lamp (for certain countries only)	190
7085	CUSHION	98-103	7172	LARGO 5 seats corner sofa	96	8610	TIPTOP KIDS table	232	9060	TOOBE floor lamp (for certain countries only)	201	9320	TAJ MINI table shade (for certain countries only)	191
7090	PLASTICS DUO short ottoman	102	7173	LARGO 6 seats corner sofa	96	8800	STONE stool-table	237	9065	TOOBE table lamp (for certain countries only)	201	9325	TAJ MINI table shade metal (for cert. countries only)	191
A7090	PLASTICS DUO short ottoman fire-resistant	102	7174	LARGO 7 seats corner sofa	96	8801	STONE stool-table metal	237	9066	SMALL FL/Y suspension lamp metallic	195	9335	LANTERN table lamp	184
7091	PLASTICS DUO long ottoman	102	7175	CUSHION 48x48 cm.	91-96-111	8805	SPARKLE coffee table	239	9068	SMALL FL/Y suspension lamp mat painted	195	9385	PLANET table lamp high	174
A7091	PLASTICS DUO long ottoman fire resistant	102	7176	CUSHION 35x48 cm.	91-96-111	8810	PRINCE AHA stool	236	9070	BOURGIE table lamp dimmable	180	9386	PLANET table lamp low	174
7092	PLASTICS DUO armchair short central	102	7177	LUNAM cushions Orsetto/Curly	95	8818	SPARKLE stool	239	9071	BOURGIE table lamp On/Off (for cert. countries only)	180	9387	PLANET floor lamp	172
A7092	PLASTICS DUO armchair short right fire resistant	102	7178	LUNAM cushions Antibes	95	8820	SAINT ESPRIT stool-table	243	9072	BOURGIE table lamp chrome	180	9388	PLANET floor lamp	172

INDEX OF PRODUCTS

SEATING

7

NAME

PAGE

 MAUI SOFT	58
 SPOON/SPOON CHAIR	60
 BE BOP	61
 DR. NO	62
 DR. NA	63

SOFT

65

 HIRAY	66
 UNCLE JACK, UNCLE JIM	74
 BUBBLE CLUB	75
 LCP	76
 JOE COLOMBO	77
 K/WOOD, S/WOOD	78
 A.I. LOUNGE	80
 CARA	82
 K-WAITING	86
 LUNAM	92
 LARGO	96
 PLASTICS OUTDOOR	100
 PLASTICS DUO	102
 PLASTICS TECH FABRIC	104
 TRIK	105
 FOLIAGE	106
 POP OUTDOOR	108
 POP MISSONI	110
 POP	112

TABLES

115

 VISCOUNT OF WOOD	116
 EARL OF WOOD	120
 LUNAT	121
 GLOSSY	122
 GLOSSY OUTDOOR	125
 MULTIPLO XL	126
 MULTIPLO	128
 MULTIPLO LOW	132
 FOUR OUTDOOR	134
 FOUR CERAMIC	135
FOUR	136

NAME

PAGE

 SIR GIO	138
 BLAST	139
 UNDIQUE MAS	140
 UNDIQUE	141
 THIERRY XXL	142
 THIERRY BISTROT	143
 THIERRY	144
 INVISIBLE TABLE	145
 K-TOP	146
 TOPTOP	148
 TOPTOP OUTDOOR	152
 TOPTOP FOR DR. YES	154
 SPOON TABLE	156
 MAX	157

LIGHTS

159

 ANGELO STONE	160
 KHAN	162
 GOODNIGHT	164
 TEA	166
 TEA APPLIQUE	167
 GEENA	168
 MINI GEENA	169
 KLUX	170
 FATA	171
 PLANET	172
 MINI PLANET	175
 KABUKI	176
 MINI KABUKI	178
 TAKE	179
 BOURGIE	180
 BOURGIE MAT	181
 BATTERY	182
 BIG BATTERY	183
LANTERN	184
SPACE	185
LIGHT-FAIR	186
TOY	188
ALEDIN	189

NAME

PAGE

 TAJ	190
 TAJ MINI	191
 CINDY	192
 EASY*	193
 FL/Y	194
 SMALL FL/Y	195
 BIG FL/Y	196
 BELLISSIMA	197
 BLOOM	198
 TOOBE	201
 GÈ	202
 È	203

ACCESSORIES

205

 COMONIBILI BIO	206
 COMONIBILI RECYCLED	207
 COMONIBILI	208
 COMONIBILI SMILE	212
 MOBIL MAT	213
 MOBIL	214
 A.I. CONSOLE	216
 GHOST BUSTER	217
 GASTONE	218
 BATTISTA	219
 FLIP	220
 INVISIBLE SIDE	221
 TRAYS	222
 ADAM WOOD	224
 POLVARA	226
 BOOKWORM	228
 KITE SHELF	229
 AL WOOD	230
 T-TABLE	231
 TIPTOP	232
SOUND RACK	234
MAX-BEAM	235
PRINCE AHA	236
STONE	237
JOLLY	238

NAME

PAGE

 SPARKLE	239
 OPTIC	240
 PANIER	241
 CALICE, COLONINA, PILASTRO	242
 ATTILA/NAPOLEON	243
 EUR	244
 ROY	245
 ONLY ME	246
 FRANÇOIS GHOST	248
 ALL SAINTS	250
 BOXY	251
 SHELFISH	252
 RAIL	253
 TIC&TAC	254
 AIR DU TEMPS	255
 JELIES COAT HANGERS	256
 WALL CLOTHES HOOK	257
 HANGER	258
 ALTA TENSIONE	260
 SEGMENTI	261
 TIRAMISÙ	262
 UPPER	263
 MAGAZINE RACK	264
 FRONT PAGE	265
 UMBRELLA ST./WASTE BASKET	266
 MISSES FLOWER POWER	267
 KLEO	268
 PARAYS	270
 RUG	271
 K-LIM	272
KARTELL CARPET	273
H-HORSE*	274
DISCOVOIANTE*	275

TABLEWARE

277

 TEATIME	278
 OKRA	279
 PUMO	280
 TRULLO	281

NAME

PAGE

 JELIES FAMILY	282
 TRAMA	286
 NAMASTÈ	288
 I.D. ISH BY D'O	289
 PIAZZA	290
 ABBRACCIAIO	291
 MOON	292
 DUNE	293
 I SHINE	294
 U SHINE	295
 MATELASSÉ	296
 JELLY	297
 SHANGHAI	298
 SHIBUYA	299
 INFINITY	300
 L'AMERICANA	301

*AVAILABLE ONLY
IN CERTAIN COUNTRIES

NOTES



This catalogue was printed using 100% self-generated electricity produced using photovoltaic panels and other renewable sources.



The inks used for the printing process are vegetable-based and mineral oil-free. The oil carrier in which the coloured pigments are dissolved is obtained from specially cultivated plant seeds, further limiting CO₂ emissions. The use of solvents and additives containing VOCs (volatile organic compounds) has been eliminated from the entire printing process.



This catalogue is printed on "Burgo Selena Green" natural wood-free pure cellulose machine-made paper with a handmade look, for luxury printing. Bleached without the use of chlorine and ECF (Elemental Chlorine Free) certified; 100% recyclable and FSC® certified for the responsible management of the world's forests.



The printing presses used are CO₂ Neutral certified, and the printer offsets the inevitable additional CO₂ emissions associated with the production process with reforestation activities managed by Rete Clima.

Project and Art Direction
Ferruccio Laviani

Graphic Design
Alessandro Pensotti

Printing
Target Color S.r.l.

Copyright Kartell 2024

Kartell

via delle Industrie, 1 • 20082 Noviglio (MI)
t: +39 02 900121 • f: +39 02 90091212
kartell@kartell.it • kartell.com

